



CONFIG NUMBER CB260661
 CONFIG DESCR DH500-F314G 30P SB
 CONFIG REV DATE 4/21/2026
 ORDER QTY 1
 DIST NAME RUSH BUS CENTERS
 DIST CONTACT HEATHER MIMS
 CUST NAME DUBLIN ISD
 CUST SHIP STATE TX

ITEM	QTY	DESCRIPTION
COL-20260202	1	PRICE SCHEDULE COL 02/02/2026
100-1-21-12	1	Spec, FMVSS "School Bus" >10,000# GVWR, driver plus 10 or more passengers (wheelchair positions counted as 4 passengers), may be used to transport students to or from school.
110-DH500-15	1	Core components, DRW high headroom model 5 section. Standard floor (with wheelwells), 76" interior headroom, 25"X78" entrance door, 96" overall width, all-galvanized-steel construction. Body fully insulated.
12127E7P14Y317	1	Chassis Ford-US/2027/DRW 158 E450/7.3 Perf/14500/Yellow/AC/Tilt/Cruise/Drivers Seat Standard/Belt/ALT. STD/OEM RADIO/Standard Differential/White Wheels/Black Bumper/Fast Idle/No Block Heater/No Spare Tire/No Speed Governor/Standard Battery
125-00-26	1	Chassis Supplied None
200-111370-20	1	A/C 70K, dual compressor, 2 fan, skirt mount condenser, dash & in-wall evaporator, Ford 7.3G.
210-21-00-12	1	Battery tie-in for Ford gas units with no battery box.
220-04-20	1	Battery upgrade to replaces OEM battery with 850CCA battery
230-200-15	1	Bumper 10" x 3/16 galvanneal steel channel DRW, wrap around extending forward at least 12" with protecting end caps, for use with exhaust pipe routed under the bumper or to the
233-201-16	1	Bumper Brace to attach to frame side, DH 400/500 and DE/DH 416 models, all Gas and Diesel exhaust systems.
236-2100-12	1	Fuel system protection and preparation for Ford gas standard or elevated floor 138"/158"WB DRW
238-2-500-0-12	1	PARTS REQUIRED TO BUILD SPECIFIC BODY MODEL ON SPECIFIC CHASSIS BRAND (FORD STD 500)
250-212-12	1	Door, entrance, black aluminum frame with full-length laminated AS2 glass for SH/DH units
260-2-12	1	Door entrance control, manual with positive over-center locking handle in both open and closed positions, for glass doors.
265-212-13	1	Rear egress door, RH (curbside) hinge, Steel construction, select glass rear door upper/lower separately.
270-01-12	1	Rear door hinge continuous stainless steel
280-10-13	1	Rear Door Latch single latch at center of door, with interior red handle and exterior web style non-hitching handle.

300-51-12	1	Backup-alarm 112dBA that is activated upon placing the bus in reverse gear, wired through the ignition.
300-72-12	1	Switch for heater & fan shutdown, quickly limits interior noise, includes AM/FM radio, heater, defroster, and A/C. Does not affect windshield wipers.
305-20100-20	1	Child alert system with dome lights; armed automatically, an audible alert signals driver to check bus; All exits must be closed to disarm. horn will sound after 8 seconds if not disarmed or ignition not in on position; to disarm, ignition on and push but
310-2110-20-25	1	Backup camera safety system with 7" monitor mounted above window. Rosco. Ford E-Series Only
320-500-213-20	1	Ford 500/516 exhaust left exit gasoline
330-103-12	1	Endcaps fiberglass front and rear exterior for use with school bus warning lights on DH units
332-213-22	1	Exterior steel rear corner skins left and right, driprail and below emergency exit rear door for DH units
334-500-21-12	1	Exterior aluminum left and right roof skins for DRW 500 (5section) units
336-500-302-14	1	Exterior steel left and right side skins, behind and above driver skins for DH 500 (5section) units
338-1500-20-14	1	Skirts, steel below body panels for std floor DH500
339-122-20-14	1	No Storage/No Battery Box, steel skirt
340-02-12	1	Mud Flaps Rear DH
350-500-21-1-12	1	Flooring black rubber, 1/8" smooth rubber under seats, 3/16" ribbed center aisle rubber 15" wide.
355-02-21-12	1	Flooring step treads, DRW standard and elevated floor models, black pebble tread with integral white pebble nosing.
360-500-21-12	1	Plywood subfloor for DH/E500 units, 1/2" thick
390-02-12	1	Add aluminum aisle trim to bus. Covers seam between under seat rubber and aisle rubber.
390-04-19	1	Cover tops and sides of interior wheel well with black elastomer trim cover, fits dual rear wheel wheelwells
400-22-12	1	Heater 60K floor mount for Ford units placed IN RIGHT HAND REAR CORNER OF BUS, for gas engines, includes 2 shutoff valves, BLEEDER VALVE
410-07-13	1	Heater shut off valve, cable operated with cable operator located on the dash, use with Ford units only.
420-500-10-14	1	Interior panels below window, embossed aluminum, standard floor 500 units.
422-031-15	1	Interior Panels Rear Wall DRW with Exit Door, with AC cutout.
430-500-100-13	1	Interior panels upper, smooth aluminum painted white for DRW 500 units.
440-01-12	1	Grabrail 42" long 1 1/4 dia. stainless, mounted left of entry on RH barrier, designed to prevent entanglement (Passes NHSTA string and nut test)
440-02-12	1	Grabrail 30" long 1 1/4 dia. stainless, mounted right of entry, designed to prevent entanglement (Passes NHSTA string and nut test)
440-03-12	1	Mirror interior clear view back bonded glass, rounded corners and protected edges, 6 x 16 flat. Installed above drivers head on front bulkhead. Interior mirror providing the driver a clear view of interior and rear exit door.

440-21-23	1	Vandal lock for Ford E-S, permits manual lock of rear emergency door from inside while bus not in use, with buzzer and visual indicator on panel. Engine will not start until lock is disengaged, warning buzzer will activate to alert driver lock is engaged.
440-50-13	1	Interior addition driver cup holder, mounted to center console at driver RH below switch panel.
450-02-12	1	Brake/tail LED lights flange/screw mounted flush with separate license plate light, (2) 4". Required for TX.
460-02-12	1	brake/tail lights, 2- 7" LED type
470-01-12	1	Clearance lights LED type; row of three red lights on rear of bus and single reds on left & right rear, row of three amber lights on front of bus with single ambers on left and right front sides. Lights are low profile grommet mount.
472-01-12	1	Four domelights are powered through the ignition, will only function when ignition is turned on and dome light switch is on.
474-04-20	1	Drivers dome light operated by separate switch on console and driver door. Transit does not have an OEM dash switch.
480-05-12	1	Lamps, turn signal amber LED rear 7"
490-02-12	1	Reverse LED lights flange/screw mounted flush, (2) 4". Required for TX.
494-01-12	1	Lights, stepwell lights are wired ignition hot and are illuminated whenever the DOD is opened.
500-02-01-12	1	Strobe light, roof mounted, low profile, dual flash, with switch. Power off ignition. Strobe located 1' from rear of bus.
510-03-12	1	Warning lights, LED, four red & four amber 7" surface mounted, Note: if light monitor option required use LED sensitive monitor
520-02-2-12	1	Warning light system, 8 light, non-sequential, wired through battery, Master switch, Warning Start switch.
540-10-19	1	Black Housing ADA Light, exterior located near lower edge of DOD. Comes on when DOD opens, or stepwell lights are on.
540-17-25	1	Illuminated School Bus sign, front and back endcaps. DH and DE only. First Light Safety
555-03-12	1	Dimmer switch for electrical control box lighted switches.
555-08-15	1	Dome light, additional above driver seat in ABS. Operated by existing driver dome or OEM switch depending on driver dome option
565-22-1110-12	1	Remote Heated Rearview and Crossview mirror system w/ black bracketry for Ford DRW buses. ROSCO AccuStyle 8"x15" dual Rearview mirror incl. 7"x9.5" flat and 7"x4" convex mirror glass, with Heated EyeMax LP Crossview mirrors.
580-03-202-12	1	Headknockers to comply with FMVSS 222; foam pads covered with gray fire block upholstery.
590-11-202-12	1	Pad over driver door covered with gray fire block upholstery.
600-22-002-15	1	Paint body exterior yellow, Ford DH/DE buses.
620-06-999-12	1	Paint Wheels Black (Outer only, does not include inner duals or spare.)
620-31-13	1	Paint scheme with black borders around warning lights and black extending the full width of front and rear caps (except SL, SH, LH units around lights only). Endcap areas around black gelcoat regions are painted body color.
630-04-5-23	1	Radio, OEM supplied, 4 speakers. Provides tie-in harness to main chassis.

650-50020-23	1	Rubrails, floor level side rubrails , 4.6" tall X 16 ga steel.
652-50020-23	1	Rubrails, seat level side rubrails that wrap around the rear of the bus to the emergency door, 4.6" tall X 16 ga steel.
654-50020-23	1	Rubrails, window level side rubrails , 4.6" tall X 16 ga steel.-
656-50007-23	1	Skirt level rubrails, for use with 500 models
659-999-23	4	Rubrails painted black color.
660-18-13	1	Triangle warning reflectors (set of three), with clamp style mount to allow TWR in case to be removed.
660-22-12	1	Fire extinguisher, 5 lb., 3A 40BC with 10" hose and nozzle,, may only be mounted near entrance door.
660-31-12	1	Seat belt cutter, loaded loose in driver compartment.
670-900-26	1	Body fluids kit in metal case for AL, AR, CO, CT, KS, MA, MN, MO, ND, PA, SD, UT, WI, WY, WV
680-045-12	1	First aid kit 24 Unit for AK, AL, AR, AZ, CT, DE, FL, GA, IA, ID, IL, IN, KS, KY, LA, MA, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, ,OH, OK, PA, RI, SC, SD, TN, TX, UT, VT, WA, WV, WY
690-1-01-37-202	1	Barrier, 37" left hand high back with medium gray fire block upholstery, leg at 27" position, for 36" & 39" seat. IMMI
691-3-12	1	Barrier spacing LH to B-pillar, spacing provides energy absorption zone for 3 passengers per FMVSS222, must be selected when LH front seat accommodates 3 passengers.
700-1-01-37-202	1	Barrier, 37" right hand high back with medium gray fire block upholstery, no welting, leg at 27" position, for 36" & 39" seat. IMMI
701-0-12	1	Barrier spacing RH to stepwell, none.
710-4-03-39-202	5	Seat, 39" left hand, IMMI SABRE three passenger flex with 3 point belts, with medium gray fire block upholstery, no welting. Leg at 27" position.
711-26-12	5	Seat spacing LH 26in hip/knee.
720-4-03-39-202	5	Seat, 39" right hand, IMMI SABRE three passenger flex with 3 point belts, with medium gray fire block upholstery, no welting. Leg at 27" position.
721-27-12	5	Seat spacing RH 27in hip/knee.
730-01-14	10	Seat mounting hardware floor mount seats, required for each non-track-mount seat
750-1-1-37-15	1	Lower Modesty Kickpanel for IMMI 37/39" LH DRW Barrier
760-09-12	1	Decal 8" tall black lettering "SCHOOL BUS", placed on both sides of bus, yellow reflective background, includes both LH and RH side.
760-22-002-12	1	Tape, reflective two inch yellow, outline sides/rear of DH/DE units
780-100-12	1	Signage, identification, "Collins"
790-03-12	1	Certification plate made of engraved metal located in drivers compartment.
800-01-12	1	Std ext. decal 2" tall "EMERGENCY DOOR" in black/arrow in black. Std int. decal 2" tall "EMERGENCY EXIT" in black/arrow red
840-02-12	1	Stop Arm, EG Decal, WG, Incandescent Specialty 7500 - METAL
860-01-12	1	Auxiliary fan two-speed, right side over windshield.
860-04-12	1	Roof vent, static with non-closeable control grille.

870-01-001-12	1	Roof Hatch Transpec Low Profile Standard Safety Vent II Model 1975, 1" White Tape on Ext. Perimeter, Activate Buzzer when Opened w/ Ignition on, Emergency Exit Decals, Operating Instructions, Interior & Exterior Handles, Not Approved for Canada
925-12-15	1	Window Transition Ford glass, AS2 laminated clear glass
950-123-12	1	Windows Rear Body with Rubber Mounted AS3 Laminated 28% Tinted Glass
960-23-12	1	Window Rear Door Lower Rubber Mounted AS3 Laminated 28% Tinted Glass
970-23-12	1	Window Rear Door Upper Rubber Mounted AS3 Laminated 28% Tinted Glass
980-223-12	10	Window Split Sash 36" with AS3 Laminated 28% Tinted Glass, providing an unobstructed 12 x 28 opening when upper sash is lowered.
982-2-100-2-12	1	Window Split Sash 36" RH and LH Vertical Egress Hinge, Release Handle, Buzzer, Interior/Exterior Signage, and Yellow Exterior Reflective Tape.
294-12-12	1	Core electrical items for Ford buses with higher option content except Transit. Includes Elect. Board, switch panel, buzzer, domes, step lights, and main harness
985-02-12	1	Undercoat body components, chassis components such as driveline, brake lines, wiring, exhaust system are not undercoated.
986-03-14	1	Warranty, extended limited body, covers body shell, structure, seat structure for 5 YR/100K MI, manufacturer's components for 3 YR/36K MI, other components 3 YR/36K MI. Excludes corrosion due to road chemicals. See warranty policy for full details.
987-00-22	1	Reassignment Chassis, None

Dealer Installed Options
 DOT Inspection upon delivery
 Delivery to Customer