



**Corbett School District #39
Healthy and Safe Schools**



Annual Statement – June 2026

Corbett School District #39 certifies the following:

1. Responsible Persons

The person responsible for implementing and administering the Healthy and Safe Schools (HASS) Plan is:

Name: Steve Salisbury

Position Title: Facility Supervisor

Phone Number: 503-261-4213

Email Address: ssalisbury@corbett.k12.or.us

Mailing Address: Corbett School District, 35800 E. Historic Columbia River Hwy., Corbett, OR 97019

The person who is the designated Integrated Pest Management (IPM) Coordinator is:

Name: Steve Salisbury

Position Title: Facility Supervisor

Phone Number: 503-261-4213

Email Address: ssalisbury@corbett.k12.or.us

Mailing Address: Corbett School District, 35800 E. Historic Columbia River Hwy., Corbett, OR 97019

The person responsible for Asbestos Hazard Emergency Response Act (AHERA) information is:

Name: Steve Salisbury

Position Title: Facility Supervisor

Phone Number: 503-261-4213

Email Address: ssalisbury@corbett.k12.or.us

Mailing Address: Corbett School District, 35800 E. Historic Columbia River Hwy., Corbett, OR 97019

2. Copies of the Healthy and Safe Schools Plan

Copies of the plan are available at each of the following locations:

- Corbett School District Office, 35800 E. Historic Columbia River Hwy., Corbett, OR 97019
- <https://corbett.k12.or.us/about/healthy-and-safe-schools/>

3. Testing Certification

Corbett School District certifies that it is in compliance with all plan components, including any and all testing required by any part of the plan.

4. Testing Results

Corbett School District is current with all required testing as of the date of this document. Test results can be found on the Corbett School District’s website at <https://corbett.k12.or.us/about/healthy-and-safe-schools/>.

Corbett School District will also use current district email lists or communications programs to provide final test results to staff, students, parents of minor students, and other members of their community. This includes providing actual final test results or providing direct access to final test results through links in the communications. Please contact Brie Windust to be added to current district email lists and programs. Specific test results can be found as follows:

- Lead in Water: <https://corbett.k12.or.us/about/healthy-and-safe-schools/lead-in-drinking-water/>
- Radon: <https://corbett.k12.or.us/about/healthy-and-safe-schools/radon/>
- Asbestos: <https://corbett.k12.or.us/about/healthy-and-safe-schools/asbestos/>

5. Website Link Maintenance

Corbett School District certifies that all website links for plan information and test results are current and functional.

6. Major Exposure Reduction Activities

Corbett School District has completed the following major activities, which resulted in reduced risk of exposure to hazardous materials:

Facility Name	Building Identification Number (BIN)	Activity resulting in reduced risk of exposure to hazardous materials	Type of hazard addressed	Date of activity	Estimated cost of remediation
Corbett Middle School	21860110	Install 1 mitigation system with below the concrete slab-on-grade floor from exterior of room 123	Radon	April/May 2023	\$4,000.00

I certify that the above information is true and accurate to the best of my knowledge.

Derek Fialkiewicz	Superintendent	6/1/2025
<i>Electronic signature of authorized representative</i>	Title	Date of Annual Certification