

MALCOLM PUBLIC SCHOOLS, DISTRICT #148
BOARD OF EDUCATION REGULAR MEETING AGENDA
Monday, April 7, 2025 6:00 PM
SCHOOL DISTRICT BOARD ROOM

{{Name: Agenda Item Name}}

1. **Call Regular Board Meeting to Order - Roll Call**
2. **Pledge of Allegiance**
3. **Review Perceptual Data Survey Results**
4. **Discuss Policy 6282 School Colors and ER 6280.2 MPS Brand Identity Guide**
5. **Discuss Door Access and Security Hardware**
6. **Discuss Vape Detectors**
7. **Discuss District Protocol for Board Member Recognition**
8. **Facilities and Transportation Discussion**
9. **Discuss the Need for Additional Facilities Space and the Potential for a Future Bond Referendum.**
10. **Adjourn**

NOTICES:

COPY OF OPEN MEETINGS ACT: The Board of Education makes available at least one current copy of the Open Meetings Act posted in the meeting room at a location accessible to members of the public. The Act is posted on the Bulletin Board on the North wall of the meeting room.

INSTRUCTIONS FOR THOSE WHO WISH TO SPEAK DURING PUBLIC FORUM:

Getting Started: The Board of Education will receive public comment on individual agenda items or communication from any district patron on any issue. When it is your turn to speak during the “Communications from the Public” portion of the agenda, please come forward to the table situated immediately in front of the Board, sign your name and address on the sign-in sheet and state your name to the Board of Education.

Time Limit: You may speak one time, but please limit comments to 5 minutes or less.

Personnel or Student Topic: If you are planning to speak about a personnel or student matter involving an individual, please understand that our policies require that such concerns initially be directed to the administration for consideration. Board members will generally not respond to any questions you ask or comments you may make about individual staff members or students. You are cautioned that slanderous comments are not protected just because they are made at a Board of Education meeting.

General Rules: Please remember that this is a public meeting for the conduct of the business of the Board of Education. Offensive language, personal attacks and hostile conduct will not be tolerated.

SCHOOLS

BY: MALCOLM PUBLIC

BOARD OF EDUCATION

Instruction

Activities

School Colors

The official colors of Malcolm Public Schools shall be *Royal Blue* and *White*. An additional color or colors may be used for trim, but the predominant colors shall remain *Royal Blue* and *White*.

Please reference ER 6280.2—MPS Brand Identity Guide

Date of Adoption	7/23/12
Date Amended	
Date Reviewed/Affirmed	5/20/2024



OUR BRAND

MALCOLM PUBLIC SCHOOLS
District #148 – Malcolm, Nebraska

BRAND IDENTITY STYLE GUIDE



TABLE OF CONTENTS

WHO WE ARE

Our Mission	4
Our Vision	4
Our Beliefs	4

OUR BRAND

Why Brand?	5
Our Brand Essence.....	5
Our Brand Voice.....	6
Primary Logo	6
Logo Spacing.....	7
Minimum Size and Exceptions.....	7
Color Palette	8
Color Variation.....	8
Logo Usage	9, 10
Secondary Logos.....	10
Departmental Lockups	11-13
Logo Vault.....	14

TYPEFACE & STATIONERY

Typeface	15
Stationery	16, 17
Conference Logos	18

SOCIAL MEDIA..... 19

PHOTOGRAPHY 20-27


MERCHANDISE 28-29

FAQs 30

CONTACT 31

WHO WE ARE

Malcolm Public Schools is a growing, dynamic and proud public school district located in the Village of Malcolm on the outskirts of neighboring Lincoln, Nebraska. Malcolm offers its students a top-tier education and a PK-12 educational experience second-to-none. A student-centric focus, a quality instructional staff, challenging curriculum and a smaller school environment combine to create an ideal setting to allow students to learn, explore, grow and thrive on their journey to becoming global citizens.



Our Mission

In partnership with our community, we will provide an educational experience that maximizes the potential of each student to become a productive and responsible citizen.



Our Vision

We strive to become the most admired school district in Nebraska.



Our Beliefs

The mission of the Malcolm Public Schools is based upon the belief that:

- Students are our first priority
- Each student is unique and has infinite value
- Education is dynamic and evolving
- A positive learning environment enhances learning
- High expectations promote higher achievement
- Honesty and integrity are essential to building trust
- Individuals are responsible for their own actions
- Our school is accountable to the community
- Education is a shared responsibility of the individual, family, school and community
- Excellence is worth the investment



OUR BRAND


Why Brand?

What is a brand and why is it so important? In a crowded world flooded by a constant stream of never-ending messages and a seemingly unlimited number of choices, how does anyone sort through all of this? Building a powerful and memorable brand is essential to navigating through this maze of competitive messaging and is one of the keys to success.

A brand is more than a logo or a particular color. It is the emotional connection between an entity and its stakeholders. It's the collective sum of pride, loyalty, choice, awareness, messaging, connection and image. It's the deep, internal feeling one gets when thinking or talking about the brand. A strong brand stands out from the crowd and is a powerful differentiator.

Our Brand Essence

The essence of our brand, and what sets Malcolm Public Schools apart from the rest, is quite simple: we are a district that prides itself on providing a top-tier quality education – in partnership with our community – who together create an educational experience focused on maximizing the potential for each student's individual success.



The choices we make in contributing to each element of our brand essence is driven by Malcolm Public Schools' aspirational vision statement – “We strive to become the most admired school district in Nebraska.”

Our Brand Voice

Part of contributing to a strong Malcolm brand is not only **WHAT** we say – but also **HOW** we say it. Clear, concise content expressed in a positive, upbeat tone will best represent Malcolm Public Schools’ commitment to its students through a quality education and its optimistic outlook for the future.

Verbal and written communication should be welcoming, approachable, genuine and in plain English to build trust and understanding.

Written content should be void of misspellings, grammatical errors and poor punctuation. Keeping the interests of the audience always in mind is paramount to communicating Malcolm’s message effectively.



Primary Logo

The Malcolm “Block M with Clippers Script” is the primary brand identity design for Malcolm Public Schools. It symbolizes the strength and tradition of Malcolm’s 100+ year heritage and its visionary, forward-looking outlook for the future.

When visually representing Malcolm Public Schools, Malcolm’s primary logo should be used. Consistent usage of this primary logo will reinforce Malcolm’s brand equity in its brand.




Each element of Malcolm’s primary logo was specifically designed to maximize visual impact and clarity. Do not alter the orientation, color, positioning, sizing or relationship of any of these elements. Use only the official logos designed to approved specifications. Do not attempt to recreate logos. Ensure legibility by not reducing logo sizes below minimum standards. See “Minimum Size”. Do not attempt to reproduce logos by scanning a previously printed version or by performing a “screen shot” from the Internet. Such reproduction methods will degrade image quality. Additional logo treatment information can be found in “Logo Usage”.

Logo Spacing

To ensure maximum visibility and integrity, always position the Malcolm primary logo with an area of clear space completely surrounding the design. No other competing design element should be integrated into this clear space area without brand administrator approval.

The clear space surrounding the Malcolm logo should be no less than 25% of the maximum width of the Block M and should be maintained on all sides of the design as the logo is proportionally enlarged or reduced in size.



Minimum Size and Exceptions

When utilizing the primary logo, take into consideration its relationship of size and legibility. An image too small doesn't serve any useful purpose and can detract from legibility. For printing purposes, the overall height of the primary logo should be no smaller than 0.75 inches and no smaller than 75 px tall in digital applications.






Exceptions to minimum primary logo size limitations may exist in certain applications such as some stationery pieces or in selected specialty items including pens, pencils, key chains, medals, jewelry, etc. In these situations, graphic designers should use their discretion when they cannot adhere to minimum size standards. In limited circumstances where the designated print area is too small to use a legible primary logo, it is acceptable to use the printed name of the school district (i.e. "Malcolm Public Schools" or "Malcolm Clippers") in the approved print font without the primary logo.

Color Palette

Color is one of the most distinctive and differentiating elements of any brand. Consistency in color presentation across all uses provides immeasurable strength to a brand’s image and serves as a powerful connection to the brand.

Over the years, Malcolm Public Schools has traditionally been associated with a “Malcolm Blue” or “Clipper Blue” shade of blue as its signature color. This signature color is complemented with usage of black and/or white accents.

OFFICIAL MALCOLM PUBLIC SCHOOLS COLORS

COLOR		PRINT	WEB
MALCOLM BLUE		PANTONE: 286 CMYK: C100 M65 Y0 K0	RGB: 0 102 153
BLACK		PANTONE: None CMYK: C0 M0 Y0 K100	RGB: 0 0 0
WHITE		PANTONE: None CMYK: C0 M0 Y0 K0	RGB: 255 255 255

There may be occasions where colors other than those from the core palette of Malcolm Public Schools may be utilized. This could include selected promotional items, specialty or nostalgic uniforms, building materials/paint, certain school supplies, etc. Discretion should be used when selecting colors outside of the core palette to avoid competing contrasts or dilution of approved colors. Non-core colors should serve to accent or complement Malcolm’s core palette of official colors. These colors should not replace any of the core palette colors nor should they be the dominant color on printed items.

Color Variation

The Malcolm Clippers logo can be used in the following color variations:



Logo Usage

Proper usage of the “official” Malcolm logo helps to ensure the visual integrity of the brand and improve legibility. In general, the Malcolm logo should always utilize the three-color design and be placed on a solid background; however, some exceptions may be permitted (i.e. black/white printing, one-color reverse imagery, neutral area or low contrast/highly detailed photographic background, etc.). Shown below are some examples of the proper and improper use of the “official” Malcolm logo.

Do’s . . .



Placement against a solid background is acceptable.



Use of a one-color design is acceptable.



Placement on a neutral area of a photo is acceptable.

Don't . . .



Do not alter the colors or add a pattern to the logo.



Do not place the logo over patterned solid colors.



Do not place the logo over high contrast photo backgrounds.



Do not distort the proportion of the logo.



Do not crop a portion of the Malcolm logo.




Do not eliminate or modify the size of the border.

Don't, continued . . .



Do not add additional outlines.



Do not add other artwork elements.



Do not overlay additional text.



Do not use the logo to substitute for a letter.



Do not blur, distress or screen down the logo.



Do not rotate or render the logo three-dimensionally.


Secondary Logos

While the primary logo should be used to visually represent Malcolm Public Schools, selected secondary logos are acceptable for use to complement Malcolm's brand identity in design applications. Design standards for secondary logos follow the same rules as Malcolm's primary logo. Shown below are the approved secondary logos for Malcolm Public Schools.


Anchor 1



Anchor 2



Clippers Ship



Any additions to the Malcolm secondary logo library must be approved by the brand administrator prior to use. Upon approval, digital vector files of the secondary logo will be added to this style guide.

Departmental Lockups

To leverage the collective strength of the brand for intra-Malcolm Public School departments or school-affiliated organizations, these departmental lockups have been designed to provide design presentation consistency yet be reflective of the uniqueness of each individual department or organization. Alternations to these departmental lockups should not be made. Listed below are examples of Malcolm departmental lockups. If your Malcolm Public Schools department or school-affiliated organization is not listed below, please contact the brand administrator and one will be created for you.



Malcolm Public Schools



Malcolm Public Schools Foundation



Malcolm Activities



Malcolm Art Department



Malcolm Baseball



Malcolm Basketball



Malcolm Public Schools



Malcolm Public Schools
Foundation



Malcolm
Activities



Malcolm
Art Department



Malcolm
Baseball



Malcolm
Basketball

Departmental Lockups, cont.



Malcolm Boosters Association (Recommended)



Malcolm Boosters Association



Malcolm Cross Country



Malcolm Cross Country



Malcolm Drama



Malcolm Drama



Malcolm FBLA



Malcolm FBLA



Malcolm Football



Malcolm Football



Malcolm Music Department



Malcolm Music Department



Malcolm Parent Teacher Organization (Recommended)



Malcolm Parent Teacher Organization



Malcolm Skills USA



Malcolm Skills USA

Departmental Lockups, cont.



Malcolm Softball



Malcolm Speech



Malcolm Student Council



Malcolm Student Services



Malcolm Track & Field



Malcolm Unified Bowling



Malcolm Volleyball



Malcolm Wrestling



Malcolm Softball



Malcolm Speech



Malcolm
Student Council



Malcolm Student Services



Malcolm
Track & Field



Malcolm
Unified Bowling



Malcolm Volleyball



Malcolm Wrestling

Logo Vault

The following logos and artwork associated with Malcolm Public Schools are retired and should no longer be applied for current use. Retired logos and artwork may be used under limited circumstances, such as for nostalgic purposes, but only upon approval by the brand administrator.



TYPEFACE & STATIONERY

Typeface

With a wide variety of available choices, typeface is often reflective of the style and personality of the brand. The characteristics of the typeface should be in alignment with the mission, vision, brand essence and brand voice of the Malcolm Public Schools.

Typeface should be selected to enhance legibility and readability. Typography for Malcolm Public Schools should generally avoid serif fonts (i.e. Times New Roman, Garamond, Georgia, etc.) since these fonts are typically considered an older style. Usage of upper/lower case letters rather than all upper case letters (i.e. Malcolm Public Schools vs. MALCOLM PUBLIC SCHOOLS) in headlines or titles improves readability and makes copy more approachable.

Two recommended fonts for general body copy are:

Calibri

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789


Calibri (Body)
Calibri Light (Headings)

Arial

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Arial
Arial Black
Arial Narrow
Arial Rounded MT Bold

The “official” Malcolm primary logo consists of two fonts. The “Block M” uses the “Freshman” font and the scripted “Clippers” uses the “Script MT” font**. Usage of these two fonts should be limited to the primary logo only, unless otherwise approved by the brand administrator.



**Please note: To improve readability, the curl at the top of the “C” in the word “Clippers” has been removed.

Typeface utilized for school uniforms may be limited to the selections offered by the Malcolm-approved sports uniform supplier. Generally, a readable, block-style font on sports uniforms is preferred over other stylistic fonts. Typography used for Malcolm Public School merchandise offered by approved suppliers is generally broader in scope; however, discretion should be used while always maintaining the design integrity of the “official” Malcolm primary logo.

Stationery

In addition to typography, stationery items are also a tangible indicator of a brand’s personality. Care should be exercised in selection of paper stock to ensure quality in color, weight, texture and ink absorption consistency. All fulfillment requests for Malcolm Public School stationery items should be made directly with the Business Manager in the Malcolm Administration Office.

Business Cards


(White, raised print preferred, recommended stock weight: 100 – 130 lb.)

Front of Card:



Back of Card:

Option 1 Back



Option 2 Back



Option 3 Back



Letterhead & Envelopes

(White, recommended stock weight: 24 lb.)



Malcolm Public Schools

10004 NW 112th Street
Malcolm, NE 68402


402.796.2151
www.malcolmschools.org



Malcolm Public Schools
10004 NW 112th Street
Malcolm, NE 68402

Stationery, cont.

Mailing Label



Thank You Card



E-mail Signature



Ryan Terwilliger

Superintendent

ryan.terwilliger@mps148.org

402.796.2151


10004 NW 112th St., Malcolm, NE 68402

Conference Logos

Effective in the Fall of 2022, Malcolm Public Schools will become a member of the Trailblazer Conference. Each member school district has its own logo design. Digital files of these designs can be obtained by contacting the Malcolm Public Schools brand administrator.



Ashland-Greenwood Bluejays
(Joining Fall 2023)



Springfield Platteview Trojans



Beatrice Orangemen



Plattsmouth Blue Devils



Malcolm Clippers



Ralston Rams



Nebraska City Pioneers



Wahoo Warriors

SOCIAL MEDIA

This section is currently under development.
Please consult with the brand administrator for any immediate needs.

PHOTOGRAPHY



One of the leading attributes that differentiates Malcolm Public Schools from other districts is the unique, engaged and dynamic people that comprise Malcolm’s students, staff, parents, patrons and supporters.

Photography should be selected that celebrates the district’s student-centric belief and captures the spirit and energy inherent throughout Malcolm Public Schools.





Selection of photography associated with Malcolm Public Schools should focus on people engaged in school learning and Malcolm-related activities. Photos should be expressive and stir the emotion of the observer to cause them to smile. Attention to achieving a diverse mix of age, gender, race and ethnicity in photographic subjects should be made to be reflective of the unique mix of individuals who come together to make the Malcolm educational experience special.







Malcolm photography should capture a moment; and not be “just a snapshot.” Always try to use crisp, high-resolution photography for vivid reproduction purposes and avoid blurred or out-of-focus imagery, inadequate lighting and poor framing.









MERCHANDISE

School Athletic Uniforms

In addition to Malcolm Public Schools reputation for strong academics and a student-centric environment, support of Malcolm’s tradition of excellence in athletics and the fine arts is symbolic of the pride and energy students, staff, parents, patrons and fans have in its school.

When a student puts on a Malcolm athletic uniform, they represent the district’s commitment to quality, sportsmanship, hard work and fair play. School uniforms are an extension of this commitment and must follow brand standards to ensure a quality presentation and brand consistency.

Malcolm Public Schools uses primarily Nike sports apparel supplied by BSN Sports of Kearney, Nebraska for its sports uniforms. Preferred uniform colors are either a blue uniform with white/black accents or a white uniform with blue/black accents.

The blue color in Malcolm uniforms is Nike’s “Team Royal” or equivalent. Lettering/numbers on Malcolm uniforms should have sufficient size and color contrast to enhance readability from distances and to meet Nebraska School Activities Association requirements. Any artwork representing Malcolm Public Schools on uniforms should use the “official” Malcolm primary logo.



Malcolm-Approved Merchandise

Fans and supporters of Malcolm Public Schools proudly showcase their enthusiasm for Malcolm Clipper student-athletes by selecting from a wide array of branded apparel and specialty merchandise items. Much like the school's sports uniforms, consistency in presentation of colors, styles and designs help to ensure the strength and integrity of Malcolm's powerful brand.

At this time, BSN Sports of Kearney, Middle Creek Printing (formerly Sports Express) of Seward and Custom Sports of Norfolk have been contracted to produce approved merchandise for Malcolm Public Schools. Usage of other merchandise suppliers should be pre-approved by the brand administrator.

While some discretion may be acceptable, efforts should be made to follow Malcolm Public School brand standards as closely as possible for all school-approved merchandise, including, but not limited to, usage of the "official" Malcolm logos, approved colors (or their equivalents), typography, spacing and logo usage.



FAQs

Who is required to use the “official” Malcolm logos?

Any artwork intended to represent Malcolm Public Schools, or a Malcolm Public Schools-affiliated or sanctioned organization, should utilize the “official” Malcolm logos.

Are non-Malcolm Public School-related organizations, who may even have current Malcolm students actively participating in them, required to use “official” Malcolm logos or design standards?

No. Non-Malcolm Public School organizations such as the Malcolm Youth Sports Association, Malcolm Legion Baseball, various sports camps, etc. are not required to use “official” Malcolm logos or design standards. Any use of “official” Malcolm logos by any of these types of organizations must be pre-approved by the brand administrator.

Can I create my own unique Malcolm logos for my school department or school-affiliated organization?

No. The strength and value of the Malcolm brand lies with its consistent presentation. Use of the “official” Malcolm logos strengthens the affiliation of the department/organization to Malcolm Public Schools and brings an elevated level of credibility. Creation of unique Malcolm logos creates confusion and contributes to brand dilution.

If your Malcolm school department or school-affiliated organization does not have a pre-approved logo design (see “Departmental Lockups” for examples), contact the brand administrator for assistance.

What apparel or specialty item suppliers can be used to produce Malcolm-branded merchandise?

At this time, BSN Sports of Kearney, Middle Creek Printing (formerly Sports Express) of Seward and Custom Sports of Norfolk have been contracted to produce approved merchandise for Malcolm Public Schools. Usage of other merchandise suppliers should be pre-approved by the brand administrator.

Can Malcolm Public School student teams or clubs design their own member t-shirts?

Yes, members of Malcolm Public School student teams or clubs may design their own t-shirts; however, any logo designated to represent Malcolm Public Schools must use the “official” primary logo. To strengthen affiliation with Malcolm Public Schools, t-shirt designers are encouraged to adhere to brand design standards but may use appropriate discretion in considering design options. Final designs should be submitted to the brand administrator for pre-approval.

Where do I get the digital vector files of the official Malcolm logos?

Requests for digital vector files of Malcolm’s official logos are fulfilled on a case-by-case basis and can be made by submitting an email to one of the brand administrators listed under the Contacts section in this Style Guide.

CONTACT

Adherence to the design standards established in the Malcolm Public Schools Brand Identity Style Guide is paramount to maintaining the integrity and consistency of the Malcolm brand. Users are strongly encouraged to thoroughly read this Brand Identity Style Guide to ensure all aspects of the design standards are implemented.

Any questions on the use or application of these Malcolm brand standards, or to request digital files of the approved Malcolm digital logo artwork, should be directed to the brand administrators listed below.

Questions and Requests for Digital Logo Artwork

Ryan Terwilliger
Superintendent
Malcolm Public Schools
10004 NW 112th Street
Malcolm, NE 68402
402.796.2151
ryan.terwilliger@mps148.org

Alison Blair
Business Manager
Malcolm Public Schools
10004 NW 112th Street
Malcolm, NE 68402
402.796.2151
alison.blair@mps148.org

PLEASE NOTE:

While efforts have been made to provide a comprehensive overview of Malcolm's brand identity standards, certain design situations may arise which may not be directly addressed by this Style Guide. In these situations, users are encouraged to consult with the brand administrators prior to production. Updates to this Malcolm Public Schools Brand Identity Style Guide will be made on a periodic basis. To ensure compliance with the most current brand standards, users should refer to the latest version.



Your Safety Is Our Business
secure • monitor • connect

Malcolm Public School

Hosted Access Control with Intrusion Alarm Upgrade

67318-2-0
Dated: 3/27/2025

Prepared for:
Troy Pritchett

Customer: **Malcolm Public School**

Site: **10004 NW 112 Street
Malcolm, NE, 68402**

Contact: **Troy Pritchett | (402) 796-2151 | Troy.Pritchett@Mps148.Org**



Proposal #: 67318-2-0
Dated: 3/27/2025

Hosted Access Control with Intrusion Alarm Upgrade

Scope of Work

HOSTED ACCESS CONTROL

- Install DMP XR550 panel in **upstairs server room**; connect to nearby customer provided switch for internet access
- Install LifeSafety lock power supply & 2ea 734 door controllers
- At **North Door**, Replace existing Paxton card reader with Signo 40 card reader with keypad
- Disconnect existing wire from Paxton panel located in server room, and connect to 734
- At **High School Main Entrance**, Replace existing Paxton video intercom with Signo 40 card reader with keypad
- Disconnect existing wire from Paxton panel located in drop ceiling above adjacent conference room
- Connect reader and door to 734 in upstairs server room with composite run through existing path
- In **Elementary Janitor Closet**, install lock power supply and 3ea 734 Door controllers
- Connect lock power to main XR550 panel in server room with 22/4 run thru drop
- At **Elementary Office Door**, Replace existing Paxton video intercom with Signo 40 card reader with keypad
- Disconnect existing wire from Paxton panel located in drop ceiling above reception
- Connect reader and door to 734 in Janitor Closet with composite run through existing path
- At **Elementary Outer Set**, Replace existing Paxton card reader with Signo 40 card reader with keypad
- Disconnect existing wire from Paxton panel located in drop ceiling above reception
- Connect reader and door to 734 in Janitor Closet with composite run through existing path
- At **Elementary Inner Set**, Replace existing Paxton card reader with Signo 40 card reader with keypad
- Disconnect existing wire from Paxton panel located in drop ceiling above reception
- Connect reader and door to 734 in Janitor Closet with composite run through existing path
- Provide 100ea SEOS fobs
- Configure Connect1 Hosted Access Control software so card readers unlock with valid reader or PIN
- Provide customer with admin login to Connect1 software
- Load mobile app for remote administration and control of system
- System checkout & training

Prepared by: **Aaron Semm • Security Consultant**
asemm@seisecurity.com • seisecurity.com

8200 Cody Dr, Ste F, Lincoln, NE 68512 | P: (402) 434-3233-4261 | F: (402) 434-9283

Customer: Malcolm Public School

Site: 10004 NW 112 Street
Malcolm, NE, 68402

Contact: Troy Pritchett | 402) 796-2151 | Troy.Pritchett@Mps148.Org



Proposal #: 67318-2-0
Dated: 3/27/2025

- Provide 5ea Doors of Hosted Access Control via internet @ \$65/mo

VIDEO INTERCOMS

- At **High School Main Entrance**, replace existing Paxton video intercom with Axis Network Video Intercom; connect to door for remote door release
- Connect to nearest existing PoE switch with Cat6 provided/pulled by customer
- At reception desk, install 2N Indoor Compact answering station to provide 2 way communication and remote release
- Connect to nearest PoE switch with Ca6 provided/pulled by customer

- At **Elementary Office Door**, replace existing Paxton video intercom with Axis Network Video Intercom; connect to door for remote door release
- Connect to nearest existing PoE switch with Cat6 provided/pulled by customer
- At reception desk, install 2N Indoor Compact answering station to provide 2 way communication and remote release
- Connect to nearest PoE switch with Ca6 provided/pulled by customer

INTRUSION ALARM UPGRADE

- Customer currently has Vista 128 panel running burg alarm and monitoring local fire alarm panel
- Burg devices are wired on a loop with V-plex devices and 4193SN's
- Move this loop to DMP XR550 panel by installing 736V module
- If any existing intrusion devices are not compatible, they can be replaced at additional cost
- Replace existing intrusion alarm keypads at HS Main Entrance and Elementary Office with new touch screen keypads
- Intrusion alarm will be controllable by same mobile app as access control system
- System checkout & training
- Provide Intrusion Alarm monitoring via internet with Intouch mobile app @ \$33/mo

FIRE ALARM COMMUNICATOR & MONITORING

- SEI currently monitors customer's Siemens Cerberus Pro Fire Alarm System through Vista 128 panel via network
- Install new Dualcom cellcom at panel located in Janitor Closet
- Provide Fire Alarm Monitoring via cell at \$75/mo

STANDARD QUALIFICATIONS:

- All work shall be done during normal working hours
- All ceiling, floor and walls are assumed to be accessible for cable and device installation
- Customer to provide all 120 VAC power as required

Prepared by: Aaron Semm • Security Consultant
asemm@seisecurity.com • seisecurity.com

8200 Cody Dr, Ste J | Lincoln, NE 68512 | P: (402) 434-3233-4261 | F: (402) 434-9283

Customer: Malcolm Public School

Site: 10004 NW 112 Street
Malcolm, NE, 68402

Contact: Troy Pritchett | (402) 796-2151 | Troy.Pritchett@Mps148.Org



Your Safety Is Our Business
secure • monitor • connect

Proposal #: 67318-2-0
Dated: 3/27/2025

- Customer to provide Ethernet network including: equipment, network drops, connectivity, and IP addresses as required.
- Customer to provide wall or rack space for equipment as required
- Any existing wire and/or equipment to be reused that does not meet standards will be replaced at an additional charge
- Customer to provide and install all Cat6 cabling as described above. Wire shall be left within 10' of the device final location. If additional labor is required because of misplacement or mislabeling of wire, additional charges may apply.
- SEi is not responsible for drywall or painting work necessary for installation.
- SEi is not responsible for patching or covering holes left behind by removing, relocating, or replacing existing equipment.
- Proposal does not include any project submittals, shop drawings, as-built drawings, or O&M manuals
- SEi will provide programming sheet to assist Owner in programming the system
- Owner is responsible for providing programming sheet including: personnel names, authorization levels, valid times, and accessible doors before SEi can begin assisting with programming of the system.
- No permits or bonds are included in this price
- SEi has excluded sales tax in the proposal given.
- A 50% down payment will be required by SEi prior to our ordering equipment.
- The proposal excludes potential price increases due to government-imposed tariffs. Any such increases will be the customer's responsibility until SEi receives a 50% deposit. Once the deposit is received, SEi will secure equipment at the current pricing.

Prepared by: Aaron Semm • Security Consultant
aasemm@seisecurity.com • seisecurity.com

8200 Gody Dr, Ste 1 | Lincoln, NE 68512 | P: (402) 434-3233-4261 | F: (402) 434-9283

Customer: Malcolm Public School

Site: 10004 NW 112 Street
Malcolm, NE, 68402

Contact: Troy Pritchett | (402) 796-2151 | Troy.Pritchett@Mps148.Org



Your Safety Is Our Business
secure • monitor • connect

Proposal #: 67318-2-0
Dated: 3/27/2025

Schedule of Protection

Hosted Access Control

QTY	Description
1	Intrusion Panel, 574 Zones, Network (No Dialer)
1	12v 7ah Battery
5	Access Control Module
5	734 Wiring Jumper Cable
2	DMP 734 Enclosure, 4 Doors with 4 Locks
4	Battery
2	Line Cord
5	Reader, w/Keypad, Signo, Single Gang
550	Composite Plenum Shielded Wire
100	SEOS Keyfob

Annually Recurring:

Description

Hosted Access Control Connect 1
Commercial Internet Monitoring
Commercial inTouch

Video Intercoms

QTY	Description
2	5MP Outdoor IP Video Door Station, 10.8W, Black
2	Security Relay
2	Desk stand for 2N Indoor Compact
2	2N Indoor Compact Video Answering Unit
350	18/4 Plenum Non Shielded Wire

Intrusion Alarm Upgrade

QTY	Description
2	Graphic Touchscreen Keypad, Prox, 4 Zones, White
2	Power Supply
1	V-Plex Interface Module
1	SEi Labor to reconnect and test existing devices
1	3 Amp Auxillary Power Supply
3	12v 7ah Battery

Annually Recurring:

Description

Commercial Intrusion Monitoring

Fire Alarm Communicator and Monitoring

QTY	Description
1	Network Universal LTE Fire Communicator

Annually Recurring:

Prepared by: Aaron Semm • Security Consultant
asemm@seisecurity.com • seisecurity.com

8200 Gody Dr. Ste 1 | Lincoln, NE 68512 | P: (402) 434-3233-4261 | F: (402) 434-9283

Customer: Malcolm Public School

Site: 10004 NW 112 Street
Malcolm, NE, 68402

Contact: Troy Pritchett | (402) 796-2151 | Troy.Pritchett@Mps148.Org



Your Safety Is Our Business
secure • monitor • connect

Proposal #: 67318-2-0
Dated: 3/27/2025

Description

Commercial Fire Monitoring
Commercial Cellular Monitoring

Investment Summary

Deposit Due in Advance	\$12,245.00
Balance Due Upon Completion	\$12,245.00
Monthly Recurring	\$173.00
Total Proposal Amount	\$24,490.00

Note: The above price does not include tax

* This proposal for the above described protection is valid for 30 days.

* This proposal for the above described protection does not include tax and is covered by a one (1) year parts, labor and service guarantee

Prepared by: Aaron Semm • Security Consultant
asemm@seisecurity.com • seisecurity.com

8200 Cody Dr. Ste I Lincoln, NE 68512 | P: (402)-434-3233-4261 | F: (402)-434-9283



Commercial Installation and Service Agreement

THIS AGREEMENT is made March 27, 2025, by and between SECURITY EQUIPMENT, INC and its directors, officers, shareholders, employees and agents, (collectively "Company") and Malcolm Public School ("Subscriber"). Location of Customer's premises 10004 NW 112 Street, Malcolm, NE 68402.

Subject to the terms and conditions hereinafter set forth, Company agrees to sell, takeover Customer's equipment, provide installation services, (except for any and all radio equipment), and provide (Hosted Access Control Connect 1, Commercial Internet Monitoring, Commercial Fire Monitoring, Commercial Cellular Monitoring, Commercial Intrusion Monitoring, Commercial inTouch) of the equipment specified on "Schedule of Protection / Scope of Work" (all service offerings selected are collectively, "Services"), which is incorporated herein by reference.

Note:

Subscriber acknowledges and agrees that (i) additional equipment, at additional cost, can provide increased detection ability, (ii) Subscriber has voluntarily elected to accept the System based on Subscriber's business reasons, e.g., cost, firm culture, Premises environment and conditions, insurance requirements, etc., (iii) a second telephone line at the Premises may be necessary to use the telephone while the System is transmitting data to the monitoring facility, (iv) if the System includes radio equipment or the System is owned by the Company, Subscriber shall permit Company to remove the radio equipment or the System within three (3) business days after the termination of services to the radio or the System and Subscriber agrees to pay Company on a time basis at Company's then prevailing charges for such removal or, at Company's sole election, Subscriber shall, at its sole cost, within three (3) business days after the termination of services to the radio or System, remove and return the radio equipment or the System complete, undamaged (ordinary wear and tear excepted), and in good working order to the Company at the Company's home office, (v) Subscriber shall notify Company of all ordinances or local policies of the police, sheriff, fire, medical, ambulance, guard, patrol and response services, and other governmental, private or volunteer departments and organizations (collectively, "First Responders") that may affect Company's performance of services to Subscriber, (vi) the local municipality where the Premises is located may require a license, permit or fee for the installation, use or monitoring of the System which is the sole responsibility of Subscriber to determine and comply with, and (vii) devices, Systems, networks, data and other communications transmitted through radio signals (wireless devices) or the internet are susceptible to being accessed by others, e.g., hackers, and Subscriber hereby releases Company for and from all damages, losses, costs and liabilities arising out of or from, in connection with or related to any third party's access of any such device, System, network, data or other communication related to this Agreement.

Installation Charges:

Subscriber agrees to pay Company the sum of \$24,490.00, plus tax, if applicable, for the sale and installation of the System as follows: A 50% deposit prior to ordering equipment. The remaining balance is due in full at time of substantial completion. Installation jobs over \$25,000 are subject to additional progress billing frequencies at Company discretion. Upon substantial completion of installation by electronic funds transfer ("EFT") cash, check or money order credit card. If EFT is checked, you authorize periodic debits to your bank account as stated above.

Recurring Charges:

Subscriber agrees to pay Company the sum of \$173.00, plus tax, if applicable, per month for the lease of the System (if checked above), and Services, prepaid annually for a period of five (5) years. This Agreement shall automatically, without action by either party, renew under the same terms and conditions for successive periods equal to the initial period unless either party gives to the other at least thirty (30) days written notice, prior to expiration date, of intention to terminate this Agreement upon its original or any renewed expiration date or, in the event this renewal provision is not effective for any reason whatsoever, this Agreement shall automatically renew from month to month unless either party gives to the other at least thirty (30) days written notice of intention to terminate at the expiration of any such term. Time is of the essence with regard to this paragraph.

NOTICE TO CUSTOMER: CUSTOMER SPECIFICALLY ACKNOWLEDGES AND ACCEPTS THE DISCLAIMER/LIMITATION OF LIABILITY AND INDEMNITY PARAGRAPHS HEREOF. TERMS AND CONDITIONS ARE AN INTEGRAL PART OF THIS AGREEMENT. CUSTOMER ACKNOWLEDGES RECEIPT OF A COPY OF CONTRACT. READ ALL PAGES BEFORE SIGNING.

Electronic Signatures:

The person signing this Agreement certifies that Customer's policies do not prohibit the acceptance and execution of terms and conditions in electronic form. In addition, each party consents to and agrees that the use of a keyboard, mouse, or other device (1) to select an item, button, icon or checkbox or (2) to enter text, or (3) to perform any similar act or action while using SEI's web-based portal(s) for the purpose of initiating, reviewing, modifying or completing any transaction regarding this Agreement constitutes a lawful and valid signature, acceptance, and agreement, and shall be treated the same as if such were actually made using a physical, written signature. The parties further agree that no certification authority, or other third-party verification is necessary to validate their respective electronic signature. The parties additionally agree that this Agreement is accepted and agreed to when an electronic signature for each party has been affixed to this Agreement.

Customer consents to receive SEI invoices and statements by Electronic Delivery.



IN WITNESS WHEREOF, and intending to be legally bound, the parties have executed or caused this Agreement to be executed on the signing date unless otherwise agreed to in writing. Further, if the Customer is a corporation, the individual signing this Agreement on behalf of the Customer shall be personally liable as a surety for the financial obligation of the Customer.

SEI

Submitted By: Aaron Semm
Approved By: _____
Date: _____

Malcolm Public School

Signature: _____
Date: _____
Print Name: Troy Pritchett
Title: _____
Email: Troy.Pritchett@Mps148.Org


Overview

DMP Unified Power Systems combine FlexPower® power modules alongside DMP 734/734N Wiegand Interface Modules in one compact and secure UL Listed solution.

This unit is a 75W 12V or 24V DC single voltage access power system.

The C4 lock control module provides four access control inputs capable of voltage or dry contact activation and four fused outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO.

DMP access enclosures are painted steel with two removable DMP module backplates and include lock, two (2) keys and tamper switch.



System Features

- ◆ **FPO offline power supply**
 - 120 or 230 VAC input
 - 12 or 24 VDC outputs
 - On board Fire Alarm Interface
 - Continuous and resettable DC
- ◆ **Distributed output module**
 - Four lock control - fused at 3A each
- ◆ **Expansion options**
 - Increased power, multiple voltages
 - Additional distribution outputs
 - Network monitoring and reporting
- ◆ **Lifetime Warranty**

Enclosure Features

- ◆ **Labor saving design**
 - Pre-wired power section
 - Pre-punched knockouts
 - Preinstalled brackets hold four DMP modules
 - Flexible backplate mounting locations
 - Access panels mount on threaded studs - no drilling required
- ◆ **Additional benefits**
 - Wire management room
 - 4.5" enclosure depth fits battery set
 - Tamper switch, lock, dual key set standard
 - Mounting hardware for access boards included

Ordering	Description
FP075-C4E1-2DM2	75W (12V & 24V) 4 lock outputs, holds 4 DMP



Specifications



Input Power	Input 120/230 VAC 50/60 Hz 83 Watts (.70 Amps) Overload and short circuit protection Over temperature protection Polarized AC power supply disconnect
Output Power	FP075: 12V/6A or 24V/3A 75 Watts Outputs: Continuous (DC1) Resettable (DC2) 4 lock outputs with inputs, fused at 3A per output 120 mV output voltage ripple System Efficiency: 83% System BTU Rating: 33 BTU/Hr
Battery Charging	Independent built-in 1A charger for sealed lead acid or gel type batteries Microprocessor dual rate charging of 12 or 24 V battery sets Charges up to 40Ah battery sets within UL limit Automatic switchover to standby battery when AC fails Zero voltage drop when switched over to battery backup
Supervision	AC Fail (form "C" contacts) System fail (form "C" contacts) may be triggered by low/no battery, short to earth ground and power supply failure
Visual Indicators	AC input, DC1 and DC2 output System fault AC fault Short to earth ground Reverse battery polarity Fire Alarm Input activated C4: DC output and fault
Regulatory Compliance	UL294, UL603, UL1076, ULC S318, ULC S319
Mercury/LSP	CSA C22.2 #107.1, CSA 22.2 #60950
Joint Listing	CSFM / FCC Part 15, Subpart B CE
Enclosure Dimensions	Size: 14.00H x 12.00W x 4.50D in. (35.00 x 31.00 x 11.50 cm) Weight: 14 lbs
Access Panel Mounting	Pre-installed brackets mount two (2) DMP modules per bracket

AXIS I8116-E Network Video Intercom

Small and flexible with deep learning

This compact and powerful network video intercom operates as a communication device and security camera, providing 5MP video, two-way communication, and remote entry control. Open standards such as ONVIF and Session Initiation Protocol (SIP) combined with its small size enables unique opportunities for system design and integration. WDR and efficient noise cancellation ensure performance in demanding situations, such as strong backlight or surrounding noise. It's also possible to wire an OSDP reader to the IO connector for trouble-free access control using Axis Access Control solutions. Furthermore, it comes with AXIS Object Analytics preinstalled, and built-in cybersecurity features help prevent unauthorized access.

- > **Mullion form factor**
- > **High quality 5 MP video with audio**
- > **SIP support**
- > **Support for analytics based on deep learning**
- > **Built-in cybersecurity features**



SIP

ONVIF | GMS1

2N® Indoor Compact 2N Answering units



2N® Indoor Compact

The 2N® Indoor Compact is an indoor answering unit designed especially for the residential market. Installation by connecting a single UTP cable and configuration via a web interface guarantees that integrators can put the unit into operation quickly and easily. Users will be impressed by the minimalist design, tempered glass surface, 4.3" colour display and intuitive controls. A simply elegant solution for video communication.



Villas
Residential complexes

Condominiums
Luxury residences

Intuitive controls, even for inexperienced users

Accepting calls, opening doors, displaying missed calls or switching to silent mode has never been easier. Large, colour backlit buttons make the interface intuitive and easy to operate.

Designer surface made of tempered glass

The upper 3mm glass is chemically strengthened at 420°C in a salt bath, providing maximum durability and protecting it from scratches and impacts during everyday household use.

Configuration via a web interface

Creating a device directory or upgrading firmware in all installed 2N® Indoor Compact units can be done either locally or remotely via the unit's web interface.

HID® Signo™ Readers

Models: 20, 40, 20K, 40K, 40T

The signature line of readers from HID

HID Signo™ is the signature line of physical access control readers from HID. The versatility, performance and connected capabilities of HID Signo readers set a new industry benchmark for the most highly adaptable, interoperable and secure approach to electronic access control.

Offering an unparalleled breadth of functionality, HID Signo affords security system installers and administrators a simple and effective approach to secure access control for almost any scenario.

With support for the widest array of credential technologies — past, present and future — HID Signo is the perfect choice for those looking to make the transition to a secure authentication technology.

HID Signo readers transcend the traditional approach to security by being designed to be connected and managed remotely without needing to physically touch each device. This functionality empowers access control systems to dynamically respond as new needs, configurations or threats arise.

POWERFULLY SECURE


- Multi-Layered security to ensure data authenticity and privacy
- EAL5+ Certified Secure Element Hardware
- Native OSDP secure channel capability
- Trusted secure authentication using the SIO data model
- Supports HID® Elite Key™ and HID® Corporate 1000™ Programs

MEET EVERY NEED, ADAPT TO ANY SITUATION

- Go mobile with native Bluetooth and NFC support
- Integrated 125 kHz credential read support for easy migration
- Supports over 15 common credential technologies
- Flush mount terminal block and pigtail wiring options
- Robust outdoor performance with an IP65 rating

MANAGE, UPGRADE AND CONFIGURE

- Easily and securely managed using HID Reader Manager®
- Configure via a mobile device or OSDP
- Update firmware in response to threats
- Personalize by configuring audio visual or keypad settings
- Deactivate legacy credential technology to conclude secure migration



KEY BENEFITS

- **Highly Versatile** — Support for the widest range of credential technologies, including HID Mobile Access® via native Bluetooth and Near Field Communication (NFC).
- **Enhanced Performance** - Storage of cryptographic keys on certified secure element hardware, plus a new surface detection feature that enables the reader to automatically recalibrate and optimize read range performance.
- **Connected to the Future** — All readers include out-of-the-box support for Open Supervised Device Protocol (OSDP) for secure bidirectional communication.

READY FOR THE FUTURE NOW

- Mobile-ready by default, including Apple's Enhanced Contactless Polling (ECP) to support credentials in Apple Wallet
- Sleek, innovative design to suit modern architecture, available in black or white
- Integrated OSDP for secure authentication and configuration post installation
- Built on a hardware platform designed to be adaptable to support future technology
- Designed to seamlessly integrate into the HID Origo® ecosystem

Customer: Malcolm Public School

Site: 10004 NW 112 Street
Malcolm, NE, 68402

Contact: Troy Pritchett | (402) 796-2151 | Troy.Pritchett@Mps148.Org



Your Safety Is Our Business
secure • monitor • connect

Proposal #: 67318-3-0
Dated: 3/27/2025

Additional Hosted Access Control Doors

Scope of Work

ADDITIONAL HOSTED ACCESS CONTROL DOORS

- In **Janitor Closet near Room 220**, install lock power supply and 4ea 734 door control modules
- Connect to 120v power provided by customer, and to main XR550 panel with 22/4 pulled thru drop and existing chases
- At **Door 10**, install Electric Retraction kit with armored door cord on one leaf of double set
- Install Signo 40 card reader with keypad & Rex motion
- Connect door to 734 with composite pulled thru drop
- At **Door 11**, install Electric Retraction kit with armored door cord on one leaf of double set
- Install Signo 40 card reader with keypad & Rex motion
- Connect door to 734 with composite pulled thru drop
- At **Door 12**, install Electric Retraction kit with armored door cord on one leaf of double set
- Install Signo 40 card reader with keypad & Rex motion
- Connect door to 734 with composite pulled thru drop
- At **Door 14**, install Electric Retraction kit with armored door cord on one leaf of double set
- Install Signo 40 card reader with keypad & Rex motion
- Connect door to 734 with composite pulled thru drop
- Provide 4ea doors Connect1 Hosted Access Control @ \$40/mo

STANDARD QUALIFICATIONS:

- This proposal is contingent upon completion of the work detailed in 67318-2.
- All work shall be done during normal working hours
- All ceiling, floor and walls are assumed to be accessible for cable and device installation
- Customer to provide all 120 VAC power as required
- Customer to provide Ethernet network including: equipment, network drops, connectivity, and IP addresses as required.
- Customer to provide wall or rack space for equipment as required
- Any existing wire and/or equipment to be reused that does not meet standards will be replaced at an additional charge
- SEI is not responsible for drywall or painting work necessary for installation.
- Proposal does not include any project submittals, shop drawings, as-built drawings, or O&M manuals

Prepared by: Aaron Semm • Security Consultant
asemm@seisecurity.com • seisecurity.com

8200 Cody Dr. Ste 100 | Lincoln, NE 68512 | P: (402) 434-3233-4261 | F: (402) 434-9283

Customer: Malcolm Public School

Site: 10004 NW 112 Street
Malcolm, NE, 68402

Contact: Troy Pritchett | 402) 796-2151 | Troy.Pritchett@Mps148.Org



Your Safety Is Our Business
secure • monitor • connect

Proposal #: 67318-3-0
Dated: 3/27/2025

- No permits or bonds are included in this price
- SEI has excluded sales tax in the proposal given.
- A 50% down payment will be required by SEI prior to our ordering equipment.
- The proposal excludes potential price increases due to government-imposed tariffs. Any such increases will be the customer's responsibility until SEI receives a 50% deposit. Once the deposit is received, SEI will secure equipment at the current pricing.

Prepared by: Aaron Semm • Security Consultant
asemm@seisecurity.com • seisecurity.com

8200 Cody Dr. Ste 11 Lincoln, NE 68512 | P: (402) 434-3233-4261 | F: (402) 434-9233

Customer: Malcolm Public School

Site: 10004 NW 112 Street
Malcolm, NE, 68402

Contact: Troy Pritchett | 402) 796-2151 | Troy.Pritchett@Mps148.Org



Your Safety Is Our Business
secure • monitor • connect

Proposal #: 67318-3-0
Dated: 3/27/2025

Schedule of Protection

Additional Access Control Doors

QTY	Description
1	DMP 734 Enclosure, 4 Doors with 4 Locks
2	Battery
1	Line Cord
1	Secondary Voltage Module - Board Only
4	Access Control Module
4	734 Wiring Jumper Cable
4	Reader, w/Keypad, Signo, Single Gang
2	Sargent Latch retraction kit
4	Touch Sense Bar Accessory, DoorCord With Gray & BI
2	Hager Latch Retraction Kit
650	Composite Plenum Shielded Wire
300	22/4 Plenum Non Shielded Wire
4	Request to Exit Sensor

Annually Recurring:

Description

Hosted Access Control Connect 1

Investment Summary

Deposit Due in Advance	\$7,936.00
Balance Due Upon Completion	\$7,935.00
Monthly Recurring	\$40.00
Total Proposal Amount	\$15,871.00

Note: The above price does not include tax

* This proposal for the above described protection is valid for 30 days.

* This proposal for the above described protection does not include tax and is covered by a one (1) year parts, labor and service guarantee

Prepared by: Aaron Semm • Security Consultant
aasemm@seisecurity.com • seisecurity.com

8200 Cody Dr. Ste 1 Lincoln, NE 68512 | P: (402) 434-3233-4261 | F: (402) 434-9283



Commercial Installation and Service Agreement

THIS AGREEMENT is made March 27, 2025, by and between SECURITY EQUIPMENT, INC and its directors, officers, shareholders, employees and agents, (collectively "Company") and Malcolm Public School ("Subscriber"). Location of Customer's premises 10004 NW 112 Street, Malcolm, NE 68402.

Subject to the terms and conditions hereinafter set forth, Company agrees to sell, provide installation services, (except for any and all radio equipment), and provide (Hosted Access Control Connect 1) of the equipment specified on "**Schedule of Protection / Scope of Work**" (all service offerings selected are collectively, "**Services**"), which is incorporated herein by reference.

Note:

Subscriber acknowledges and agrees that (i) additional equipment, at additional cost, can provide increased detection ability, (ii) Subscriber has voluntarily elected to accept the System based on Subscriber's business reasons, e.g., cost, firm culture, Premises environment and conditions, insurance requirements, etc., (iii) a second telephone line at the Premises may be necessary to use the telephone while the System is transmitting data to the monitoring facility, (iv) if the System includes radio equipment or the System is owned by the Company, Subscriber shall permit Company to remove the radio equipment or the System within three (3) business days after the termination of services to the radio or the System and Subscriber agrees to pay Company on a time basis at Company's then prevailing charges for such removal or, at Company's sole election, Subscriber shall, at its sole cost, within three (3) business days after the termination of services to the radio or System, remove and return the radio equipment or the System complete, undamaged (ordinary wear and tear excepted), and in good working order to the Company at the Company's home office, (v) Subscriber shall notify Company of all ordinances or local policies of the police, sheriff, fire, medical, ambulance, guard, patrol and response services, and other governmental, private or volunteer departments and organizations (collectively, "First Responders") that may affect Company's performance of services to Subscriber, (vi) the local municipality where the Premises is located may require a license, permit or fee for the installation, use or monitoring of the System which is the sole responsibility of Subscriber to determine and comply with, and (vii) devices, Systems, networks, data and other communications transmitted through radio signals (wireless devices) or the internet are susceptible to being accessed by others, e.g., hackers, and Subscriber hereby releases Company for and from all damages, losses, costs and liabilities arising out of or from, in connection with or related to any third party's access of any such device, System, network, data or other communication related to this Agreement.

Installation Charges:

Subscriber agrees to pay Company the sum of \$15,871.00, plus tax, if applicable, for the sale and installation of the System as follows: A 50% deposit prior to ordering equipment. The remaining balance is due in full at time of substantial completion. Installation jobs over \$25,000 are subject to additional progress billing frequencies at Company discretion. Upon substantial completion of installation by electronic funds transfer ("EFT") cash, check or money order credit card. If EFT is checked, you authorize periodic debits to your bank account as stated above.

Recurring Charges:

Subscriber agrees to pay Company the sum of \$40.00, plus tax, if applicable, per month for the lease of the System (if checked above), and Services, prepaid annually for a period of five (5) years. This Agreement shall automatically, without action by either party, renew under the same terms and conditions for successive periods equal to the initial period unless either party gives to the other at least thirty (30) days written notice, prior to expiration date, of intention to terminate this Agreement upon its original or any renewed expiration date or, in the event this renewal provision is not effective for any reason whatsoever, this Agreement shall automatically renew from month to month unless either party gives to the other at least thirty (30) days written notice of intention to terminate at the expiration of any such term. Time is of the essence with regard to this paragraph.

NOTICE TO CUSTOMER: CUSTOMER SPECIFICALLY ACKNOWLEDGES AND ACCEPTS THE DISCLAIMER/LIMITATION OF LIABILITY AND INDEMNITY PARAGRAPHS HEREOF. TERMS AND CONDITIONS ARE AN INTEGRAL PART OF THIS AGREEMENT. CUSTOMER ACKNOWLEDGES RECEIPT OF A COPY OF CONTRACT. READ ALL PAGES BEFORE SIGNING.

Electronic Signatures:

The person signing this Agreement certifies that Customer's policies do not prohibit the acceptance and execution of terms and conditions in electronic form. In addition, each party consents to and agrees that the use of a keyboard, mouse, or other device (1) to select an item, button, icon or checkbox or (2) to enter text, or (3) to perform any similar act or action while using SEI's web-based portal(s) for the purpose of initiating, reviewing, modifying or completing any transaction regarding this Agreement constitutes a lawful and valid signature, acceptance, and agreement, and shall be treated the same as if such were actually made using a physical, written signature. The parties further agree that no certification authority, or other third-party verification is necessary to validate their respective electronic signature. The parties additionally agree that this Agreement is accepted and agreed to when an electronic signature for each party has been affixed to this Agreement.

Customer consents to receive SEI invoices and statements by Electronic Delivery.



IN WITNESS WHEREOF, and intending to be legally bound, the parties have executed or caused this Agreement to be executed on the signing date unless otherwise agreed to in writing. Further, if the Customer is a corporation, the individual signing this Agreement on behalf of the Customer shall be personally liable as a surety for the financial obligation of the Customer.

SEI

Submitted By: Aaron Semm
Approved By: _____
Date: _____

Malcolm Public School

Signature: _____
Date: _____
Print Name: Troy Pritchett
Title: _____
Email: Troy.Pritchett@Mps148.Org

Campus Area	Location	Item	Tier
Football Stadium	South Pressbox	Sportsmanship Banner	1
Football Stadium	East Side of the Pressbox	Blocks painted Blue with Malcolm Clippers in White	2
High School	Front Entrance HS	Trash Receptacle Signeage	3
High School	Vestibule (above entry)	Blue Wall+Mission Statement+"M' logo	2
High School	HS NW Wall of the commons	"We Remember" Plaques	1
High School	Curved wall in the commons	Record Boards	1
High School	Gym	State Champion Banners	2
High School	Gym	Runner-Up Banners	2
High School	Gym	Sportsmanship Banner	1
Administration Building	Campus Driveway	Marquee	3
Westfall	Front Parking Area WF	Marquee	3
Westfall	East Gym Wall	Paint Malcolm Clippers flanked by the "M" logo	3

Class Grade	Current Enrollment	Grade Capacity
KA	23	42
KB	21	
1A	17	42
1B	7	
2A	24	42
2B	24	
3A	25	42
3B	26	
4A	23	48
4B	23	
5A	26	50
5B	26	
6A	23	52
6B	24	
7	48	52
8	49	52
9	46	52
10	52	52
11	53	52
12	51	52