

Tentative Agenda for the WAVERLY CITY COUNCIL MEETING to be held on May 26, 2026 at 6:00 PM. This meeting will be held at the Waverly City Office Building, 14130 Lancashire, Waverly, NE 68462. A current Agenda shall be readily available for public inspection at the office of the City Clerk during normal business hours.

1. **Call to Order**

1.a) Roll Call

1.b) Pledge of Allegiance

1.c) Acknowledgement of the "Open Meetings Act" poster that is posted by the south entrance.

1.d) Adoption of Agenda

1.e) Approval of the Consent Agenda Items*

All items listed with an asterisk (*) are considered to be routine by the City Council and will be approved by one motion. There will be no separate discussion of these items unless a Council Member or a Citizen so requests, in which event the item will be removed from the Consent Agenda status and considered in its normal sequence on the Agenda.

1.f) Proclamations and Presentations

2. **Public Hearings**

3. **Sheriff's Report**

4. **Public Comments**

5. **Approval of Minutes**

5.a) *Minutes of the May 12, 2026 City Council Meeting

6. **Consideration of Claims and Financial Reports**

6.a) Claims for Payment

6.b) Keno & Sales Tax Reports

7. **Introduction of Resolutions**

7.a) Consideration of Resolution 26-11 Approving Additional Volunteer Fire/Rescue Department Member(s)

7.b) Consideration of Resolution 26-12 Adopting the Comprehensive Safety Action Plan

8. **Introduction of Ordinances**

9. **Introduction of Business and Communications**

9.a) Consideration of a change in health insurance providers to Medica effective 7/1 and a change in non-medical coverages including life, disability, dental, and vision to Principal effective 7/1 and stopping the HRA with Point C.

10. **Committee Reports**

10.a) Human Services (Park & Recreation): Council Member Nielson

10.b) Public Works (Utilities & Street): Council Member Jespersen

10.c) Public Health (Fire & Safety): Council Member Delahoyde

10.d) Fiscal & Economic Development: Council Member Ruhter-Engelhardt

10.e) City Administrator Fisher

11. **Adjournment**

The Governing Body reserves the right to go into Executive Session at any time for the reasons outlined in State Statute 84-1410.

The following rules are established for audience members and participants at a Council meeting:

- (1) Any person wishing to address the Council shall first state their name and address.
- (2) Public comments may be for agenda or non-agenda items.
- (3) Remarks shall be limited to five (5) minutes.





Start: 2026-04-03
End: 2026-04-21
Times: 0:00:00-23:59:59

Violation Threshold: Speed Limit + 10
Speed Range: 1 to 150


Overall Summary

Total Days of Data: 19
Speed Limit: 55
Average Speed: 52.19
50th Percentile Speed: 53.94
85th Percentile Speed: 59.38
Pace Speed Range: 50-60

Minimum Speed: 10
Maximum Speed: 99
Display Mode: Speed Display
Average Volume per Day: 6369.4
Total Volume: 121018



Vehicles Slowed
Other





Extended Speed Summary

Waverly TSC, EB

Start: 2026-04-03

End: 2026-04-21

Times: 0:00:00-23:59:59

Violation Threshold: Speed Limit + 10

Speed Range: 1 to 150

Time	Sign Mode	Speed Limit	Total # Vehicles	Total # Violator	% Violator	Avg # Vehicles	Avg # Violators	Min Speed	Max Speed	Avg Speed	50% Speed	85% Speed	Sign Effectiveness
0:00	Speed Display	55	2102	45	2.1%	110.6	2.4	10	75	48.5	49.5	57.8	42.2%
1:00	Speed Display	55	2037	14	0.7%	107.2	0.7	10	73	43.4	44.4	55.0	37.9%
2:00	Speed Display	55	1682	25	1.5%	88.5	1.3	10	70	44.5	44.2	56.3	37.1%
3:00	Speed Display	55	1775	71	4.0%	93.4	3.7	10	86	46.2	47.2	57.1	38.8%
4:00	Speed Display	55	3259	39	1.2%	171.5	2.1	10	79	49.4	51.3	58.0	45.2%
5:00	Speed Display	55	5224	122	2.3%	274.9	6.4	10	82	50.6	52.0	58.9	53.2%
6:00	Speed Display	55	6693	135	2.0%	352.3	7.1	10	91	51.1	52.9	59.0	55.9%
7:00	Speed Display	55	5054	146	2.9%	266.0	7.7	10	79	54.0	55.3	60.1	53.5%
8:00	Speed Display	55	5181	159	3.1%	272.7	8.4	10	85	53.3	55.0	60.2	54.1%
9:00	Speed Display	55	5653	163	2.9%	297.5	8.6	10	84	53.7	55.2	60.1	55.6%
10:00	Speed Display	55	5844	118	2.0%	307.6	6.2	10	78	53.6	55.0	59.6	56.3%
11:00	Speed Display	55	5942	140	2.4%	312.7	7.4	10	80	53.0	55.1	60.1	57.1%
12:00	Speed Display	55	6182	134	2.2%	325.4	7.1	10	96	53.7	55.1	60.2	58.2%
13:00	Speed Display	55	6114	141	2.3%	321.8	7.4	10	85	53.0	54.7	59.9	57.3%
14:00	Speed Display	55	6491	137	2.1%	341.6	7.2	10	77	52.4	54.2	59.6	56.2%
15:00	Speed Display	55	5968	140	2.3%	314.1	7.4	10	80	53.1	54.7	59.8	55.4%
16:00	Speed Display	55	5839	121	2.1%	307.3	6.4	10	82	53.1	55.1	59.8	55.3%
17:00	Speed Display	55	6319	146	2.3%	332.6	7.7	10	82	53.8	55.4	59.9	57.0%
18:00	Speed Display	55	6597	135	2.0%	347.2	7.1	10	82	52.7	55.0	59.8	54.7%
19:00	Speed Display	55	6118	129	2.1%	322.0	6.8	10	99	53.8	55.3	60.1	53.6%
20:00	Speed Display	55	6419	108	1.7%	337.8	5.7	10	86	53.1	54.8	59.6	53.9%
21:00	Speed Display	55	5783	77	1.3%	304.4	4.1	10	81	52.2	54.5	58.9	54.2%
22:00	Speed Display	55	4601	38	0.8%	242.2	2.0	10	77	50.8	53.3	58.5	51.4%
23:00	Speed Display	55	4141	51	1.2%	217.9	2.7	10	82	49.4	52.9	58.0	46.7%
Total Volumes/ Avg			121018	2534	2.1%	6369.4	133.6	10	99	51.3	53.0	59.0	51.7%
Total/Avg w/o Feedback			0	0	0	0.0	0.0	n/a	n/a	n/a	n/a	n/a	n/a
Total/Avg w/ Feedback			121018	2534	2.1%	6369.4	133.6	10	99	51.3	53.0	59.0	51.7%



NEIGHBORHOOD TRAFFIC SUMMARY



Posted Speed Limit

Violation Threshold=
Speed Limit + 10mph



Traffic Study Dates:

04/03/2026 - 04/21/2026

Times: 0:00:00 - 23:59:59



Traffic Study Location:

Waverly TSC, EB

Violators

2534

Total Vehicles

121018

Min Speed

10 MPH

Average Speed

52 MPH

Max Speed

99 MPH



98%
Compliance
Rate



54%
Vehicles
Slowed Down*



**59
MPH**
85th Percentile
Speed**

*Vehicles that slowed down represents the number of vehicles that decreased speed in response to the radar feedback sign display.

**85th Percentile Speed refers to the maximum speed that 85% of drivers will not exceed on a given road, even if there were no speed limits, stop signs, or traffic signals.

MINUTES OF A WAVERLY CITY COUNCIL MEETING HELD ON MAY 12, 2026

CALL TO ORDER

Mayor Abbey Pascoe called the Meeting to order at 6:00 p.m. and led those in attendance in reciting the Pledge of Allegiance. Pascoe acknowledged the Open Meetings Act Poster located on the south wall of the Council Chambers. Mayor Pascoe and Council Members Aaron Delahoyde, David Jespersen, Dave Nielson, and Brook Ruhter-Engelhardt were in attendance. Other City Officials present were City Administrator Stephanie Fisher, City Attorney Mark Fahleson, City Clerk Megan Frye, and Building Inspector/Zoning Administrator Mike Palm. Also in attendance were Shawn Fick, Michael Long, Chad Skinner, Seamus Collins, Allison Stark, Dominic Delahoyde, and Kent Heermann. Notice of the Meeting and Agenda were given to the Mayor and all Members of the City Council prior to the Meeting. Notice of the Meeting was posted at Russ's Market Express, the US Post Office, the City Office and the City website (citywaverly.com).

ADOPTION OF AGENDA

Council Member Jespersen moved to adopt the Agenda as presented. Council Member Nielson seconded the motion.

The following Council Members voted "YEA": Jespersen, Nielson, Delahoyde, and Ruhter-Engelhardt. The following Council Members voted "NAY": None. Motion Carried. 4-0.

APPROVAL OF THE CONSENT AGENDA

Minutes of the April 28, 2026 City Council Meeting

Minutes of the May 11, 2026 City Council Quarterly Strategic Planning Meeting

Consideration of Resolution 26-09 authorizing no parking signs along N 148th Street on July 4, 2026 from 9:00 a.m. to 2:00 p.m. for the Fourth of July Parade.

Consideration of an agreement appointing Dr. Noah Bernhardson to provide EMS oversight as Physician Medical Director.

Consideration of the Waverly Community Chamber of Commerce July, 4, 2026 Parade Route.

Consideration of the Waverly Community Chamber of Commerce use of Lawson Park for the July 4, 2026 Community Fireworks Display.

Consideration of the Waverly Community Chamber of Commerce use of Wayne Park for the July 4, 2026 Activities.

Consideration of a contribution of one-half of the firework retail license revenues to the Waverly Community Chamber of Commerce for the Community Fireworks Display in an amount not to exceed \$3,000.00.

Council Member Jespersen moved to approve the Consent Agenda. Council Member Nielson seconded the motion.

The following Council Members voted "YEA": Nielson, Delahoyde, Ruhter-Engelhardt, and Jespersen. The following Council Members voted "NAY": None. Motion Carried. 4-0.

PROCLAMATIONS AND PRESENTATIONS

EMS Week Proclamation

EMS WEEK PROCLAMATION

To designate the Week of May 17 - 23, 2026, as Emergency Medical Services Week.

WHEREAS; Emergency medical services is a vital public service; and

WHEREAS; The members of emergency medical services teams are ready to provide lifesaving care to those in need 24 hours a day, seven days a week; and

WHEREAS; Access to quality emergency care dramatically improves the survival and recovery rate of those who experience sudden illness or injury; and

WHEREAS; Emergency medical services has grown to fill a gap by providing important, out of hospital care, including preventative medicine, follow-up care, and access to telemedicine; and

WHEREAS; The emergency medical services system consists of first responders, emergency medical technicians, paramedics, emergency medical dispatchers, firefighters, police officers, educators, administrators, pre-hospital nurses, emergency nurses, emergency physicians, trained members of the public, and other out of hospital medical care providers; and

WHEREAS; The members of emergency medical services teams, whether career or volunteer, engage in thousands of hours of specialized training and continuing education to enhance their lifesaving skills; and

WHEREAS; It's appropriate to recognize the value and the accomplishments of emergency medical services providers by designating Emergency Medical Services Week,

NOW, THEREFORE, I, Abbey L. Pascoe, Mayor, City of Waverly, Nebraska, in recognition of this event do hereby proclaim the week of May 17-23, 2026, as

EMERGENCY MEDICAL SERVICES WEEK

With the theme, *Improving Outcomes, Together*. I encourage the community to observe this week with appropriate programs, ceremonies, and activities.

DATED THIS 12TH DAY OF MAY, 2026.

APPEAL OF SPECIAL USE PERMIT #26-01

Public Hearing: appeal of Special Use Permit #26-01 to allow for the erection of a Cellular Communications Tower at Lawson Park 11661 N 141st St.

Public Hearing opened at 6:03 p.m.

Attorney Michael Long representing Vertical Bridge and real estate agent Chad Skinner on behalf of Vertical Bridge were in attendance to provide information in support of the cellular communications tower. Long stated the Planning Commission approved this special use permit on March 30 with a request to remove the barbed wire. Long stated Vertical Bridge reserves the right in the future to challenge the petition of the appeal for Vertical Bridge itself if needed. Long explained the proposed 195-foot monopole tower is intended to address a service gap in Waverly, improve Verizon coverage, and accommodate up to four carriers. The tower would be unmanned and unlit except in the event nighttime maintenance is necessary. Long noted the tower is designed to collapse within a 97.5-foot radius, would not interfere with RF devices when properly operated, and would generate minimal noise and traffic, with monthly site visits anticipated for minimal traffic burden. Backup generator noise was stated to remain below municipal code threshold. Long added that similar towers are commonly located in residential, park, and recreational zoning districts throughout the Midwest.

Shawn Fick spoke in opposition, questioning the need for improved service coverage, sharing 161 seconds per download with no drop from an in-home speed test. Fick questioned the appropriateness of a 195-foot tower in a residential area and expressed concerns regarding potential impacts to property

values, future development, and the possibility of future additional antennas. Fick requested the Council deny the permit, pause rezoning efforts, and consider stricter setback requirements of 1.5 to 2 times.

Seamus Collins spoke in opposition to the proposed location of the tower, citing concerns regarding visual impact, noise, and placement within a heavily used park area. Collins questioned the need for the tower based on existing service coverage and stated the tower was not appropriate for the ballpark setting nor is it good for Waverly.

Allison Stark spoke in favor of the tower, noting it fills the service gap needed and no light pollution. Stark shared the location of the park makes sense since there are already light poles there and there is nothing in the way if the tower would fall, although they typically don't. Stark noted cell towers already exist within the city and stated the proposal would financially benefit the community as a whole.

Public Hearing closed at 6:31 p.m.

Consideration of an appeal of Special Use Permit #26-01 to allow for the erection of a Cellular Communications Tower at Lawson Park 11661 N 141st St.

Council Member Jespersen moved to approve the permit and deny the appeal. Council Member Nielson seconded the motion.

Council Member Jespersen shared a direct personal impact on the tower location with living in the neighborhood and shared understanding of concerns from residents. Jespersen noted there are no lights and sound equivalent to the soft humming of a refrigerator—very low compared to the baseball announcer heard clearly outside. Jespersen advised the proposed location was the best option for the city and noted zoning regulations could not be changed during an active application process. Jespersen encouraged continued public engagement and communication.

Council Member Delahoyde stated the Council had completed due diligence regarding potential tower locations and, while not ideal, believed the proposed site made the most sense. Delahoyde noted the revenue generated from the tower lease would help support parks and recreation funding, which has decreased due to reduced KENO revenue, and expressed support for using those funds toward continued park and youth improvements.

City Attorney Fahleson stated a 3/4 majority vote is required for approval per state statute.

The following Council Members voted "YEA": Delahoyde, Ruhter-Engelhardt, Jespersen, and Nielson. The following Council Members voted "NAY": None. Motion Carried. 4-0.

SHERIFF'S REPORT

No report.

PUBLIC COMMENTS

Dominic Delahoyde made comments regarding the online report on the traffic data from the speed camera sign located on Hwy 6. Delahoyde commented it is reassuring to know the majority of people are following the traffic laws.

APPROVAL OF MINUTES

Minutes of the April 28, 2026 City Council Meeting

Consent Agenda.

Minutes of the May 11, 2026 City Council Quarterly Strategic Planning Meeting

Consent Agenda.

CONSIDERATION OF CLAIMS AND FINANCIAL REPORTS

Claims for Payment

Claims for Payment: April 29 th - May 12 th , 2026		
Group A		
Vendor	Description	Amount
Farah Bolles	Utility Deposit Refund	\$ 100.00
Daniela & Casey Brown	Utility Deposit Refund	\$ 100.00
Jason Hinz	Utility Deposit Refund	\$ 100.00
Brittany Mlnarik	Utility Deposit Refund	\$ 100.00
Josh & Jaci Newville	Utility Deposit Refund	\$ 100.00
James Palmer	Utility Deposit Refund	\$ 100.00
Amber & Eric Ramsey	Utility Deposit Refund	\$ 100.00
Megan & Darin Rodgers	Utility Deposit Refund	\$ 100.00
Travis Urbach	Utility Deposit Refund	\$ 100.00
ADP Fees	Payroll Fees	\$ 242.07
ADP Payroll	Payroll	\$ 49,046.59
Allo Communications	Phone/Internet Services	\$ 1,039.43
Aqua-Chem, Inc.	Pool chemicals	\$ 2,086.00
Bauer Built	Repairs/new tires Waverly 11	\$ 1,079.12
Braxton Halsey	Umpire payout	\$ 375.00
Carquest Auto Parts	Battery Waverly 42, core credit battery	\$ 119.25
Colonial Life	Insurance	\$ 65.88
CS Concrete LLC	Concrete for memorial bench	\$ 240.00
Cubby's, Inc.	Fuel	\$ 2,909.06
Daktronics, Inc.	Baseball scoreboard repair	\$ 980.00
DataVizion, LLC	Microsoft 365 Bus, Support, FortiCare renew	\$ 3,532.50
Dayne Bacon	Umpire payout	\$ 115.00
Design Wear	Fire Department shirts	\$ 2,354.00
Duke's Root Control, Inc.	Sewer root control services	\$ 13,761.28
Eakes Office Plus	FD copier contract billing	\$ 46.71
Eugene Unick	Umpire payout	\$ 390.00
Frontier	Propane	\$ 389.05
Gill ID Systems	Pool pass key cards	\$ 481.00
Gregg Electric Company	Install gas monitoring system	\$ 28,840.00
Hippo Equipment	Parks/Pool repairs & supplies	\$ 271.87
Horizon Bank	Monthly ACH Fees	\$ 10.00
Hunter Claycomb	Umpire payout	\$ 50.00
JEO Consulting Group, Inc.	New Fire Station, 134-Hwy 6 Drainage Imprv	\$ 28,046.25
John Deere Financial	Supplies & repairs	\$ 122.03
John Hancock USA	Retirement	\$ 4,069.31
Justin Gregory	Umpire payout	\$ 230.00
K & J Elite Sports Turf	Lawson Park top dressing	\$ 3,900.00
Kelly Supply Company	Credit copper split ring hanger	\$ (243.09)
Kriha Fluid Power-Lincoln	Supplies	\$ 119.22
Lancaster Co. Sheriff Office	May 2026	\$ 38,759.00
League Of NE Municipalities	2026 Backflow Workshop	\$ 75.00
Life-Assist, Inc.	Medical Supplies	\$ 1,032.57
Lincoln Electric System	Electricity	\$ 21,303.10

Mammoth Station	Fuel	\$ 343.14
Menards-Lincoln North	Supplies	\$ 300.81
Menards-Lincoln South	Supplies	\$ 25.90
Midwest Laboratories, Inc.	Lab fees, test well project	\$ 1,288.66
Nebraska Dept Revenue Waste	Utility Sales Tax	\$ 10,441.61
Olsson Inc.	Anderson North Park 10 th Add.	\$ 6,941.55
One Call Concepts, Inc.	One-Call Service	\$ 78.52
One Source-Background Check Co.	Background check	\$ 57.00
Original Watermen, Inc.	Lifeguard uniforms	\$ 1,985.87
Paul Davis Restoration, Inc.	Laundering Bunker Gear	\$ 100.00
Petty Cash	Postage	\$ 145.86
Pinnacle Bank	Fire Department Appreciation Dinner	\$ 1,845.50
Pinnacle Bank	Quickbooks, streets supplies, Creative Cloud Pro, sports supplies, CPO Class	\$ 7,359.52
Point C	Health Reimbursement Account	\$ 93.00
Production Creek Specialty Adv	Employee clothing	\$ 236.00
Rembolt Ludtke LLP	Legal Fees	\$ 3,000.00
The Voice News	Advertising & Printing	\$ 345.95
U.S. Postmaster	Bulk Mail Permit Fee, postage	\$ 682.00
U.S. Bank Equipment Finance	Ricoh Copier	\$ 143.95
ULINE	Oil only sorbent boom	\$ 224.28
Uribe Refuse Services	Restroom Rental	\$ 35.20
Verizon Wireless	Phone Service	\$ 488.64
Visual Edge IT	Copies	\$ 118.04
Waverly Chamber Of Commerce	Donation - July 4 th Fireworks	\$ 3,000.00
Whitehead Oil Co.	Fuel	\$ 218.83
RecDesk	Monthly deposit charge	\$ 25.00
RecDesk	Monthly deposit charge	\$ 25.00
Point C	Health Reimbursement Account	\$ 206.16
Point C	Health Reimbursement Account	\$ 4,811.98
	Claims Group A Total	\$ 251,305.17

Council Member Jespersen moved to approve claims in the amount of \$251,305.17. Council Member Nielson seconded the motion.

The following Council Members voted “YEA”: Ruhter-Engelhardt, Jespersen, Nielson, and Delahoyde. The following Council Members voted “NAY”: None. Motion Carried. 4-0.

Treasurer's Report and Budget & Expense Report

Council Member Jespersen moved to approve Treasurer's Report and Budget & Expense Report. Council Member Nielson seconded the motion.

The following Council Members voted “YEA”: Jespersen, Nielson, Delahoyde, and Ruhter-Engelhardt. The following Council Members voted “NAY”: None. Motion Carried. 4-0.

INTRODUCTION OF RESOLUTIONS

Consideration of Resolution 26-09 authorizing no parking signs along N 148th Street on July 4, 2026 from 9:00 a.m. to 2:00 p.m. for the Fourth of July Parade.

Consent Agenda.

Consideration of Resolution 26-10 a Resolution of Appreciation for Kent Heermann, Economic Development Consultant.

Council Member Jespersen moved to approve Resolution 26-10 a Resolution of Appreciation for Kent Heermann, Economic Development Consultant. Council Member Nielson seconded the motion.

Mayor Pascoe stated there has been a lot of incredible work over the last 15 months with Heermann's guidance and leadership. Heermann thanked the Council for the opportunity and advised the land purchase is a good location and Waverly has good leadership with goals focusing on capital improvement.

The following Council Members voted "YEA": Nielson, Delahoyde, Ruhter-Engelhardt, and Jespersen. The following Council Members voted "NAY": None. Motion Carried. 4-0.

INTRODUCTION OF ORDINANCES

None.

INTRODUCTION OF BUSINESS AND COMMUNICATIONS

Consideration of an agreement appointing Dr. Noah Bernhardson to provide EMS oversight as Physician Medical Director.

Consent Agenda.

Consideration of the Waverly Community Chamber of Commerce July, 4, 2026 Parade Route.

Consent Agenda.

Consideration of the Waverly Community Chamber of Commerce use of Lawson Park for the July 4, 2026 Community Fireworks Display.

Consent Agenda.

Consideration of the Waverly Community Chamber of Commerce use of Wayne Park for the July 4, 2026 Activities.

Consent Agenda.

Consideration of a contribution of one-half of the firework retail license revenues to the Waverly Community Chamber of Commerce for the Community Fireworks Display in an amount not to exceed \$3,000.00.

Consent Agenda.

Update on Wells and Water Levels.

City Administrator Fisher provided an update on each of the eight wells in and around the city, noting Well 4 is offline due to some elevated contaminate levels and may be preserved for future use. Fisher shared the static levels of each well; all trending downward over the last 10 years. Fisher advised of the different trigger levels per city ordinances indicative of a water watch, warning, or an emergency, noting we are extremely close on several wells at the 5 ft shutoff point.

Fisher thanked residents for adhering to the watering schedule, allowing the city to handle daily demands. Fisher noted significant drop in rainfall over the past 10 years. Fisher advised engineering has begun on an additional well, which will help, but will not help get us rain. Council Member Delahoyde reminded residents of the year-round watering schedule and Mayor Pascoe added the watering schedule applies to lawn irrigation only and not for watering gardens or trees.

COMMITTEE REPORTS

Human Services (Park & Recreation): Council Member Nielson

Council Member Nielson reported blast ball started May 11 and tee ball started May 6. Flag Football registration opened, ending July 24. Pickleball registration is open with 6 currently registered. We applied

topdressing to Wayne fields to finish off all of our baseball fields. Working on getting a few minor electrical repairs completed this week as well as a major leak in the hot water line in the bathhouse plumbing repaired next week, just in time for pool opening on May 23. Lifeguard certification class this Saturday and Sunday, then Saturday we will have our final first aid/CPR/AED class for guards at the middle school. Will have our final lifeguard recertification on May 23 and 24.

Public Works (Utilities & Street): Council Member Jespersen

Council Member Jespersen reported the streets department crack sealed on N 136th St from Kenilworth to Jamestown St and are currently crack sealing Jamestown from N 141st St to Canongate Road.

Public Health (Fire & Safety): Council Member Delahoyde

Council Member Delahoyde reported there were 20 calls for service over the past two weeks, 80% medical calls. In honor of EMS Week, more EMT volunteers are needed for medical calls since they are a high percentage and the greatest burden. Other calls were for 1 fire alarm, 1 brush pile, 1 CO2 alarm, and other minor things. Waverly 11 ambulance had the front-end suspension repaired, tires were damaged needing replaced. New perspective member on fire side. Working on loading incidents in the reporting ESO suite for tracking data reporting. Fire chief monitoring but still issuing burn permits. Continue to buy equipment for Waverly 10 to be prepared for any call. A meeting was held on the new fire station; we are now past structural and onto HVAC, security, dirt, Wi-Fi, and electrical-civil-mechanical engineering. Continued meetings on the radio system. We sold some surplus equipment rescue tools to a department in Kansas. We signed the agreement with our current medical director.

Fiscal and Economic Development: Council Member Ruhter-Engelhardt

Council Member Ruhter-Engelhardt reported there was a WEDC meeting yesterday where the 13-member board was put together with five principal donor members, five members were elected from local business owners, and three ex officio members: the school superintendent, city administrator, and CRA chair. Next meeting on June 8 at 3pm where they will elect all the officers of the board. Kent Heermann's replacement, Amanda who works at SENDD and has a six-month contract while we work to find a full-time replacement. The website will be live in 30-45 days, which is exciting. Other upcoming meetings include a Planning Commission meeting on June 9 and a CRA meeting June 15.

City Administrator Fisher

City Administrator Fisher reported liquor licenses have all been renewed for the year and there will be six fireworks stands this year located near VFW, Honeycreek lot, Trackside lot, WCF, and two at the former Shakers lot. A reminder for those having a July 4th block party to get your paperwork in with 30-day notice. If you have not licensed your ATV/golf cart, you are behind the game—they were due May 1. Lastly, the Lancaster County Bridge Project will be from June to August where Canongate will be closed while they make necessary repairs; more official notifications coming once they are shared with us.

ADJOURNMENT

Council Member Nielson moved to adjourn the meeting at 7:01 p.m. Council Member Jespersen seconded the motion.

The following Council Members voted "YEA": Delahoyde, Ruhter-Engelhardt, Jespersen, and Nielson. The following Council Members voted "NAY": None. Motion Carried. 4-0.

David M. Jespersen
Council President

Megan K. Frye
City Clerk/Human Resources Assistant

Claims for Payment: May 13th - 26th, 2026

Group A			
Vendor	Description	Amount	Date Paid
ADP Fees	Payroll Fees	\$ 81.15	5/29/2026
ADP Payroll	Payroll	\$ 51,214.98	5/29/2026
Aqua-Chem, Inc.	Pool chemicals	\$ 711.00	
Black Hills Energy	Natural gas	\$ 199.93	
Blue Cross Blue Shield NE	Health Insurance	\$ 17,730.06	6/1/2026
BOK Financial	GO Various Purpose Bond 2019	\$ 158,007.50	5/29/2026
Bowman Consulting Group	Canongate Road Roadway Design	\$ 13,800.50	
Carquest Auto Parts	Mower filters	\$ 8.00	
Eugene Unick	Umpire payout	\$ 130.00	
Firespring	Patient Encounter Forms	\$ 567.74	
Guardian	Life & Vision Insurance	\$ 661.44	
Hawkins, Inc.	Supplies	\$ 11,683.00	
Heermann Economic Development	Economic development consulting services	\$ 5,800.00	
Hippo Equipment	Boom lift genie rental, edger blades	\$ 242.11	
Hometown Leasing	FD Copier	\$ 71.48	
JEO Consulting Group, Inc.	WWTP Generator Replacement, On-Call GIS Assistance, New Well Siting	\$ 11,355.00	
John Deere Financial	John Deere tractor repair, mower parts	\$ 1,486.91	
John Hancock USA	Retirement	\$ 4,012.62	5/29/2026
Kelly Supply Company	Ball valves	\$ 176.53	
Lincoln Electric System	Electricity	\$ 340.60	
Matheson Tri-Gas, Inc.	Oxygen bottle rental	\$ 121.15	
McMaster-Carr Supply Co.	American flag	\$ 101.50	
Menards-Lincoln North	Liquid pool shock, block wall, river rock, sand, pipe wrench set, park supplies	\$ 423.68	
Mickena Richards	Refund - Permit 250073	\$ 865.00	
Midwest Turf & Irrigation	Mower repair	\$ 356.46	
Nadezhda Koval	Cleaning Service	\$ 452.41	
Noah Bernhardson	Waverly Fire Medical Direction	\$ 2,500.00	
Northwest Electric, LLC	Pool pump repairs	\$ 3,675.41	
One Billing Solutions	April 2026 Billing - EMS	\$ 918.74	
Petty Cash	Pool cash drawer, postage	\$ 252.40	
Pinnacle Bank	CRA Loan - street light project	\$ 7,640.00	
Pinnacle Bank	CRA Loan - land	\$ 71,000.00	
Point C	Health Reimbursement Account	\$ 93.00	
Production Creek Specialty Adv	Employee clothing, t-ball jersey	\$ 253.00	
Quik Dump Refuse	Garbage Service	\$ 803.91	
Sargent Drilling	Test well project	\$ 4,493.50	
Shirley Pliefke	Sidewalk Cost Share	\$ 1,135.20	
U.S. Postmaster	Stamps/Postage	\$ 316.84	
Union Bank & Trust Co.	HSA Accounts	\$ 3,000.00	6/1/2026
William Gerdes	Meal & mileage reimbursement	\$ 172.04	
RecDesk	Pool party refund	\$ 500.00	
Storage Ninjas - Waverly	Storage for Engine 34 - F.D. debit card purchase	\$ 148.00	
Claims Group A Total		\$ 377,502.79	

Abbey Pascoe, Mayor

Cheris Cadwell, City Treasurer/Deputy Clerk

Sales Tax Collections: sales tax earned two months prior-- shown as month paid to City			
---	--	--	--

2011		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026				
January		\$32,992.14	\$29,189.49	\$29,531.36	\$32,688.55	\$32,284.36	\$33,172.54	\$46,014.14	\$41,917.94	\$46,648.43	\$90,625.85	\$103,786.45	\$105,194.37	\$104,708.89	\$125,496.52	\$126,221.23				
February		\$29,537.64	\$30,246.77	\$64,480.25	\$36,940.26	\$41,698.05	\$41,692.99	\$60,599.43	\$46,095.47	\$54,122.85	\$109,289.36	\$116,586.73	\$131,852.76	\$114,253.11	\$133,595.25	\$121,368.26				
March		\$26,920.56	\$26,887.71	\$30,457.12	\$35,161.97	\$35,290.80	\$40,821.47	\$40,219.57	\$42,933.14	\$42,610.56	\$75,928.93	\$99,352.41	\$95,771.88	\$82,176.63	\$123,786.47	\$109,943.19				
April		\$28,796.53	\$28,137.26	\$29,420.11	\$29,176.72	\$30,227.87	\$34,683.45	\$41,461.95	\$34,740.53	\$47,940.60	\$77,700.69	\$111,903.31	\$97,168.62	\$111,029.70	\$101,190.07	\$104,345.70				
May	\$8.24	\$35,288.09	\$34,362.26	\$34,621.55	\$31,802.05	\$39,108.51	\$43,465.17	\$52,003.47	\$47,233.51	\$44,064.34	\$93,473.57	\$97,854.57	\$101,491.84	\$105,729.62	\$109,905.53	\$112,148.66				
June	\$21,243.02	\$32,198.24	\$28,426.22	\$38,672.07	\$31,794.65	\$33,427.73	\$40,781.58	\$45,768.13	\$41,378.54	\$52,572.46	\$99,944.43	\$95,376.36	\$111,660.31	\$96,112.09	\$112,449.89					
July	\$25,244.63	\$30,457.75	\$31,952.30	\$39,768.61	\$43,691.63	\$5,327.24	\$45,632.90	\$50,294.37	\$52,805.83	\$45,600.18	\$98,328.54	\$100,142.61	\$106,592.60	\$107,047.20	\$109,031.89					
August	\$29,839.16	\$36,192.83	\$33,585.11	\$32,131.22	\$31,226.35	\$44,897.74	\$48,886.02	\$51,641.21	\$50,411.52	\$59,379.70	\$107,707.62	\$121,477.70	\$130,326.31	\$99,092.02	\$124,102.79					
September	\$30,988.54	\$37,130.93	\$34,002.03	\$41,645.33	\$49,711.78	\$36,561.46	\$41,391.36	\$42,353.80	\$50,953.89	\$67,428.76	\$99,848.37	\$104,395.19	\$103,737.29	\$91,604.71	\$124,882.31					
October	\$29,229.16	\$36,993.71	\$38,297.05	\$35,077.10	\$36,328.32	\$39,165.85	\$45,678.64	\$52,076.81	\$57,694.98	\$55,385.72	\$99,986.54	\$119,671.73	\$114,754.32	\$95,256.32	\$117,354.64					
November	\$29,346.34	\$32,505.44	\$41,745.15	\$37,159.48	\$36,419.27	\$47,264.28	\$50,944.62	\$42,158.82	\$58,477.36	\$56,647.46	\$118,010.17	\$109,006.57	\$102,350.94	\$104,667.52	\$133,623.58					
December	\$27,622.05	\$29,632.44	\$17,238.71	\$32,581.21	\$22,368.15	\$35,162.51	\$48,520.21	\$45,481.83	\$45,307.48	\$90,445.57	\$87,009.84	\$14,777.74	\$102,439.75	\$83,758.65	\$29,331.27					
																	City			Aquatic Ctr
Total Year	\$193,521.14	\$388,646.30	\$374,070.06	\$445,545.41	\$417,309.70	\$420,416.40	\$515,670.95	\$570,073.53	\$569,950.19	\$662,846.63	\$1,157,853.91	\$1,194,331.37	\$1,303,340.99	\$1,195,436.46	\$1,344,750.21	\$574,027.04	\$382,684.88	\$191,342.16		
Monthly Ave	\$24,190.14	\$32,387.19	\$31,172.51	\$37,128.78	\$34,775.81	\$35,034.70	\$42,972.58	\$47,506.13	\$47,495.85	\$55,237.22	\$96,487.83	\$99,527.61	\$108,611.75	\$99,619.71	\$112,062.52	\$114,805.41				

Tax Year	Tax Month	Sales and Use Tax***	Consumers Use Tax	Current Month's Refunds	Administration Fee	Paid to City	Motor Vehicle Sales Tax
2011	MARCH	8.5	0	0	-0.26	8.24	0
2011	APRIL	15,415.21	6,484.81	0	-657	21,243.02	1,823.27
2011	MAY	21,667.75	4,357.64	0	-780.76	25,244.63	5,788.37
2011	JUNE	23,301.52	7,460.50	0	-922.86	29,839.16	4,130.36
2011	JULY	27,421.51	4,525.44	0	-958.41	30,988.54	7,386.23
2011	AUGUST	24,815.25	5,317.90	0	-903.99	29,229.16	6,051.95
2011	SEPTEMBER	25,308.28	4,945.68	0	-907.62	29,346.34	7,157.20
2011	OCTOBER	22,134.06	6,342.28	0	-854.29	27,622.05	4,587.09
2011	NOVEMBER	27,617.00	6,421.31	-25.79	-1,020.38	32,992.14	4,160.86
2011	DECEMBER	23,244.46	7,206.72	0	-913.54	29,537.64	4,359.71
2012	JANUARY	23,359.89	4,393.26	0	-832.59	26,920.56	6,780.83
2012	FEBRUARY	25,526.98	4,160.16	0	-890.61	28,796.53	8,674.90
2012	MARCH	28,559.75	7,902.92	-83.2	-1,091.38	35,288.09	8,671.84
2012	APRIL	23,623.05	9,574.34	-3.33	-995.82	32,198.24	6,178.25
2012	MAY	24,541.36	6,858.38	0	-941.99	30,457.75	5,172.52
2012	JUNE	27,549.48	10,143.28	-380.56	-1,119.37	36,192.83	9,538.15
2012	JULY	27,301.79	10,978.30	-0.78	-1,148.38	37,130.93	5,693.49
2012	AUGUST	30,506.45	7,633.26	-1.86	-1,144.14	36,993.71	9,079.62
2012	SEPTEMBER	24,745.01	8,767.26	-1.51	-1,005.32	32,505.44	4,169.41
2012	OCTOBER	24,429.85	6,119.06	0	-916.47	29,632.44	6,285.49
2012	NOVEMBER	26,792.27	3,318.20	-18.21	-902.77	29,189.49	6,440.89
2012	DECEMBER	27,459.37	3,722.87	0	-935.47	30,246.77	7,076.74
2013	JANUARY	24,879.70	2,889.59	-50	-831.58	26,887.71	5,370.87
2013	FEBRUARY	26,724.12	2,283.36	0	-870.22	28,137.26	3,988.43
2013	MARCH	33,193.18	2,231.83	0	-1,062.75	34,362.26	5,453.53
2013	APRIL	27,197.57	2,107.81	0	-879.16	28,426.22	5,843.58
2013	MAY	30,628.60	2,317.08	-5.16	-988.22	31,952.30	6,412.37
2013	JUNE	29,122.78	7,593.00	-2,091.96	-1,038.71	33,585.11	9,349.84
2013	JULY	32,833.59	2,223.69	-3.64	-1,051.61	34,002.03	7,990.33
2013	AUGUST	36,291.13	3,233.44	-43.08	-1,184.44	38,297.05	15,073.10
2013	SEPTEMBER	34,347.27	8,688.97	0	-1,291.09	41,745.15	11,463.13
2013	OCTOBER	30,797.91	3,943.10	-16,969.14	-533.16	17,238.71	4,370.31
2013	NOVEMBER	29,408.36	1,036.34	0	-913.34	29,531.36	8,019.80
2013	DECEMBER	61,359.57	5,114.91	0	-1,994.23	64,480.25	9,177.12
2014	JANUARY	30,017.85	1,385.43	-4.19	-941.97	30,457.12	4,790.19
2014	FEBRUARY	31,594.51	2,426.46	-3,690.96	-909.9	29,420.11	7,156.77
2014	MARCH	32,421.02	3,271.30	0	-1,070.77	34,621.55	6,011.56

2014	APRIL	33,181.11	6,687.00	0	-1,196.04	38,672.07	8,966.34
2014	MAY	36,039.59	4,958.98	0	-1,229.96	39,768.61	6,281.78
2014	JUNE	30,408.84	3,528.21	-812.08	-993.75	32,131.22	6,908.98
2014	JULY	38,778.88	4,319.77	-165.32	-1,288.00	41,645.33	10,423.14
2014	AUGUST	37,204.63	-1,042.67	0	-1,084.86	35,077.10	12,752.23
2014	SEPTEMBER	35,673.34	2,635.40	0	-1,149.26	37,159.48	6,890.30
2014	OCTOBER	32,755.32	1,097.64	-264.08	-1,007.67	32,581.21	6,242.33
2014	NOVEMBER	29,758.71	4,197.54	-256.71	-1,010.99	32,688.55	7,173.36
2014	DECEMBER	36,212.81	2,697.68	-827.75	-1,142.48	36,940.26	9,673.81
2015	JANUARY	31,430.17	4,819.28	0	-1,087.48	35,161.97	7,641.40
2015	FEBRUARY	28,073.66	2,005.43	0	-902.37	29,176.72	7,068.34
2015	MARCH	30,523.36	3,514.71	-1,252.45	-983.57	31,802.05	7,207.36
2015	APRIL	30,654.89	2,529.75	-406.65	-983.34	31,794.65	7,116.77
2015	MAY	39,248.01	5,794.91	0	-1,351.29	43,691.63	9,533.30
2015	JUNE	31,312.06	4,469.40	-3,589.35	-965.76	31,226.35	6,797.96
2015	JULY	37,820.92	13,511.27	-82.93	-1,537.48	49,711.78	10,182.40
2015	AUGUST	32,702.13	4,749.75	0	-1,123.56	36,328.32	8,532.32
2015	SEPTEMBER	34,772.93	2,776.84	-4.13	-1,126.37	36,419.27	7,182.17
2015	OCTOBER	32,438.30	3,694.75	-13,073.10	-691.8	22,368.15	8,275.22
2015	NOVEMBER	26,484.79	6,798.06	0	-998.49	32,284.36	5,183.27
2015	DECEMBER	35,027.68	8,361.67	-401.67	-1,289.63	41,698.05	5,382.21
2016	JANUARY	34,494.33	1,887.94	0	-1,091.47	35,290.80	7,568.79
2016	FEBRUARY	30,867.40	1,608.14	-1,312.79	-934.88	30,227.87	5,103.29
2016	MARCH	34,681.29	5,691.40	-54.64	-1,209.54	39,108.51	8,511.11
2016	APRIL	32,367.40	2,094.18	0	-1,033.85	33,427.73	6,657.25
2016	MAY	32,517.30	7,487.50	-34,512.80	-164.76	5,327.24	6,533.37
2016	JUNE	38,735.52	7,550.81	0	-1,388.59	44,897.74	9,915.06
2016	JULY	34,322.24	3,484.90	-114.91	-1,130.77	36,561.46	7,592.47
2016	AUGUST	36,751.30	3,824.29	-198.42	-1,211.32	39,165.85	7,313.30
2016	SEPTEMBER	42,023.77	6,704.04	-1.75	-1,461.78	47,264.28	8,791.01
2016	OCTOBER	34,633.96	1,616.05	0	-1,087.50	35,162.51	6,679.20
2016	NOVEMBER	32,423.73	1,774.77	0	-1,025.96	33,172.54	6,436.16
2016	DECEMBER	37,251.12	6,031.09	-299.75	-1,289.47	41,692.99	4,876.80
2017	JANUARY	33,469.65	8,614.34	0	-1,262.52	40,821.47	6,863.48
2017	FEBRUARY	33,713.45	2,042.68	0	-1,072.68	34,683.45	6,736.48
2017	MARCH	42,760.85	3,282.76	-1,234.16	-1,344.28	43,465.17	9,149.62
2017	APRIL	41,358.64	1,773.97	-1,089.74	-1,261.29	40,781.58	7,983.03
2017	MAY	43,807.66	3,357.01	-120.44	-1,411.33	45,632.90	11,624.63
2017	JUNE	43,258.55	7,245.94	-106.53	-1,511.94	48,886.02	9,277.24

2017	JULY	40,577.27	3,157.72	-1,063.48	-1,280.15	41,391.36	6,598.62
2017	AUGUST	41,702.65	5,463.01	-74.28	-1,412.74	45,678.64	10,427.95
2017	SEPTEMBER	50,678.98	2,160.87	-319.62	-1,575.61	50,944.62	13,695.11
2017	OCTOBER	41,192.29	8,828.54	0	-1,500.62	48,520.21	7,569.74
2017	NOVEMBER	43,767.24	5,067.77	-1,397.75	-1,423.12	46,014.14	7,294.89
2017	DECEMBER	53,503.31	8,970.33	0	-1,874.21	60,599.43	8,982.34
2018	JANUARY	40,067.17	1,396.30	0	-1,243.90	40,219.57	8,010.64
2018	FEBRUARY	38,328.66	4,632.29	-216.67	-1,282.33	41,461.95	4,361.85
2018	MARCH	44,653.78	8,958.04	0	-1,608.35	52,003.47	7,890.18
2018	APRIL	43,637.34	3,546.30	0	-1,415.51	45,768.13	7,859.35
2018	MAY	49,767.39	3,104.94	-1,022.46	-1,555.50	50,294.37	9,463.96
2018	JUNE	43,510.52	10,623.77	-895.93	-1,597.15	51,641.21	6,832.18
2018	JULY	42,122.29	1,937.52	-396.1	-1,309.91	42,353.80	5,827.99
2018	AUGUST	50,970.75	2,716.68	0	-1,610.62	52,076.81	13,293.29
2018	SEPTEMBER	39,643.73	3,818.97	0	-1,303.88	42,158.82	6,262.15
2018	OCTOBER	43,991.20	2,897.28	0	-1,406.65	45,481.83	7,533.17
2018	NOVEMBER	44,139.20	4,058.28	-4,983.11	-1,296.43	41,917.94	7,449.37
2018	DECEMBER	43,301.31	4,219.79	0	-1,425.63	46,095.47	8,658.42
2019	JANUARY	41,778.46	2,831.79	-349.28	-1,327.83	42,933.14	8,634.39
2019	FEBRUARY	37,753.03	2,595.61	-4,533.66	-1,074.45	34,740.53	4,058.98
2019	MARCH	45,207.29	3,487.95	-0.9	-1,460.83	47,233.51	8,965.99
2019	APRIL	41,931.04	1,671.25	-944	-1,279.75	41,378.54	7,105.21
2019	MAY	50,371.66	4,608.31	-540.97	-1,633.17	52,805.83	15,575.91
2019	JUNE	47,239.73	4,730.91	0	-1,559.12	50,411.52	6,902.70
2019	JULY	52,092.06	3,821.66	-3,383.94	-1,575.89	50,953.89	9,424.54
2019	AUGUST	47,578.92	11,900.44	0	-1,784.38	57,694.98	7,477.22
2019	SEPTEMBER	53,124.03	7,130.98	0	-1,807.65	58,447.36	11,382.61
2019	OCTOBER	43,090.84	4,687.33	-1,069.43	-1,401.26	45,307.48	8,105.56
2019	NOVEMBER	44,966.28	3,124.88	0	-1,442.73	46,648.43	8,702.34
2019	DECEMBER	51,145.06	4,651.69	0	-1,673.90	54,122.85	7,878.82
2020	JANUARY	42,943.97	1,004.86	-20.42	-1,317.85	42,610.56	8,420.51
2020	FEBRUARY	43,897.77	5,525.53	0	-1,482.70	47,940.60	6,559.23
2020	MARCH	42,056.98	3,509.49	-139.32	-1,362.81	44,064.34	7,372.41
2020	APRIL	41,704.64	12,631.43	-137.66	-1,625.95	52,572.46	2,409.46
2020	MAY	43,803.00	3,207.49	0	-1,410.31	45,600.18	4,510.43
2020	JUNE	55,131.98	6,084.21	0	-1,836.49	59,379.70	12,180.94
2020	JULY	66,198.05	3,798.16	-482.02	-2,085.43	67,428.76	18,066.18
2020	AUGUST	54,937.26	2,161.42	0	-1,712.96	55,385.72	11,556.38
2020	SEPTEMBER	56,125.69	2,273.75	0	-1,751.98	56,647.46	9,608.01

2020	OCTOBER	89,776.04	3,466.82	0	-2,797.29	90,445.57	18,153.45
2020	NOVEMBER	86,949.10	6,479.61	0	-2,802.86	90,625.85	21,547.71
2020	DECEMBER	108,576.77	4,092.67	0	-3,380.08	109,289.36	23,446.26
2021	JANUARY	74,598.19	4,558.11	-879.05	-2,348.32	75,928.93	13,386.75
2021	FEBRUARY	72,896.15	7,312.07	-104.42	-2,403.11	77,700.69	12,505.52
2021	MARCH	93,083.13	3,284.28	-2.9	-2,890.94	93,473.57	14,828.07
2021	APRIL	98,712.24	5,293.21	-969.96	-3,091.06	99,944.43	23,661.01
2021	MAY	97,187.83	4,222.15	-40.35	-3,041.09	98,328.54	25,823.99
2021	JUNE	108,982.91	2,055.87	0	-3,331.16	107,707.62	29,613.97
2021	JULY	95,408.95	7,528.82	-1.31	-3,088.09	99,848.37	18,159.99
2021	AUGUST	99,081.53	3,997.38	0	-3,092.37	99,986.54	19,045.36
2021	SEPTEMBER	95,169.14	26,490.83	0	-3,649.80	118,010.17	14,982.49
2021	OCTOBER	84,890.49	4,810.38	0	-2,691.03	87,009.84	9,257.17
2021	NOVEMBER	99,432.30	7,571.35	-7.31	-3,209.89	103,786.45	13,258.56
2021	DECEMBER	117,320.03	2,872.48	0	-3,605.78	116,586.73	20,511.17
2022	JANUARY	94,993.99	7,431.17	0	-3,072.75	99,352.41	16,055.01
2022	FEBRUARY	100,863.32	14,500.92	0	-3,460.93	111,903.31	31,073.57
2022	MARCH	95,600.01	5,280.99	0	-3,026.43	97,854.57	16,791.29
2022	APRIL	98,630.99	5,313.40	-5,618.25	-2,949.78	95,376.36	18,250.98
2022	MAY	96,913.50	6,326.30	0	-3,097.19	100,142.61	22,080.80
2022	JUNE	119,936.26	5,303.56	-5.08	-3,757.04	121,477.70	35,999.23
2022	JULY	110,599.83	6,739.12	-9,715.04	-3,228.72	104,395.19	25,964.36
2022	AUGUST	115,315.14	8,057.78	0	-3,701.19	119,671.73	24,717.82
2022	SEPTEMBER	107,091.76	5,286.15	0	-3,371.34	109,006.57	20,853.84
2022	OCTOBER	97,831.00	6,146.73	-88,742.95	-457.04	14,777.74	17,684.55
2022	NOVEMBER	103,147.49	5,303.92	-3.61	-3,253.43	105,194.37	14,413.06
2022	DECEMBER	126,213.66	9,717.02	0.00	-4,077.92	131,852.76	19,582.54
2023	JANUARY	99,931.16	4,540.54	-5,737.80	-2,926.02	95,771.88	16,309.36
2023	FEBRUARY	92,450.77	7,723.06	0.00	-3,005.21	97,168.62	17,766.17
2023	MARCH	104,088.00	5,851.20	-5,308.44	-3,138.92	101,491.84	19,821.37
2023	APRIL	107,671.13	7,442.59	0.00	3,453.41	111,660.31	22,676.53
2023	MAY	99,774.64	10,985.95	-871.31	-3,296.68	106,592.60	15,819.03
2023	JUNE	116,964.50	17,405.68	-13.16	-4,030.71	130,326.31	34,107.82
2023	JULY	90,489.34	16,652.84	-196.52	-3,208.37	103,737.29	20,060.61
2023	AUGUST	106,653.66	11,652.42	-2.66	-3,549.10	114,754.32	20,898.64
2023	SEPTEMBER	94,484.67	11,064.11	-32.35	-3,165.49	102,350.94	17,374.97
2023	OCTOBER	89,704.24	15,907.81	-4.06	-3,168.24	102,439.75	19,912.75
2024	NOVEMBER	97,589.16	14,908.49	-4,550.34	-3,238.42	104,708.89	21,411.40
2024	DECEMBER	95,134.75	22,651.96	0.00	-3,533.60	114,253.11	12,711.15

2024	JANUARY	76,394.12	9,310.60	-986.54	-2,541.55	82,176.63	12,082.66
2024	FEBRUARY	103,146.31	11,657.40	-340.10	-3,433.91	111,029.70	31,303.95
2024	MARCH	101,023.80	7,990.16	-14.35	-3,269.99	105,729.62	18,011.46
2024	APRIL	89,290.02	9,800.04	-5.43	-2,972.54	96,112.09	16,984.55
2024	MAY	101,290.86	9,067.08	0.00	-3,310.74	107,047.20	25,940.79
2024	JUNE	95,653.49	6,662.89	-159.66	-3,064.70	99,092.02	25,619.52
2024	JULY	87,998.16	6,439.69	0.00	-2,833.14	91,604.71	14,076.87
2024	AUGUST	90,958.63	7,243.76	0.00	-2,946.07	95,256.32	15,569.72
2024	SEPTEMBER	105,512.30	13,132.88	-10,740.52	-3,237.14	104,667.52	21,204.49
2024	OCTOBER	84,153.55	8,735.27	-6,539.70	-2,590.47	83,758.65	16,601.42
2024	NOVEMBER	120,780.83	8,597.03	0.00	3,881.34	125,496.52	22,739.09
2024	DECEMBER	131,604.25	6,273.10	-150.29	-4,131.81	133,595.25	10,951.52
2025	JANUARY	118,540.78	9,103.41	-29.27	-3,828.45	123,786.47	28,771.09
2025	FEBRUARY	91,096.33	13,343.99	-120.66	-3,129.59	101,190.07	17,224.28
2025	MARCH	107,113.04	6,276.11	-84.48	-3,399.14	109,905.53	25,630.17
2025	APRIL	111,272.09	4,690.72	-35.09	-3,477.83	112,449.89	22,174.66
2025	MAY	108,480.84	6,417.81	-2,494.64	-3,372.12	109,031.89	21,232.57
2025	JUNE	119,302.16	8,638.86	0.00	-3,838.23	124,102.79	21,591.29
2025	JULY	117,119.04	13,505.71	-1,880.10	-3,862.34	124,882.31	30,178.66
2025	AUGUST	108,870.25	18,229.43	-6,115.52	-3,629.52	117,354.64	26,196.34
2025	SEPTEMBER	118,365.45	19,427.58	-36.76	-4,132.69	133,623.58	31,172.46
2025	OCTOBER	89,413.05	11,154.22	-70,328.85	-907.15	29,331.27	15,477.33
2025	NOVEMBER	125,474.24	5,095.16	-444.42	-3,903.75	126,221.23	35,912.04
2025	DECEMBER	114,638.44	10,483.48	0.00	-3,753.66	121,368.26	14,189.73
2026	JANUARY	106,217.16	7,321.28	-194.94	-3,400.31	109,943.19	33,025.66
2026	FEBRUARY	102,403.64	6,573.10	-1,403.85	-3,227.19	104,345.70	32,594.85
2026	MARCH	110,202.84	6,741.79	-1,327.45	-346,852.00	112,148.66	19,977.71
2026	APRIL						
2026	MAY						
2026	JUNE						
	TOTALS			-\$331,766.01		\$11,327,760.29	

*** The Sales and Use Tax Column includes Motor Vehicle Sales Tax. The amount of Motor Vehicle Sales Tax is separately stated in the last column of this spreadsheet.

RESOLUTION NUMBER 26-11

RESOLUTION APPROVING ADDITIONAL VOLUNTEER FIRE/RESCUE DEPARTMENT MEMBER(S)

BE IT RESOLVED BY THE MAYOR AND CITY COUNCIL OF WAVERLY, NEBRASKA:

That the following list of additional member(s) of the Volunteer Fire/Rescue Department of the City of Waverly is hereby approved:

TIM WATTS
JAKE MCQUILLEN
DANIEL CANARSKY-GALO

All member(s) of the Volunteer Fire/Rescue Department of the City duly approved as provided in this Resolution shall be considered employee(s) of the City of Waverly for the purpose of providing them Worker's Compensation coverage and life insurance.

PASSED AND APPROVED THIS 26TH DAY OF MAY, 2026.

Abbey L. Pascoe
Mayor

ATTEST:

Megan K. Frye
City Clerk/Human Resources Assistant

(SEAL)



Waverly Volunteer Fire/Rescue Department
Membership Application

Name: Tim R Watts

Date: 5/1/2026

Are you 18 years of age or older? (Circle one) YES or NO

Occupation: Retired

Do you live or work in Waverly? (Circle one) YES or NO

Email:

Previous Experience Involving Fire and Rescue

1) Department Name and Location: City of Lincoln Wastewater

Date Started: 12/31/81

Date Ended: 7/17/24

Responsibilities while Serving: Heavy equip. op. & Utility Supervisor

Reason (s) for leaving: Retired

2) Department Name and Location: _____

Date Started: _____

Date Ended: _____

Responsibilities while Serving: _____

Reason (s) for leaving: _____

(If needed please attach additional department details to your application)

Training

Please list course names, date completed, where taken and who instructor was. Please be able to present certificates if needed.

1. 45 yrs Running Pump trucks & Small pumps

2. _____

3. _____

(If needed please attach additional training details to your application)

Applicant Signature: [Signature]

Date: 5/1/26

Fire Chief Signature: [Signature]

Date: 5/15/26

Emergency Services Coordinator Signature: _____

Date: _____

*****Administrative Use*****

Background Check:

☒ Passed

☐ Failed

Drug Screen:

☒ Passed

☐ Failed

Clerk Signature: [Signature]

Date: 5/19/26



Waverly Volunteer Fire/Rescue Department
Membership Application

Name: Daniel Canarsky-Gale

Date: 05/04/2026

Are you 18 years of age or older? (Circle one) YES or NO

Occupation: EMT/student

Do you live or work in Waverly? (Circle one) YES or NO

Email:

Previous Experience Involving Fire and Rescue

1) Department Name and Location: N/A

Date Started: N/A

Date Ended: N/A

Responsibilities while Serving: N/A

Reason (s) for leaving: N/A

2) Department Name and Location: N/A

Date Started: N/A

Date Ended: N/A

Responsibilities while Serving: N/A

Reason (s) for leaving: N/A

(If needed please attach additional department details to your application)

Training

Please list course names, date completed, where taken and who instructor was. Please be able to present certificates if needed.

1. Emergency Medical Technician, May 2nd 2025, Union Adventist University, Noah Krozich
2. IV, Advanced airway, December 25, Union Adventist University, Makinsey Lonnergan
3. Rope Rescue Technician, And 12/12/25, Union Adventist University, Andrew Saunders

(If needed please attach additional training details to your application)

Applicant Signature: [Signature]

Date: 05/04/26

Fire Chief Signature: [Signature]

Date: 5/15/26

Emergency Services Coordinator Signature: _____

Date: _____

*****Administrative Use*****

Background Check:

☒ Passed

☐ Failed

Drug Screen:

☒ Passed

☐ Failed

Clerk Signature: [Signature]

Date: 5-26-26



Date: 11 / 5 / 2026

Occupation: Farmer

Email:

1) Department Name and Location: N/A - keep getting calls to bring disk to field fires

Date Ended: N/A

Reason (s) for leaving: N/A

2) Department Name and Location: MA

Date Ended: N/A

Responsibilities while Serving: N/A

Reason (s) for leaving: V/A

Please list course names, date completed, where taken and who instructor was. Please be able to present certificates if needed.

1. NCA

2. MFA

3. MA

(If needed please attach additional training details to your application)

Applicant Signature: 

Date: 5/11/26

Fire Chief Signature: Robin A. Hoffman

Date: 5/15/20

Emergency Services Coordinator Signature:

Date: _____

*****Administrative Use*****

Background Check:

☒ Passed☐ Failed

Drug Screen:

☒ Passed☐ Failed

Clerk Signature:

Date: 5-26-20

RESOLUTION NO. 26-12

A RESOLUTION ADOPTING THE COMPREHENSIVE SAFETY ACTION PLAN FOR
THE CITY OF WAVERLY, NEBRASKA

WHEREAS, the City of Waverly seeks to support and promote the national Vision Zero Initiative to eliminate traffic fatalities and serious injuries, while increasing safe, healthy, equitable mobility for all in the community.

WHEREAS, the City of Waverly has initiated the development of the Comprehensive Safety Action Plan to be a part of the national Vision Zero Initiative to promote a positive and proactive shift in thinking from traffic crashes happen, to traffic crashes resulting in street fatalities and serious injuries are preventable.

WHEREAS, the plan provides a comprehensive, data-driven roadmap to guide citywide action. The Comprehensive Safety Action Plan was built on existing local efforts and developed with the input from stakeholders and proposes strategies and policy areas for improvement to directly enhance safety on the transportation system, consistent with the U.S. Department of Transportation's Safe Streets and Roads for All (SS4A) Action Plan process.

NOW, THEREFORE BE IT RESOLVED, that City of Waverly will adopt the Comprehensive Safety Action Plan attached hereto.

PASSED AND APPROVED THIS 26TH DAY OF MAY 2026.

ATTEST:

Megan K. Frye, City Clerk

Abbey L. Pascoe, Mayor

Approved as to form:

City Attorney

(SEAL)

APRIL 2026

CITY OF WAVERLY

COMPREHENSIVE SAFETY ACTION PLAN



TABLE OF CONTENTS

Executive Summary	VI
-------------------------	----

CHAPTER 1

Plan Purpose	1
---------------------	----------

What is a Safe Streets and Roads for All (SS4A) - Comprehensive Safety Action Plan?.....	2
Project Timeline	2
The Need for Safer Streets	5
Waverly CSAP Advisory Team.....	5

CHAPTER 2

Safety Analysis	7
------------------------	----------

Waverly Crash Analysis	8
Summary of Historical Crash Data	13
Crash Data Analysis Summary	31

CHAPTER 3

Community Engagement	33
-----------------------------	-----------

Engagement Opportunities.....	34
Takeaways	36

CHAPTER 4:

Needs Assessment	41
-------------------------	-----------

Location/Issue Scoring	42
Location/Issue Prioritization	44

CHAPTER 5

SAFETY COUNTERMEASURES TOOLBOX 47

Safety Countermeasures Toolbox.....	48
FHWA Proven Safety Countermeasures	48
NHTSA Countermeasures That Work	57
NDOT Strategic Highway Safety Plan (SHSP)	69

CHAPTER 6

Recommendations 71

Location-Specific Recommendations	72
Waverly CSAP Top Priority Projects.....	77
Opinion of Probable Construction Costs for Overall Project Groups.....	82
Medium to Lower Priority Projects.....	84
Other Citywide Efforts.....	85

CHAPTER 7

Implementation 87

Commitment to Safety	88
Progress Reporting	89
Taking Action	89

LIST OF FIGURES

Figure 1: City of Waverly Crashes (2014-2023)	9
Figure 2: Concentration of Crashes (2014-2023).....	10
Figure 3: City of Waverly VRU Crashes (2014-2023)	11
Figure 4: Fatal and Injury Crashes (2014-2023).....	12
Figure 5: KSI Crashes / 100k Population (2011-2020).....	14
Figure 6: KSI Crashes / 100k Population Involving Alcohol (2011-2020)	14
Figure 7: KSI Crashes Involving VRUs / 100k Population (2011-2020)	15
Figure 8: KSI Crashes / 100k Population per year (2011-2020)	15
Figure 9: FI Crashes by Type.....	17
Figure 10: Representation Ratio by Functional Classification	21
Figure 11: Representation Ratio of FI Crashes by Posted Speed	21
Figure 12: FI Crashes Related to Traffic Control and Speed Limit	22
Figure 13: FI Crashes by Seatbelt Usage	23
Figure 14: Crashes by Driver Age Group.....	24
Figure 15: Segment High Injury Network Map	26
Figure 16: Intersection High Injury Network Map.....	30
Figure 17: Prioritized HIN Intersections & Segments.....	43
Figure 18: Prioritized HIN Intersection Locations	73
Figure 19: Prioritized HIN Segment Locations.....	76

LIST OF TABLES

Table 1: FI Crashes by Time and Day	16
Table 2: Crashes by Lighting Condition	18
Table 3: Crashes by Pavement Condition	18
Table 4: Fatalities and Injuries by Driver Contributing Circumstances.....	23
Table 5: Crashes Involving Alcohol	23
Table 6: VRU Crashes.....	24
Table 7: Segment High Injury Network Summary	25
Table 8: Segment High Injury Network Corridors.....	27
Table 9: Intersection High Injury Network Summary.....	28
Table 10: Intersection High Injury Network Corridors	29
Table 11: Safety Criteria Index	42
Table 12: Prioritized Street Segments	44
Table 13: Prioritized Intersections	45
Table 14: Priority Locations - Top HIN Intersections.....	74
Table 15: Priority Locations - Top HIN Segments.....	75

EXECUTIVE SUMMARY

The City of Waverly, Nebraska is committed to creating a safe and equitable transportation network for all residents, workers, and visitors. In alignment with the U.S. Department of Transportation's (USDOT) Safe Streets and Roads for All (SS4A) initiative, this Comprehensive Safety Action Plan identifies the most critical transportation safety issues in the community and lays out a pathway toward reducing transportation-related injuries and fatalities.

A Data-Driven Approach

Through a comprehensive review of crash data, street characteristics, and user behavior, the plan highlights key risk areas and traffic safety trends. Insights from crash analysis revealed the locations and underlying factors contributing to severe injuries and fatalities. These findings inform targeted solutions such as enhanced intersections, corridor redesigns, and improvements to vulnerable road user (VRU) facilities (pedestrian and bicyclist) to ensure the most significant impact on safety outcomes.

Community Engagement

Engagement with project stakeholders, community members, and local agencies was essential to developing a shared vision for Waverly's transportation network. Through public meetings, focus group discussions, and online surveys, residents were encouraged to voice ideas and concerns and contribute solutions. The plan prioritizes equitable investments,

focusing on improvements that will serve all users of the system, so that everyone in Waverly can travel safely.

Embracing the Safe System Approach

The safety action plan is guided by the Safe System Approach, which recognizes that people make mistakes and that the human body is vulnerable to crash impacts. By designing a transportation system where mistakes are less likely to result in serious injury or death, the City of Waverly seeks to create a culture of safety. The Safe System Approach is built around five key elements:



*Five Key Elements of the Safe System Approach***Safer Vehicles**

Expand Waverly's availability of vehicle systems and features that help to prevent crashes and minimize the impact of crashes on both occupants and non-occupants.

Safer Speeds

Promote safer speeds on all Waverly streets through a combination of thoughtful, equitable, context-appropriate street design, appropriate speed-limit setting, targeted education, outreach campaigns, and enforcement.

Safer People

Encourage safe, responsible driving and behavior by people who use Waverly's streets and create conditions that prioritize their ability to reach their destination unharmed.

Post-Crash Care

Enhance the survivability of crashes through expedient access to emergency medical care, while creating a safe working environment for vital first responders and preventing secondary crashes through robust traffic incident management practices.

Safer Streets

Design street environments in Waverly to mitigate human mistakes and account for injury tolerances, to encourage safer behaviors, and to facilitate safe travel by the most vulnerable users in the community.

In addition to those five key elements, the Safe Systems Approach is also characterized by several core principles as described below.

Core Principles of the Safe System Approach

1	Death and Serious Injuries are Unacceptable	Transportation systems must aspire to eliminate catastrophic outcomes.
2	Humans Make Mistakes	Recognizing human error leads to more forgiving street designs and interventions.
3	Humans Are Vulnerable	Reducing high-impact crashes and creating safer conditions protect all users.
4	Responsibility is Shared	Engineers, policymakers, local businesses, enforcement, and the public all play a role.
5	Safety is Proactive	Predicting and preventing risks rather than reacting post-incident.
6	Redundancy is Crucial	Layering safety measures ensures multiple lines of defense.

Key Categories

As part of the Safety Action Plan, several recommendations were developed to improve safety on the Waverly transportation system. These various recommendations were considered within the plan to help address key categories of safety enhancements.

Street Upgrades

Conversion of rural sections to urban standards (curbs, gutters, sidewalks, multi-use trails) and the addition of lanes, turn lanes, and median extensions will improve traffic flow and safety.

Traffic Control Improvements

The installation of roundabouts, traffic signals, and RRFBs (Rectangular Rapid Flashing Beacons), along with the extension of medians and reconfiguration of intersections will reduce traffic congestion and improve safety.

Pedestrian and Bicycle Improvements

Additions of multi-use trails and pedestrian/bicycle facilities will enhance safety and connectivity across major streets, and ADA improvements will improve accessibility.

Phased Implementation

Projects broken into phases, allowing for flexible funding and implementation, with priority given to critical improvements (e.g., intersection improvements, street reconstruction, signal upgrades) will make the recommendations feasible.

Other Programs and Policies

Identification of other potential programs and/or policies for Waverly can help address non-location-specific safety issues across the City. The implementation of items such as an Access Management Policy, Safe Routes to School Initiative, and the continuation of sound land use planning in coordination with access management plans with good street design were also highlights and are beneficial in enhancing transportation safety.

Location-Specific Recommendations

Waverly's High Injury Network segments and intersections were each scored and prioritized to identify the locations in Waverly that have the greatest need for safety improvements. Location scoring factored in the crash data, multimodal impact to pedestrians and bicyclists, public comments, and stakeholder feedback.

Based on these rankings, projects were developed to address those priority segments and intersections. These priority project lists are illustrated in detail in Chapter 6 - Recommendations.

Overarching, Prioritized Recommendations

Based upon the compilation of all the data and recommendations, stakeholder feedback, and project discussions related to “making the biggest impact to reduce severe crashes”, four highest priority recommendations were developed that include prioritized groups of individual projects along strategic corridors in Waverly. By implementing these overall corridor projects, several of the top safety issues at individual locations across the City can be mitigated. A brief summary of these project locations is included in the descriptions which follow, and detailed project information is included in Chapter 6 – Recommendations.



Prioritized Project Group #1

US-6 Corridor Project (130th Street to 148th Street)


This project aims to upgrade the current rural street to an urban street standard by adding curbs, gutters, ADA-compliant sidewalks/multi-use trails, raised medians, improved lighting, longer turn lanes, and upgraded traffic signals. It targets high-priority segments and intersections, with a phased approach if full funding isn't available - including study and design projects at 148th Street, and segments and intersections traveling west through 141st, Amberly Rd, and 130th Street.



Prioritized Project Group #2

141st Street Project (US-6 to Waverly Road)

This project focuses on improving traffic flow and safety with features like edge/parking striping, curb extensions at key intersections, and RRFB traffic control at 141st and Mansfield Street. The project also plans to extend the median north of Jamestown Street to reduce vehicle queues near the railroad crossing and potentially convert the street to an urban section from Mansfield Street to Waverly Road, including curbs, gutters, and sidewalks. If funding is limited, the project can be phased, starting with improvements at Mansfield Street, followed by restriping, median extension, and urbanization work. A roundabout should also be planned for construction at the 141st Street & Waverly Road intersection.



High Priority Project #3

148th Street (I-80 bridge to US-6)

This project includes the widening of the two-lane section to a three-lane section, with one through lane in each direction and a center turn lane. It also includes converting the rural section to an urban street section with curb and gutter, storm sewer, sidewalk/trails and ADA accessible ramps, pedestrian crossings with RRFBs and potential refuge islands, lighting and streetscape. This project addresses both segment and intersection crash locations along the corridor, and supports improved multimodal infrastructure with continued development occurring.



Implementation and Next Steps

As a living document, the Safety Action Plan outlines near term, and long-term strategies that work together to improve transportation safety. Regular progress reports, coupled with ongoing data analysis, will guide mid-course adjustments to ensure the plan remains relevant and effective. By integrating safety goals into everyday planning and decision-making, Waverly will continue to build a culture of safe mobility for everyone.

Prioritized Project Group #4

Canongate Project (Amberly Road to Oldfield Street)

This project aims to improve safety and accessibility by phasing Canongate as an urban street with two vehicle lanes, pedestrian overpass/trail provisions (either on the bridge, parallel to the bridge, or at a new central crossing location), improving the Amberly Road intersection to a roundabout, and implementing a rectangular rapid flashing beacon (RRFB) at the Jamestown Street intersection. Urban street standards with new curb and gutter, ADA improvements, safe pedestrian and bicycle facility connections, and street lighting are additional enhancements that can all be included in phasing of this project group.



Our Collective Responsibility

Everyone has a role to play in ensuring safer streets—public officials, transportation designers, law enforcement, drivers, cyclists, and pedestrians alike. This plan is the City’s commitment to prioritizing health, safety, and quality of life on our streets. By working together and diligently following through on the recommendations, the City of Waverly will move closer to the shared vision of eliminating fatal and serious injury crashes and creating a welcoming environment where all transportation users can thrive.

This page intentionally left blank.



CHAPTER 1

**PLAN
PURPOSE**

PLAN PURPOSE


WHAT IS A SAFE STREETS AND ROADS FOR ALL (SS4A) - COMPREHENSIVE SAFETY ACTION PLAN?

The U.S. Department of Transportation (USDOT) established the Safe Street and Roads for All discretionary program in 2022 with \$5 billion appropriated over five years (2022-2026). The City of Waverly successfully obtained Safe Streets and Roads for All (SS4A) grant dollars in spring 2024 and kicked off the project in fall 2024.

The Waverly Comprehensive Safety Action Plan (CSAP) is the city’s blueprint to provide safe streets and roads for all people and road users. The purpose of this plan is to establish and implement steps that can help the City eliminate fatal and serious injury crashes in the community’s street network. To achieve this, City leaders have committed to a goal of reaching zero fatal and serious injuries in Waverly.

The CSAP includes community-wide safety analysis, public engagement to identify

safety concerns, project recommendations, and an implementation plan that prioritizes locations for deployment of safety countermeasures. This plan was developed by JEO Consulting Group and funded through a grant obtained by the City of Waverly from the USDOT SS4A Program.



PROJECT TIMELINE

Q3 2025	Q4 2025	Q1 2026	Q2 2026
Project Kick-Off Meeting with Advisory Team	- Two Advisory Team Meetings - Public Open House #1	- Focus Group Conversations - Advisory Team Meeting	- Public Open House #2 - Submit Draft Action Plan - Present Final Plan to City Council

Principles of a Safe System Approach

The Safe System Approach is the foundation that will support the community in achieving its goal of reaching zero fatal and serious injury crashes in Waverly's transportation network. As part of its National Roadway Safety Strategy released in January 2022, USDOT adopted the Safe System Approach as its guiding

paradigm to address roadway safety challenges nationwide. This approach acknowledges both human mistakes and human vulnerability and is designed to protect all street users.

The Safe System Approach is built around the following six principles.

Core Principles of the Safe System Approach

1	Death and Serious Injuries are Unacceptable	The Safe System Approach prioritizes the elimination of crashes that result in death and serious injuries on roadways.
2	Humans Make Mistakes	Recognizing human error leads to more forgiving street designs and interventions.
3	Humans Are Vulnerable	Reducing high-impact crashes and creating safer conditions protect all users.
4	Responsibility is Shared	Engineers, policymakers, local businesses, enforcement, and the public all play a role.
5	Safety is Proactive	Proactive tools should be used to identify and address safety issues in the transportation system, rather than waiting for crashes to occur.
6	Redundancy is Crucial	Reducing risks requires that all parts of the transportation system be strengthened, so that if one part fails, the other parts still protect people.

Objectives of a Safe System Approach

There are five objectives of a Safe System Approach: safer street users, safer vehicles, safer streets, safer speeds, and post-crash care. To achieve zero fatal and serious injury crashes, all five of these objectives must be strengthened. Strengthening all objectives allows for redundant layers of protection against fatal and serious injuries on streets. The Waverly Comprehensive Safety Action Plan was developed to strengthen the five Safe System objectives defined below by the National Roadway Strategy, through improving the overall transportation system.



Safer People

Encourage safe, responsible driving and behavior by people who use Waverly's streets and create conditions that prioritize their ability to reach their destination unharmed.

Safer Streets

Design street environments in Waverly to mitigate human mistakes and account for injury tolerances, to encourage safer behaviors, and to facilitate safe travel by the most vulnerable users in the community.

Safer Vehicles

Expand Waverly's availability of vehicle systems and features that help to prevent crashes and minimize the impact of crashes on both occupants and non-occupants.

Safer Speeds

Promote safer speeds on all Waverly streets through a combination of thoughtful, equitable, context-appropriate street design, appropriate speed-limit setting, targeted education, outreach campaigns, and enforcement.

Post-Crash Care

Enhance the survivability of crashes through expedient access to emergency medical care, while creating a safe working environment for vital first responders and preventing secondary crashes through robust traffic incident management practices.

THE NEED FOR SAFER STREETS

A total of 42,939 people died in motor vehicle crashes in 2021 in the U.S.. These deaths occurred in 39,508 crashes involving 61,332 motor vehicles. This was a 10% increase in deaths compared with 2020, according to the Insurance Institute for Highway Safety (IIHS) and the Highway Loss Data Institute (HLDI). Traffic crashes continue to be a leading cause of death for teenagers in America, and disproportionately impact people who are Black, American Indian, or live in rural communities.

In May of 2024, the City initiated the development of a CSAP for the community of Waverly, Nebraska. This project aimed to develop a CSAP that will help to eliminate fatal crashes and dramatically reduce severe injury crashes for all users of Waverly's highway, street, sidewalk, and trail transportation network.

The outcome of this plan will provide an overview of the following:

- Historical crash data for the City of Waverly
- Development of applicable countermeasures
- Equitable transportation access and use solutions
- Focused pedestrian/bicycle improvements

39,508 Crashes

42,939 Deaths

10% Increase in Deaths

Nationwide data from 2021. Insurance Institute for Highway Safety (IIHS) and the Highway Loss Data Institute (HLDI)

WAVERLY CSAP ADVISORY TEAM

To guide the development of these outcomes, an Advisory Team made of community stakeholders was established early on in the planning process. This group met regularly

throughout the project and provided their guidance, feedback, and solutions for existing safety concerns experienced in Waverly's transportation system.

Advisory Team Members

Stephanie Fisher
City Administrator
City of Waverly

Tracey Whyman
Public Works Director
City of Waverly

Shayna Murrell
Parks & Recreation Director
City of Waverly

Abbey Pascoe
Council President
City of Waverly


Kris Bohac
Planning Commission Chair
City of Waverly

Ben Houchin
Chief Deputy Sheriff
Lancaster County

Robin Hoffman
Emergency Services
Coordinator
City of Waverly

Cory Worrell
Superintendent
District 145

This page intentionally left blank.



CHAPTER 2

**SAFETY
ANALYSIS**

SAFETY ANALYSIS

The Safety Analysis portion of this plan presents a comprehensive analysis of crash data, including traffic volume, street information, impact to vulnerable road users, and multi-modal transportation types, for the City of Waverly, Nebraska, spanning the most recent ten-year period (2014-2023). By examining historical crash data, the study team aimed to identify critical safety issues, discern trends and patterns, and understand the underlying causes of transportation-related incidents throughout the city. This data-driven approach informed the development of targeted strategies and interventions to enhance overall street safety and reduce the incidence of traffic-related fatalities and severe injuries within Waverly's street, sidewalk, and trails network.

WAVERLY CRASH ANALYSIS

In development of this plan, several maps were created that visually represent all recorded crashes in Waverly over the past ten years. These maps serve as a foundational tool to illustrate the geographic distribution and frequency of crashes, providing clear visual context for known safety issues and concerns in the community.

The following figures and respective summaries delve deeper into the specifics of all crashes, ultimately shedding light on the most critical areas of concern and guiding the City's efforts to create a safer transportation environment for all residents and visitors.

The crash data used in this analysis was provided by the Nebraska Department of Transportation (NDOT) and augmented by the Lancaster County Sheriff's Department. The data review represents the period from January 1, 2014, to December 31, 2023, unless otherwise noted. During this time, a total of 281 crashes were reported within the city limits of Waverly. Of these, six crashes involved a vulnerable road user (VRU), which is defined as anyone who walks, bikes, or rolls across the transportation network as a pedestrian. The locations of all 281 crashes are depicted in [*Figure 1*](#).

To illustrate the concentration and frequency of crashes, the map shown in [*Figure 2*](#) highlights locations within Waverly where multiple crashes have occurred at the same locations during the 10-year reporting period defined previously.

[*Figure 3*](#) presents an overview of all six VRU crashes.

[*Figure 4*](#) presents an overview of just the fatal and injury crashes on the network.



Figure 1: City of Waverly Crashes (2014-2023)




Figure 2: Concentration of Crashes (2014-2023)




Figure 3: City of Waverly VRU Crashes (2014-2023)



Figure 4: Fatal and Injury Crashes (2014-2023)

SUMMARY OF HISTORICAL CRASH DATA

In alignment with the core objectives of the Safe Streets and Roads for All initiative, this section focuses on analyzing crashes that resulted in a fatal or severe injury. The emphasis on Killed or Seriously Injured (KSI) crashes is essential, as addressing these severe incidents is pivotal to improving overall safety and reducing the most tragic outcomes of traffic collisions. Due to the limited number of KSI crashes, Fatal Plus Injury (FI) crashes also will be examined when applicable. By scrutinizing the data related to KSI and FI crashes, the goal is to uncover critical insights regarding the circumstances and contributing factors that lead to these incidents. This information will guide the formulation of targeted safety interventions and policy recommendations aimed at mitigating the risk and severity of future crashes within the City of Waverly.

KSI and FI Crashes

Of the 281 crashes reported during the 10-year period, **93 resulted in either a fatality or some level of injury** to the individuals involved. These are classified as Fatal plus Injury (FI) crashes ***Figure 4.*** Of these, **10 crashes are classified as KSI crashes.** While the total number of KSI crashes is low, these events represent the most severe outcomes and are a primary consideration of this analysis. The remainder of this section provides additional insights on KSI crashes in the city.



Comparison to Similar Nebraska Cities

[Figure 5](#) illustrates the crash trends between Waverly and Nebraska communities of similar size (based on population). This data indicates that Waverly is near the average KSI/100k rate among comparable cities.

As shown in [Figure 6](#), the crash rate for KSI crashes in Waverly involving alcohol is low compared to similar-sized communities in Nebraska.




Figure 5: KSI Crashes / 100k Population (2011-2020)




Figure 6: KSI Crashes / 100k Population Involving Alcohol (2011-2020)

As shown in [Figure 7](#), the crash rate for crashes involving VRUs in Waverly is relatively high compared to similar-sized Nebraska cities.

[Figure 8](#) shows the crash rate per 100k population for Statewide and Comparable Cities has been generally steady, with an initial large

drop but recently having a slight reduction trend. Due to Waverly's relatively limited KSI sample size, drawing trends from the data is difficult. The city had a relatively low number of KSI crashes in 2013, 2017, 2019 and 2020, while relatively higher crash rates occurred in 2012 and from 2014-2016.




Figure 7: KSI Crashes Involving VRUs / 100k Population (2011-2020)




Figure 8: KSI Crashes / 100k Population per year (2011-2020)

Crash Data Characteristics

As shown in [Table 1](#), the FI crash frequency by time of day generally increases during peak traffic demands, including morning and evening commuter peaks and school release times. The peak crash times are mostly in the morning (7:00 AM to 9:00 AM) and late day/evening

time frames (3:00-8:00 PM). The most frequent crash time for all days of the week is 4:00 PM to 5:00 PM. Monday through Wednesday had the highest frequency of crashes.

Table 1: FI Crashes by Time and Day

Time	SUN	MON	TUE	WED	THU	FRI	SAT	Total
12:00 AM	1	0	0	1	0	0	0	2
1:00 AM	0	0	0	0	0	0	1	1
2:00 AM	0	0	0	0	0	2	0	2
3:00 AM	0	0	0	0	0	0	0	0
4:00 AM	0	0	0	0	0	0	0	0
5:00 AM	1	0	0	1	0	0	0	2
6:00 AM	0	1	0	2	1	1	0	5
7:00 AM	0	2	1	3	1	1	0	8
8:00 AM	0	3	3	1	0	2	1	10
9:00 AM	0	0	1	0	0	0	0	1
10:00 AM	0	0	0	0	0	0	0	0
11:00 AM	0	0	0	0	0	0	0	0
12:00 PM	0	1	0	0	0	0	1	2
1:00 PM	1	0	1	1	0	1	0	4
2:00 PM	0	0	0	0	1	0	0	1
3:00 PM	1	2	4	1	0	2	0	10
4:00 PM	2	4	2	1	1	2	1	14
5:00 PM	0	1	1	2	2	1	0	7
6:00 PM	1	2	2	2	0	1	0	8
7:00 PM	0	0	1	0	1	1	1	4
8:00 PM	1	1	0	3	0	0	2	7
9:00 PM	0	0	0	0	0	0	0	0
10:00 PM	0	0	1	0	0	1	0	2
11:00 PM	0	1	0	0	0	2	0	3
Total	8	18	18	18	7	17	7	93

A breakdown of the 93 FI crashes by crash type is shown in [Figure 9](#). It indicates that angle crashes were the most frequent, accounting for 45% of all FI crashes. Right angle crashes typically occur at intersections and can be the most severe types of crashes in a community. Single-vehicle crashes were the next highest frequency FI at 34%. Rear-end FI crashes made up 14%, while there were 3 FI crashes for left turn (LT) leaving. Sideswipe in opposite direction (SS) crashes accounted for 2% of FI crashes.

The safe system approach is a critical component of every SS4A project. In Waverly's crash data analysis, factors influencing crashes were categorized based on the first two objectives of the safe system approach: street and street users.

The factors related to the street include:

- Lighting Condition
- Pavement Condition
- Functional Classification
- Traffic Control
- Posted Speed

The factors related to street users include:

- Seatbelt Use
- Driver Contributing Circumstances
- Alcohol Involvement
- Driver Age Group

The following sections examine each of these factors.




Figure 9: FI Crashes by Type

Street Condition Factors

Lighting Condition

Based on [Table 2](#), **63% of FI crashes occurred in lighted conditions**. Among the 6 VRU crashes, **two-thirds of them occurred in reduced light conditions**. This demonstrates that VRUs are at a disproportionately higher risk of being involved in a crash in reduced light conditions than other street users considering that most VRU activity occurs during lighted conditions.

Table 2: Crashes by Lighting Condition

Lighting Condition	All Crashes	VRU	FI Crashes Involving VRU	FI Crashes
Light	174	6	2	59
Dark	51	4	3	18
Dawn	26	0	1	10
Other	12	0	0	6
Total	281	10	6	93

Pavement Condition

[Table 3](#) demonstrates that approximately **82% of FI crashes occurred during dry pavement conditions** and the remainder occurred during adverse pavement conditions. All of the VRU related crashes happened during normal pavement conditions.

Table 3: Crashes by Pavement Condition

Pavement Condition	All Crashes	VRU	FI Crashes Involving VRU	FI Crashes
Dry	227	10	6	76
Ice	8	0	0	1
Wet	18	0	0	8
Snow	14	0	0	7
Slush	2	0	0	0
Other	12	0	0	1
Total	281	10	6	93

Representation Ratios

As a way to further analyze crash data and define more meaningful trends and outliers, representation ratios were evaluated. A representation ratio is a comparative measure utilized in safety analysis to determine whether a particular field condition is overrepresented or underrepresented in crash data relative to its share of the overall network or traffic volume.

The representation ratio is used to quantify the proportion of crashes to a given attribute (e.g., intersection type, street type, speed, etc.). For example, a representation ratio of 1.0 means that crashes are equally represented to the attribute; 3.0 would mean crashes are three-times over-represented; and 0.5 means crashes are only half of what would be expected.

Functional Classification

Representation ratios among different roadway functional classifications are shown in [Figure 10](#). The representation ratio for FI crashes on local streets is relatively low (0.37). Despite containing over 82% of the street network by mileage, approximately 30% of the total FI crashes occur on local streets. The Other Arterial classification was shown to be 1.78 for FI crashes. Major Arterials have an FI representation ratio value of 5.6.

Traffic Control

The representation ratio of FI crashes by traffic control type indicates that signalized intersections exhibit a representation ratio of 65.6, which indicates that signal-control intersections are overwhelmingly overrepresented. In addition, over 50% of all KSI crashes occurring at intersections occur at two signalized intersections. Unsignalized crashes representation ratio was 0.205. It should be noted that the signal at U.S. Highway 6 (US-

6) and Amberly Road was installed relatively recently in 2019. Therefore, crashes before installment likely skew the overrepresentation at this intersection. A graph was not included for this category due to only 2 traffic control variables - unsignalized and signalized.

Speed

The representation ratio of FI crashes according to the posted speed limit is illustrated in [Figure 11](#). Streets with posted speeds of 25 mph experience the smallest representation ratio (0.49). The representation ratio for FI crashes on street segments with speeds 50 or higher is 2.76. However, for posted speed limits of 30 to 45 mph, the representation ratio is even greater at 6.68 for FI crashes.

The difference in FI representation ratio for 30 to 45 mph segments (6.68) and that of 50+ segments (2.76) can be partially accounted for by the difference in access control between high-speed segments and the mid-range 30-45 mph segments. The frequent intersections and driveways result in these 30-45mph segments generally having more complex driving characteristics for motorists. Numerous conflict points exist which create a system that over-exerts the driver's ability to perceive and react accordingly. Conversely, the 50 mph and above segments have stricter access control and fewer conflict points.

For an additional visual representation, [Figure 12](#) on the following page illustrates all FI crashes related to both traffic control and speed limits on the existing transportation network.




Figure 10: Representation Ratio by Functional Classification




Figure 11: Representation Ratio of FI Crashes by Posted Speed




Figure 12: FI Crashes Related to Traffic Control and Speed Limit

Street User Factors

Seatbelt Usage

As shown in [Figure 13](#), among FI crashes where the restraint use was known, 9 out of 139 crashes (6%) involved an unbelted user. Among all crashes where the restraint use was known, 14 out of 350 (4%) involved an unbelted user. Of note, the 2022 Nebraska statewide seatbelt survey indicated that approximately 24% of users statewide do not use seatbelts.




Figure 13: FI Crashes by Seatbelt Usage

Driver Contributing Circumstances

[Table 4](#) details the percentage of FI crashes caused by various driver contributing circumstances. In 44% of all FI crashes, the driver was not cited for any improper driving. Among the remaining crashes, driver error was determined to be the primary contributing factor cited.

Table 4: Fatalities and Injuries by Driver Contributing Circumstances

Driver Contributing Circumstances	% of FI
No improper driving	44%
Failure to Yield	15%
Reckless driving	8%
Other	34%

Impaired Driving

[Table 5](#) details the percentage of FI crashes involving impaired driving (typically alcohol related). This table indicates that FI crashes are more likely to involve impaired driving than a typical crash. Furthermore, VRU crashes are more than twice as likely to involve alcohol.

Table 5: Crashes Involving Alcohol

Alcohol Involved	Total	FI	VRU
Yes	21	12	1
No	260	81	5
% Alcohol Involved	7.5%	12.9%	16.7%

Age

[Figure 14](#) details the frequency of KSI crashes in relation to driver age. FI crashes within the driving age range of 24 and younger are the most frequent among all age groups. The 35 to 44 age group possesses the second-highest frequency of FI crashes. A decline in FI crashes occurs for the 45 to 54 age group, then a rise occurs among drivers aged 55 to 64 who may begin to experience declining reaction time and vision. At age 65 and older, drivers tend to drive less and are thus involved in fewer crashes than other age groups.

Vulnerable Road User Condition

There was a total of 6 crashes involving a VRU. These crashes are summarized in [Table 6](#).

Ped Bike	Total
FI	6
KSI	2

Table 6: VRU Crashes




Figure 14: Crashes by Driver Age Group

High Injury Network

A key component of the Waverly Comprehensive Safety Action Plan is identifying its High Injury Network (HIN). The HIN section identifies and analyzes the specific street segments and intersections within Waverly that have a disproportionately high incidence of severe and fatal crashes. By pinpointing these critical areas, the focus is directed towards the most dangerous locations in the city's transportation network. This section will detail the methodology used to identify the HIN, highlight the most problematic areas, and propose targeted interventions to enhance safety and reduce the occurrence of severe crashes in these high-risk locations.

injury representation ratios (FIRR) above 5 and 13.3. The Tier 2 HIN contains corridors with FIRR between 2 and 5. While comprising only 14% of network length, these two tiers include 80% and 74% of the KSI and FI crashes, respectively.

The HIN was created using the FIRR instead of the KSI representation ratio. This choice was made because using the KSI ratio would have distorted the HIN due to the small number of KSI crashes. Using the FIRR, the data is more reliable and less likely to be skewed by just one or two crashes at a specific location. This method provides a more accurate picture of where severe crashes are most likely.

Segment High Injury Network

Two tiers of the segment HIN were developed along 8 corridors, representing the highest 10 percent of segments by crash density, as shown in [Table 7](#). Tier 1 contains corridors with fatal plus

Table 7: Segment High Injury Network Summary

Tier	#	Miles	KSI	Total FI	% of Network	KSI/ Mile	FI/ Mile	% KSI	% FI	FIRR
1	4	1.7	7	47	5%	4.0	27.1	70%	51%	5 to 13.3
2	4	2.9	1	21	9%	0.3	7.2	10%	23%	2 to 5
Total HIN		4.6	8	68	14%	1.7	14.7	80%	74%	2 and above
Total Network		33.4	10	93	100.0%	0.3	2.8	100%	100%	-



Figure 15: Segment High Injury Network Map

Table 8: Segment High Injury Network Corridors

Rank	HIN Corridor	HIN Tier	Segment Length (mi)	KSI	FI	FI / Mile	FIRR
1	US-6 - Canongate Rd to N 141st St	1	0.41	3	15	36.9	13.3
2	US-6 - N 130th St to Canongate Rd	1	0.74	2	22	29.8	10.7
3	N 141st St - US-6 to Mansfield St	1	0.25	1	5	20.1	7.2
4	Canongate Rd - US-6 to Jamestown St	1	0.34	1	5	14.7	5.3
5	US-6 - I-80 Ramp to N 130th St	2	1.08	1	9	8.4	3.0
6	Amberly St - US-6 to N 140th St	2	0.64	0	5	7.9	2.8
7	N 148th St - I-80 to Heywood St	2	0.66	0	4	6.1	2.2
8	Amberly Rd - N 140th St to N 148th St	2	0.53	0	3	5.7	2.0

Intersection High Injury Network

The intersection HIN was developed from the intersections experiencing the highest crash frequency, summarized in [Table 9](#). Further analysis of HIN data was completed to look at representation ratios and divide the intersection into tiers. Based on the number and distribution of crashes, the intersection FIRR was selected as 8 and above for Tier 1 intersections, and between 5 and 8 for Tier 2 intersections. The Tier 1 and Tier 2 Intersection HIN ranges were chosen as they formed a distinct cluster of intersections with higher severity representing less than 8% of all intersections and could

encompass the majority of FI crashes. Both signalized intersections are in the HIN.

As shown in [Table 10](#) and [Figure 16](#), the highest FI frequency intersection was US-6 and Amberly Road, which has a FIRR of 46.2. All Tier 1 intersections were located on US-6 or Amberly Road. There are 5 intersections on the Tier 1 HIN and 9 intersections on the Tier 2 HIN. It should be noted that the intersection at US-6 and Amberly Road had a signal added in 2019 and has seen a decrease in serious crashes since then.

Table 9: Intersection High Injury Network Summary

Tier	Count	Signals	Two-way Stop Control	Three-way Stop Control	KSI	FI
1	5	2	3	0	4	36
2	9	0	9	0	4	19
Total HIN	14	2	12	0	4	55
All Intersections	176	2	172	2	4	61
% HIN of Total	8%	100%	7%	0%	100%	90%

Table 10: Intersection High Injury Network Corridors

Rank	Street 1	Street 2	HIN Tier	Traffic Control ¹	All Crashes	KSI Crashes	FI Crashes	Ped Bike Crashes	FIRR
1	US-6	Amberly Rd	1	SG	27	1	16	0	46.2
2	US-6	N 141st St	1	SG	20	3	8	1	23.1
3	US-6	N 130th St	1	ST	11	0	6	0	17.3
4	US-6	Guildford St	1	ST	6	0	3	0	8.7
5	Amberly Rd	Canongate Rd	1	ST	10	0	3	0	8.7
6	US-6	N 148th St	2	ST	7	0	2	0	5.8
7	Amberly Rd	N 140th St	2	ST	3	0	2	0	5.8
8	Amberly Rd	N 148th St	2	ST	6	0	2	0	5.8
9	N 141st St	Kenilworth St	2	ST	2	0	2	1	5.8
10	Amberly Rd	N 143rd St	2	ST	2	0	2	1	5.8
11	Folkestone St	151st St	2	ST	2	0	2	0	5.8
12	N 148th St	Castlewood St	2	ST	2	0	2	0	5.8
13	Heywood St	N 148th St	2	ST	2	0	2	0	5.8
14	Canongate Rd	Jamestown St	2	ST	2	0	2	1	5.8

¹ SG = signalized intersection; ST = stop-controlled intersection




Figure 16: Intersection High Injury Network Map

CRASH DATA ANALYSIS SUMMARY

The Waverly Comprehensive Safety Action Plan emphasizes the need for targeted safety interventions based on a thorough analysis of the crash and street contextual data. The study identifies street safety concerns, with a concentration on fatal and injury crashes. Additionally, the analysis reveals that VRUs, such as pedestrians and cyclists, are disproportionately affected. With US-6 and a railroad facility bisecting the city, traveling is even more of a challenge to citizens who might choose to use active mobility options if they could cross these facilities more safely.

The identification of high-risk segments and intersections through the HIN facilitates the prioritization of critical safety improvements. With the support of measurable crash metrics, safety countermeasures, and policy, recommendations were created to provide a safer transportation environment regardless of what type of transportation one uses.





CHAPTER 3

**COMMUNITY
ENGAGEMENT**

COMMUNITY ENGAGEMENT

Community engagement supported the analysis of street safety conditions through a robust public involvement plan. This plan outlined all engagement strategies that were to be deployed throughout the planning process as well as what type of feedback the City was looking for from the public and identified project stakeholders. Several engagement channels were used to reach community members, including both online and in-person engagement.

ENGAGEMENT OPPORTUNITIES

The City offered several engagement opportunities to involve the community in shaping transportation and street safety improvements through this project. Each of the outlined engagement opportunities below provided their own unique experience for participants where they were given one-on-one time with City officials to speak about their safety concerns and values as a resident and user of Waverly's street network system.


Open Houses

Two open house meetings were held to facilitate in-person engagement with the community – one in November 2024 and the final in May 2025. Both of these events provided an opportunity for residents to learn about the project, ask questions, and share their feedback on street and transportation safety issues in Waverly. These meetings resulted in over 200 collective responses through the in-person and online comment form surveys provided during the first and second halves of the project.

Focus Group Meetings

Beyond engagement with community members, the city also held two focus group meetings to gather more in-depth input from specific community members and leaders. The first focus group was conducted with the goal of gaining a deeper understanding of the challenges surrounding traffic safety for employees from the major employers within town. The second focus group was conducted with the goal of gaining valuable perspectives from stakeholders who had participated in the online survey and

◀ *The City held three focus group meetings to gather community input.*



indicated that they have children enrolled in Waverly Public Schools. This focus group focused on the traffic safety challenges that students who travel to school may encounter.

Project Website

A dedicated website was created to serve as a central hub for the Waverly Comprehensive Safety Action Plan project. The site featured up-to-date project information, news, and resources, allowing residents to stay informed and engage with the planning process online.




- ▲ *The project website is available in both English and Spanish.*

Online Surveys

To reach a wider audience, two different online surveys were distributed during the planning process, giving the public numerous chances to share their experiences, concerns, and priorities regarding street and transportation safety. Both surveys were posted online following each open house meeting and included similar information and questions presented to open-house attendees. This ensured that this project's engagement efforts remained evergreen and allowed residents who were unable to attend meetings meaningful opportunities to still participate.

Digital Outreach

A series of informational graphics were also shared through the City's social media channels to help educate followers on the plan and its progress.



- ▲ *The City's social media channels were used to share plan information and progress.*

TAKEAWAYS

This section summarizes public feedback gathered through the engagement strategies outlined previously. This input reflects some of the community thoughts and priorities regarding transportation safety and infrastructure improvements, highlighting key areas such as pedestrian and bicycle safety, traffic management, public education, and the need for better transportation planning and enforcement of traffic laws. The following themes summarize the most frequently mentioned issues and proposed solutions by participants.

Pedestrian and Bicycle Safety

Improving pedestrian safety was a top priority for participants, with stakeholders showing support for enhanced sidewalks, crosswalks, flashing beacons, and pedestrian yield signs. During the first public project survey, 161 out of 209 respondents indicated that they would walk and bike more if safer pedestrian facilities were present. A widely mentioned priority safety improvement is improvements to traffic safety for students going to and from school. Other specific concerns were about crossing Highway 6, especially at busy intersections, as well as crossing Amberly Road.

Suggested improvements include better bike lanes, pedestrian walkways, bike safety education (e.g., helmet use), additional signage near school zones, and improved infrastructure for bikes and pedestrians, including flashing beacons and pedestrian bridges.

Traffic Management and Speed Control

Another topic highlighted was regarding heavy truck speeds along corridors. In addition, traffic operations including difficulty making left turns at key intersections like US-6 and 148th Street were brought up by participants. The feedback collected mentioned the need for the addition of traffic signal control or roundabouts at key intersections like Canongate and Amberly Road to control congestion. Some recommendations mentioned include better street lighting, crosswalk visibility, and general traffic calming methods.

Infrastructure and Transportation Planning

For infrastructure and transportation planning, along with long-term growth considerations, participants mentioned the idea of bypass routes for trucks to reduce traffic in residential areas, the expansion of the sidewalk and trail system to keep pedestrians safe along heavily traveled/desired routes, the integration of new safety measures into the city development plans, and the addition of more cross-town school bus routes to reduce pedestrian traffic near the highways on school days.

Education and Community Awareness

A prominent focus of the respondents was on increasing community education on transportation safety, including driver and pedestrian safety, distracted driving, and speeding tendencies. Solutions provided by participants included incorporating driver and street safety education into an incentive program. The need for education efforts to reach the whole community, including parents, students, and businesses was emphasized.

Some examples of focus areas for information campaigns include improving the understanding and enforcement of rules like jaywalking laws, risks of distracted driving, and how peer pressure and community norms influence safer driving behaviors.

Community engagement strategies were planned based on the goals of the Public Involvement Plan for this project.

Those goals were:


- 1.** Identify the values of the people providing input and report back how we responded to the values.
- 2.** Maintain project teams' situational awareness of input received.
- 3.** Foster community support for the plan effort and forthcoming projects.

A sampling of survey questions and their corresponding results by public respondents is included on the following page.


Traffic and Driver Behavior Enforcement

A desire for stronger enforcement of traffic laws, such as tickets for jaywalking, speeding, and distracted driving was discussed by participants and stakeholders during the engagement portions of this project. Specific suggestions included improving signage visibility, specifically near school zones. There was also a push among some participants to strengthen and enforce rules and regulations regarding golf cart usage around the city.


1. How often do you walk or bike around Waverly?




2. How often do you cross U.S. Highway 6 (US-6), whether it's walking, biking, or in a vehicle?




3. How safe do you feel crossing US-6? Level 1 being not safe at all & 5 being extremely safe.



4. Would safer pedestrian facilities encourage you to walk or bike more and across US-6 in Waverly, NE?



This page intentionally left blank.



CHAPTER 4:

**NEEDS
ASSESSMENT**

NEEDS ASSESSMENT

A critical part of developing the Comprehensive Safety Action Plan is the prioritization of safety issues across the community, such that solutions can be developed for those locations. This prioritization process provides a clear understanding for what projects are most essential to improving overall safety conditions in the community.

LOCATION/ISSUE SCORING

Based on the list of all network safety locations, starting on page 44, and issues identified through analysis and working with the Waverly CSAP Advisory Committee and City staff, scoring criteria were developed to weigh these areas against one another based on multiple safety impact variables. The locations were also broken into two groups based on if they involved an entire street segment or if they were localized to a specific intersection.

To determine a segment or intersection's safety needs score, the following criteria were established to assist in the prioritization process. The maximum score a location could receive was 100 points. Each variable that is to be considered in the project's score has a rating. Total pedestrian/bicyclist crashes and all fatal/injury crashes were rated from 0 to 5, 5 being the highest concern or need for safety improvements at this location. Public Input was rated from 0 to 2 based on public survey and focus group feedback, with 2 being corridors/intersections of top safety concern. Multimodal was rated from 0 to 3, 3 being the areas most likely to have vulnerable road users. An approach to weight these criteria and utilize a safety index criteria was also developed as highlighted in [Table 11](#). These criteria and

scoring were developed based on the City's priorities and feedback from the Advisory Committee.

A map showing all of the prioritized HIN intersections and segments is included in [Figure 17](#).

Safety Index

Table 11: Safety Criteria Index

Variable	Total Weighting
Total Ped/Bike Crashes	15%
All Fatal/Injury Crashes (HIN)	45%
Public Input	25%
Multimodal	15%
Total	100%

Public Input

The Public Input score was based on feedback from the public survey and focus group sessions. Public Input received a score of:

- **2** - If corridors/intersections were ranked 1 through 3 by respondents as locations of top safety concern
- **1** - For corridors/intersections ranked 4 through 7 or if they were added to the list by respondents
- **0** - For those that were ranked in the bottom 3 or not mentioned as a concern

Multimodal

Multimodal received a score of:

- **3** - For proximity to Downtown/ School/Park type land uses
- **2** - For proximity to commercial/ Church/Senior & Assisted Living Centers land use
- **1** - For proximity to neighborhood land use
- **0** - For segments lacking proximity to walkable land uses such as industrial or agricultural



Figure 17: Prioritized HIN Intersections & Segments

LOCATION/ISSUE PRIORITIZATION

Waverly's High Injury Network segments and intersections were each scored and prioritized to identify the locations in Waverly that have the greatest need for safety improvements. Based on those rankings, projects were developed to address those priority segments and intersections. The scoring criteria satisfies key objectives of the SS4A Program by prioritizing locations with the highest number of fatal and serious injury crashes and locations where multimodal transportation, including walking and biking, are more likely to occur.

Table 12: Prioritized Street Segments

Segments

Location	Overall Priority Scoring
1 US-6; 130th Street to Canongate	High
2 US-6; Canongate Road to N 141st Street	High
3 Canongate Road; US-6 to Jamestown Street	High
4 N 141st Street; US-6 to Mansfield Street	High
5 US-6; N 141st Street to N 148th Street	High
6 Amberly Road; N 140th Street to N 148th Street	Moderate
7 Oldfield Street; Canongate Road to N 141st Street	Moderate

8 US-6; I-80 Ramp to N 130th Street	Moderate
9 Amberly Road; US-6 to N 140th Street	Moderate
10 N 148th Street; I-80 to Heywood Street/Bluff Road	Moderate
11 N 141st Street; Mansfield Street to Waverly Road	Lower
12 Canongate Road; Amberly Road to US-6	Lower
13 Canongate Road; Jamestown Street to N 134th Street	Lower
14 Heywood Street; N 141st Street to N 148th Street	Lower
15 N 148th Street; Heywood Street/Bluff Road to US-6	Lower
16 N 148th Street; US-6 to Waverly Road	Lower
17 N 134th Street; Canongate Road to Waverly Road	Lower

Table 13: Prioritized Intersections

Intersections

Location	Overall Priority Scoring		
1 US-6 and N 141st Street	High	13 US-6 and N 130th Street	Lower
2 Amberly Road and Canongate Road	High	14 Folkstone Street and 151st Street	Lower
3 US-6 and N 148th Street	High	15 Amberly Road and N 134th Street	Lower
4 US-6 and Amberly Road	High	16 N 142nd Street and Folkstone Street	Lower
5 US-6 and Guildford Street	High	17 Amberly Road and N 145th Street	Lower
6 N 141st Street and Kenilworth Street	Moderate	18 N 148th Street and Waverly Road	Lower
7 Amberly Road and N 143rd Street	Moderate	19 N 141st Street and Oldfield Street	Lower
8 Amberly Road and N 140th Street	Moderate	20 N 148th Street and Folkstone Street	Lower
9 Amberly Road and N 148th Street	Moderate	21 N 138th Street and Guildford Street	Lower
10 Canongate Road and Jamestown Street	Moderate	22 US-6 and N 120th Street	Lower
11 N 148th Street and Castlewood Street	Moderate	23 US-6 and Deep Park Road	Lower
12 Heywood Street/Bluff Road and N 148th Street	Moderate	24 Jamestown Street and N 137th Street	Lower

This page intentionally left blank.



CHAPTER 5

**SAFETY
COUNTERMEASURES
TOOLBOX**

ADDITIONAL SAFETY CONSIDERATIONS

SAFETY COUNTERMEASURES TOOLBOX

The Waverly SS4A Safety Countermeasure Toolbox presents potential countermeasures that support safety on the transportation network as evidenced in numerous other communities who have implemented similar practices and principles. The goal of these countermeasures is to provide solutions to existing safety concerns or issues within the Waverly transportation and street system as well as provide a positive influence on overall safety in the community. In this section, recommended countermeasures are presented based on their relevance and potential for positively impacting Waverly's transportation network. Some examples of safety countermeasures include Crosswalk Visibility Enhancements, Leading Pedestrian Intervals (LPIs), Medians and Pedestrian Refuge, and Rectangular Rapid Flashing Beacons (RRFBs).

The countermeasures presented in this section are recommended by sources including the Federal Highway Association (FHWA), National Highway Traffic Safety Administration (NHTSA), and Nebraska Department of Transportation (NDOT).

FHWA PROVEN SAFETY COUNTERMEASURES

Each of the FHWA's 28 Proven Safety Countermeasures is an effective strategy for reducing fatalities and serious injuries on the transportation network. Implementation of these strategies within any transportation agencies given jurisdiction can help to achieve a safer overall transportation network for all users. The FHWA has catered these strategies to meet the needs of all transportation agencies, including local, state and federal, to better help them address safety focus areas. Each of these focus areas is outlined in this section.

Speed Management



Appropriate Speed Limits for All Road Users

When setting a speed limit, agencies should consider a range of factors such as pedestrian and bicyclist activity, crash history, land use context, intersection spacing, driveway density, roadway geometry, roadside conditions, roadway functional classification, traffic volume, and observed speeds (*Highways.DOT.gov 2024*).



Speed Safety Cameras (SSCs)

Agencies should conduct a network analysis of speeding-related crashes to identify locations to implement SSCs. The analysis can include scope (e.g., widespread, localized), location types (e.g., urban/suburban/rural, work zones, residential, school zones), roadway types (e.g., expressways, arterials, local streets), times of day, and road users most affected by speed-related crashes (e.g., pedestrians, bicyclists) (*Highways.DOT.gov 2024*).



Variable Speed Limits (VSLs)

Drivers typically determine their operating speeds under normal weather conditions on a straight street section with good pavement quality and adequate sight distances. If ideal conditions do not exist and the street does not meet the driver's expectations, there is a greater chance that a driver error could result in a crash. Providing variable speeds limits (VSLs) capable of adapting to changing circumstances could reduce crash frequency and severity. VSLs use prevailing information on the roadway, like traffic speed, volumes, weather, and road surface conditions, to determine appropriate speeds and display them to drivers. This strategy improves safety performance and traffic flow by reducing speed variance (i.e., improving speed harmonization). VSLs may also improve driver expectation by providing information in advance of slowdowns and potential lane closures, which could reduce the probability for secondary crashes. VSLs can mitigate adverse weather conditions or to slow faster-moving traffic as it approaches a queue or bottleneck (*Highways.DOT.gov 2024*).

Pedestrian/Bicyclist



Bicycle Lanes

To make bicycling safer and more comfortable for most types of bicyclists, State and local agencies should consider installing bicycle lanes. Providing bicycle facilities can mitigate or prevent interactions, conflicts, and crashes between bicyclists and motor vehicles, and create a network of safer roadways for bicycling. Bicycle Lanes align with the Safe System Approach principle of recognizing human vulnerability—where separating users in space can enhance safety for all road users (*Highways.DOT.gov 2024*).



Medians and Pedestrian Refuge Islands in Urban and Suburban Areas

Transportation agencies should consider medians or pedestrian refuge islands in curbed sections of urban and suburban multi-lane roadways, particularly in areas with a significant mix of pedestrian and vehicle traffic, traffic volumes over 9,000 vehicles per day, and travel speeds 35 mph or greater. Medians/refuge islands should be at least 4-ft wide, but preferably 8 ft for pedestrian comfort. Some example locations that may benefit from medians or pedestrian refuge islands include (*Highways.DOT.gov 2024*).



Road Diets (Roadway Reconfiguration)

A Road Diet, or roadway reconfiguration, can improve safety, calm traffic, provide better mobility and access for all road users, and enhance overall quality of life. A Road Diet typically involves converting an existing four-lane undivided roadway to a three-lane roadway consisting of two through lanes and a center two-way left-turn lane (TWLTL). A Road Diet can be a low-cost safety solution when planned in conjunction with a simple pavement overlay, and the reconfiguration can be accomplished at no additional cost. Typically, a Road Diet is implemented on a roadway with a current and future average daily traffic of 25,000 or less (*Highways.DOT.gov 2024*).



Crosswalk Visibility Enhancements

Three main crosswalk visibility enhancements help make crosswalks and the pedestrians, bicyclists, wheelchair and other mobility device users, and transit users using them more visible to drivers. These include high-visibility crosswalks, lighting, and signing and pavement markings. These enhancements can also assist users in deciding where to cross. Agencies can implement these features as standalone or combination enhancements to indicate the preferred location for users to cross (*Highways.DOT.gov 2024*).



Pedestrian Hybrid Beacons

The pedestrian hybrid beacon (PHB) is a traffic control device designed to help pedestrians safely cross higher-speed roadways at midblock crossings and uncontrolled intersections. Nearly 74 percent of pedestrian fatalities occur at non-intersection locations, and vehicle speeds are often a major contributing factor. As a safety strategy to address this pedestrian crash risk, the PHB is an intermediate option between a flashing beacon and a full pedestrian signal because it assigns right of way and provides positive stop control. It also allows motorists to proceed once the pedestrian has cleared their side of the travel lane(s), reducing vehicle delay (*Highways.DOT.gov 2024*).



Walkways

Well-designed pedestrian walkways, shared use paths, and sidewalks improve the safety and mobility of pedestrians. Pedestrians should have direct and connected network of walking routes to desired destinations without gaps or abrupt changes. In some rural or suburban areas, where these types of walkways are not feasible, street shoulders provide an area for pedestrians to walk next to the roadway, although these are not preferable (*Highways.DOT.gov 2024*).



Leading Pedestrian Interval

A leading pedestrian interval (LPI) gives pedestrians the opportunity to enter the crosswalk at an intersection 3-7 seconds before vehicles are given a green indication. Pedestrians can better establish their presence in the crosswalk before vehicles have priority to turn right or left (*Highways.DOT.gov 2024*).

LPIs provide the following benefits:

- Increased visibility of crossing pedestrians.
- Reduced conflicts between pedestrians and vehicles.
- Increased likelihood of motorists yielding to pedestrians.
- Enhanced safety for pedestrians who may be slower to start into the intersection.



Rectangular Rapid Flashing Beacons (RRFB)

The RRFB is applicable to many types of pedestrian crossings but is particularly effective at multi-lane crossings with speed limits less than 40 miles per hour.² Research suggests RRFBs can result in motorist yielding rates as high as 98 percent at marked crosswalks, but varies depending on the location, posted speed limit, pedestrian crossing distance, one- versus two-way road, and the number of travel lanes. RRFBs can also accompany school or trail crossing warning signs. RRFBs are placed on both sides of a crosswalk below the pedestrian crossing sign and above the diagonal downward arrow plaque pointing at the crossing. The flashing pattern can be activated with pushbuttons or passive (e.g., video or infrared) pedestrian detection, and should be unlit when not activated (*Highways.DOT.gov 2024*).

Roadway Departure



Enhanced Delineation for Horizontal Curves

Enhanced delineation at horizontal curves includes a variety of potential strategies that can be implemented in advance of or within curves, in combination, or individually. Enhanced delineation treatments can alert drivers to upcoming curves, the direction and sharpness of the curve, and appropriate operating speed (*Highways.DOT.gov 2024*).



Roadside Design Improvements at Curves

Horizontal curves account for 27% of all fatal crashes and 80% of all fatal crashes at curves are roadway departure crashes. Roadside design improvements at curves is a strategy encompassing several treatments that target the high-risk roadside environment along the outside of horizontal curves. These treatments can reduce roadway departure fatalities and serious injuries by giving vehicles the opportunity to recover safely and by reducing crash severity. Roadside design improvements can be implemented alone or in combination, and are particularly recommended at horizontal curves—where data indicates a higher risk for roadway departure fatalities and serious injuries (*Highways.DOT.gov 2024*).



Longitudinal Rumble Strips and Stripes on Two-Lane Roads

Longitudinal rumble strips are milled or raised elements on the pavement intended to alert drivers through vibration and sound that their vehicle has left the travel lane.

Rumble stripes are edge line or center line rumble strips where the pavement marking is placed over the rumble strip.

With roadway departure crashes accounting for more than half of the fatal roadway crashes annually in the United States, rumble strips and stripes are designed to address these crashes by alerting distracted, drowsy, or otherwise inattentive drivers who drift from their lane. They are most effective when deployed systemically (*Highways.DOT.gov 2024*).



Median Barriers

Median barriers are longitudinal barriers that separate opposing traffic on a divided highway and are designed to redirect vehicles striking either side of the barrier. Median barriers significantly reduce the number of cross-median crashes, which are attributed to the relatively high speeds that are typical on divided highways. American Association of State Highway and Transportation Officials (AASHTO) Roadside Design Guide (RDG) recommends guidelines for the use of median barriers on high-speed, fully controlled-access roadways for locations where the median is 30 ft in width or less and the average daily traffic (ADT) is greater than 20,000 vehicles per day (VPD) (*Highways.DOT.gov 2024*).



Wider Edge Lines

Roadway departures account for over half of all traffic fatalities in the United States. If drivers cannot clearly identify the edge of the travel lanes and see the road alignment ahead, the risk of roadway departure may be greater. Wider edge lines enhance the visibility of travel lane boundaries compared to traditional edge lines. Edge lines are considered "wider" when the marking width is increased from the minimum normal line width of 4 inches to the maximum normal line width of 6 inches (*Highways.DOT.gov 2024*).

Intersections



Backplates with Retroreflective Borders

Backplates added to a traffic signal head improve the visibility of the illuminated face of the signal by introducing a controlled-contrast background. The improved visibility of a signal head with a backplate is made even more conspicuous by framing it with a 1- to 3-inch yellow retroreflective border. Signal heads that have backplates equipped with retroreflective borders are more visible and conspicuous in both daytime and nighttime conditions (*Highways.DOT.gov 2024*).



Reduced Left-Turn Conflict Intersections

Reduced left-turn conflict intersections are geometric designs that alter how left-turn movements occur. These intersections simplify decision-making for drivers and minimize the potential for higher severity crash types, such as head-on and angle. Two highly effective designs that rely on U-turns to complete certain left-turn movements are known as the Restricted Crossing U-turn (RCUT) and the Median U-turn (MUT) (*Highways.DOT.gov 2024*).



Yellow Change Intervals

At a signalized intersection, the yellow change interval is the length of time that the yellow signal indication is displayed following a green signal indication. The yellow signal confirms to motorists that the green has ended and that a red will soon follow. Transportation agencies can improve signalized intersection safety and reduce red-light running by reviewing and updating their traffic signal timing policies and procedures concerning the yellow change interval. Agencies should institute regular evaluation and adjustment protocols for existing traffic signal timing (*Highways.DOT.gov 2024*).



Corridor Access Management

Access management refers to the design, application, and control of entry and exit points along a roadway. Every intersection, from a signalized intersection to an unpaved driveway, has the potential for conflicts between vehicles, pedestrians, and bicyclists. The number and types of conflict points—locations where the travel paths of two users intersect—influence the safety performance of the intersection or driveway. Successful corridor access management involves balancing overall safety and mobility for all users along with the needs of adjacent land uses (*Highways.DOT.gov 2024*).



Roundabouts

Roundabouts are not only a safer type of intersection; they are also efficient in terms of keeping people moving. Even while calming traffic, they can reduce delay and queuing when compared to other intersection alternatives. Furthermore, the lower vehicular speeds and reduced conflict environment can create a more suitable environment for walking and bicycling (*Highways.DOT.gov 2024*).



Dedicated Left- and Right-Turn Lanes at Intersections

Auxiliary turn lanes—either for left turns or right turns—provide physical separation between turning traffic that is slowing or stopped and adjacent through traffic at approaches to intersections. Turn lanes can be designed to provide for deceleration prior to a turn, as well as for storage of vehicles that are stopped and waiting for the opportunity to complete a turn (*Highways.DOT.gov 2024*).



Systemic Application of Multiple Low-Cost Countermeasures at Stop-Controlled Intersections

This systemic approach to intersection safety involves deploying a package of multiple low-cost countermeasures, including enhanced signing and pavement markings, at a large number of stop-controlled intersections within a jurisdiction. These countermeasures increase driver awareness and recognition of the intersections and potential conflicts (*Highways.DOT.gov 2024*).

Crosscutting



Lighting

The number of fatal crashes occurring in daylight is about the same as those that occur in darkness. However, the nighttime fatality rate is three times the daytime rate because only 25 percent of vehicle miles traveled (VMT) occur at night. At nighttime, vehicles traveling at higher speeds may not have the ability to stop once a hazard or change in the road ahead becomes visible by the headlights. Therefore, lighting can be applied continuously along segments and at spot locations such as intersections and pedestrian crossings in order to reduce the chances of a crash (*Highways.DOT.gov 2024*).



Road Safety Audit

While most transportation agencies have established traditional safety review procedures, a road safety audit (RSA) or assessment is unique. RSAs are performed by a multidisciplinary team independent of the project. RSAs consider all road users, account for human factors and street user capabilities, are documented in a formal report, and require a formal response from the road owner (*Highways.DOT.gov 2024*).



Local Road Safety Plans

A local road safety plan (LRSP) provides a framework for identifying, analyzing, and prioritizing street safety improvements on local roads. The LRSP development process and content are tailored to local issues and needs. The process results in a prioritized list of issues, risks, actions, and improvements that can be used to reduce fatalities and serious injuries on local roads (*Highways.DOT.gov 2024*).



Pavement Friction Management

Friction is a critical characteristic of a pavement that affects how vehicles interact with the roadway, including the frequency of crashes. Measuring, monitoring, and maintaining pavement friction—especially at locations where vehicles are frequently turning, slowing, and stopping—can prevent many roadway departure, intersection, and pedestrian-related crashes. Pavement friction treatments, such as High Friction Surface Treatment (HFST), can be better targeted and result in more efficient and effective installations when using continuous pavement friction data along with crash and roadway data (*Highways.DOT.gov 2024*).

NHTSA COUNTERMEASURES THAT WORK

While the FHWA's Proven Safety Countermeasures tend to focus more on engineering solutions to improving safety, NHTSA Countermeasures focus primarily on changing human behavior through education and environmental influences.

Impaired Driving

According to the NHTSA's latest edition of its A Highway Safety Countermeasure Guide for State Highway Safety Offices (2023), deterrence is key to reducing drug/alcohol-impaired driving. "Deterrence works by changing behavior through the fear of apprehension and

punishment. If drivers believe impaired driving is likely to be detected and impaired drivers are likely to be arrested, convicted, and punished, many will not drive while impaired by alcohol," (NHTSA 2023).

Although only 13% percent of FI crashes in Waverly are related to drug/alcohol-impaired driving, it is the City's goal to eliminate all drug/alcohol-impaired driving behaviors in the community.

The following are countermeasures that have been implemented by other states and agencies to support the reduction of impairment related crashes:

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
Administrative License Revocation or Suspension (ALR/ALS)	★★★★★	\$\$\$	High	Medium
Minimum Drinking Age 21 Laws	★★★★★	\$\$\$	High	Short
Open Container Laws	★★★★★	\$	High	Short
Lower Blood Alcohol Content (BAC) Limits	★★★★	\$	Low	Short
High-BAC Sanctions	★★★	\$	Medium	Short
BAC Test Refusal Penalties	★★★	\$	Unknown	Short
Alcohol-Impaired-Driving Law Review	★★★	\$	Unknown	Medium
Drug-Impaired-Driving Laws [†]	★	Unknown	Medium	Short

Enforcement

Countermeasure	Effectiveness	Cost	Use	Time
Publicized Sobriety Checkpoints	★★★★★	\$\$\$	Medium	Short
High-Visibility Saturation Patrols	★★★★	\$\$	High	Short
Alcohol Measurement Devices	★★★★	\$\$	High	Short
Integrated Enforcement	★★★	\$	Unknown	Short
Alcohol Vendor Compliance Checks	★★★	\$\$	Unknown	Short
Zero-Tolerance Law Enforcement	★★★	\$	Unknown	Short
Enforcement of Drug-Impaired Driving	★★★	\$\$	Unknown	Short

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Alcohol Ignition Interlocks	★★★★★	\$\$	Medium	Medium
Alcohol Problem Assessment and Treatment	★★★★★	Varies	High	Varies
Alcohol Screening and Brief Intervention	★★★★★	\$\$	Medium	Short
Vehicle and License Plate Sanctions	★★★★	Varies	Medium	Short
DWI Offender Monitoring	★★★★	\$\$\$	Unknown	Varies
DWI Courts	★★★★	\$\$\$	Low	Medium
Limits on Diversion & Plea Agreements	★★★	\$	Medium	Short
Alternative Transportation	★★★	\$\$	Unknown	Short
Mass-Media Campaigns	★★	\$\$\$	High	Medium
Court Monitoring	★★	\$	Low	Short
Education Regarding Medications	★	Varies	Unknown	Varies

Seat Belts and Child Restraints

Proper seatbelt and restraint mechanisms can play a critical role in a vehicle crash becoming a KSI crash. Increasing drivers' use of these restraints can help to limit overall fatal and severe injury crashes in the community's street network and create a safer environment for both riders and pedestrians.

The following are legislative and enforcement activities implemented by other states and agencies that can help improve the use of these restraints within their community:

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
Primary Enforcement Seat Belt Use Laws	★★★★★	\$	Medium	Short
Strong Child Passenger Safety Laws	★★★★★	\$	High	Short
Increased Fines for Seat Belt Law Violations	★★★★	\$	Low	Short

Enforcement

Countermeasure	Effectiveness	Cost	Use	Time
Short-Term, High-Visibility Seat Belt Law Enforcement	★★★★★	\$\$\$	Medium	Medium
Short-Term, High-Visibility Child Passenger Safety Law Enforcement	★★★★★	\$\$\$	Medium	Medium
Nighttime, High-Visibility Seat Belt Law Enforcement	★★★★	\$\$\$	Unknown	Medium
Sustained Seat Belt Enforcement	★★★	Varies	Unknown	Varies

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Communication Strategies for Low-Belt-Use Groups as Part of High Visibility Enforcement (HVE)	★★★★★	Varies	Unknown	Varies
Employer-based Programs	★★★	Varies	Unknown	Varies
Programs for Older Children	★★★	Varies	Unknown	Varies
Child Restraint Inspection Stations	★★★	\$\$	High	Short
Programs for Increasing Child Restraint and Booster Seat Use	★★	Varies	Unknown	Varies

Speeding and Speed Management

Speed is one of the most common behaviors observed within the local street networks. With that, speed management is a top priority for the City, especially given the traffic that pass through town via US-6.

According to NHTSA, “speeding can be dangerous on all types of roads, but particularly on non-interstate rural and urban roadways. In 2020 some 38% of speeding-related fatalities

occurred on non-interstate rural roadways, another 49% on non-interstate urban roadways, 8% on interstate urban roadways, and 5% on interstate rural roadways,” (NCSA, 2022).

Recommended strategies from the NHTSA to mitigate the impacts of speeding include the following:

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
Lower Speed Limits	★★★★★	\$	High	Varies
Increasing Penalties	★★★★	Varies	High	Varies
Variable Speed Limits	★★	\$\$\$	Medium	Varies

Enforcement

Countermeasure	Effectiveness	Cost	Use	Time
Speed Safety Camera Enforcement	★★★★★	Varies	Low	Medium
High-Visibility Enforcement	★★★★	\$\$\$	Medium	Medium

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Dynamic Speed Display/Feedback Signs	★★★★★	\$	High	Short
Intelligent Speed Assistance	★★★	Varies	Unknown	Varies

Distracted Driving

Another common behavior among drivers, distracted driving involves a variety of factors that can take a driver's attention away from the task of safely operating their vehicle. Distracted driving, as defined by the NHTSA, is "any activity that diverts attention from driving, including talking or texting on your phone, eating and drinking,

talking to people in your vehicle, fiddling with the stereo, entertainment or navigation system—anything that takes your attention away from the task of safe driving" (NHTSA, n.d.-a).

Strategies to prevent distracted driving can include:

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
GDL Passenger Limits for Young Drivers	★★★★★	\$	High	Medium
Cell Phone Laws	★★	\$	Medium	Short

Enforcement

Countermeasure	Effectiveness	Cost	Use	Time
High-Visibility Cell Phone Enforcement	★★★★	\$\$\$	Low	Medium

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Employer Programs	★★	\$	Unknown	Short

Motorcycle Safety

As reported by the NHTSA, motorcycle driving is one of the riskier forms of modern transportation. “Not only does operating a motorcycle require more physical skill and strength than driving a passenger vehicle, but motorcycles lack a protective structure, offering the rider virtually no protection in a crash,” (NHTS 2023).

Recommended strategies to help prevent motorcycle KSI crashes and to keep motorcycle drivers safe include:

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
Universal Motorcycle Helmet Use Laws	★★★★★	\$	Medium	Short
GDL for Motorcyclists	★★	\$	Medium	Short

Enforcement

Countermeasure	Effectiveness	Cost	Use	Time
Alcohol-Impaired Motorcyclists: Detection, Enforcement, and Sanctions	★★★	Varies	Unknown	Varies

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Motorcycle Rider Training	★★	\$\$	High	Varies
Strategies to Increase Rider Conspicuity and Use of Protective Clothing	★	Varies	High	Medium

Young Drivers

Young drivers are at a higher risk of being involved in a vehicle crash due to their limited experience operating a vehicle. According to the NHTSA, motor vehicle crashes are the leading cause of unintentional death for 15-24 year olds in the United States.

To keep young drivers safe and increase overall safety within the network they operate a vehicle in, the following strategies can be implemented:

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
Graduated Driver Licensing (GDL)	★★★★★	\$	High	Medium
GDL Learner's Permit	★★★★★	\$	High	Medium
GDL Intermediate License Nighttime Restrictions	★★★★★	\$	High	Medium
GDL Intermediate License Passenger Restrictions	★★★★★	\$	High	Medium

Enforcement

Countermeasure	Effectiveness	Cost	Use	Time
Enforcement of GDL	★★	\$	Unknown	Short

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Electronic Technology for Parental/Guardian Monitoring	★★★	\$	Low	Short
Programs to Assist Parents/Guardians of Young Drivers	★★	\$	Medium	Short
Hazard Perception Training	★★	Varies	Low	Varies

Older Drivers

Comparatively to young drivers, older drivers are more likely to be involved in a vehicle crash than most drivers due to age-related declines in vision, slower reaction times, and cognitive changes. Unfortunately for this population of drivers, the United States' current roadway network and system is not supportive of their unique needs and abilities. Signage, lighting, licensing, traffic

signals and controls, and vehicles themselves are not always designed with this demographic in mind.

To ensure the safety of older drivers within the transportation system, the following strategies have been implemented by other states and agencies:

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
License Screening and Testing	★★★★ ⁺	\$\$	High	Medium
Licensing Agency Referrals	★★★★ ⁺⁺	\$\$	Low	Medium
License Restrictions	★★★★	\$	Low	Short
Medical Review Protocols	★★ ⁺⁺⁺	Varies	High	Medium
In-Person Renewal and Vision Test	★★	\$\$\$	Medium	Medium

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Formal Courses for Older Drivers (classroom + on-street feedback) ⁺	★★★★	\$\$	Low	Medium

⁺ Proven for identifying drivers whose driving should be limited

⁺⁺ Proven for identifying at-risk drivers

⁺⁺⁺ Part of a comprehensive system for identifying and restricting at-risk drivers. Quality varies considerably.

Pedestrian Safety

KSI crashes involving pedestrians accounted for 33% of Waverly's total KSI crashes over the last ten years. As vulnerable road users, pedestrians are often left to accommodate their transportation methods based on the car-driven design of the modern roadway system. Designing streets and

sidewalks in a way that prioritizes the pedestrian experience is a critical part of undoing car focused mentality. However, the City can also implement some behavior-based strategies that have been successful elsewhere, which also prioritize pedestrian safety.

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
Lower Speed Limits	★★★★	\$	High	Varies

Enforcement

Countermeasure	Effectiveness	Cost	Use	Time
High-Visibility Enforcement at Pedestrian Crossings	★★★	\$\$	Low	Short

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Pedestrian Safety Zones	★★★★★	\$\$\$	Low	Long
Elementary-Age Child Pedestrian Training	★★★	\$	Unknown	Medium
Safe Routes to School	★★★	\$	High	Medium
Walking School Buses	★★	\$	Unknown	Short
Conspicuity Enhancement	★★	\$	Low	Medium

Bicycle Safety

Similar to pedestrians, bicyclists are also expected to fit their transportation needs and safety within a car-centered roadway system. According to the NHTSA, “Bicyclist injuries remain consistently, disproportionately high. In 2021 an additional estimated 41,615 bicyclists were injured. Over the last 5 years, estimated injury-only crashes averaged about 45,400 yearly,”

(NHTSA 2023). Although these stats reflect the state of bicycle safety in the entire United States, prioritizing bicycle safety in Waverly is also a priority for the City.

Other potential strategies as provided by NHTSA to improve bicycle safety include:

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
Lower Speed Limits	★★★★	\$	High	Varies
Bicycle Helmet Laws for Children	★★★	\$	Medium	Short
Universal Bicycle Helmet Laws	★★★	\$	Low	Short
Active Lighting Laws	★★	\$	High	Varies
Motorist Passing Bicyclist Laws	★	\$	Medium	Short

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Promote Bicycle Helmet Use with Education	★★★	\$\$\$	Unknown	Medium
Safe Routes to School	★★★	\$	High	Short
Bicycle Safety Education for Children	★★	\$	Unknown	Short
Cycling Skills Clinics, Bike Fairs, Bike Rodeos	★	\$	Unknown	Short

Drowsy Driving

The NHTSA describes drowsy driving as a prevalent safety concern. “In 2021 some 684 people were killed in crashes involving a drowsy driver, representing 1.6% of all motor vehicle traffic crash fatalities (Stewart, 2023). Drowsy driving was reportedly involved in 1.8% of fatal crashes from 2017 to 2021,” (NHTSA, 2023). Since this safety concern is highly driven

by lifestyle patterns and behaviors of drivers, it can be difficult to influence vehicle drivers to not participate or to prevent them from participating in this practice.

Strategies identified by NHTSA include:

Legislation and Licensing

Countermeasure	Effectiveness	Cost	Use	Time
Graduated Drivers’ Licensing Intermediate License Nighttime Restrictions	★★★★★	\$	High	Medium

Other Strategies for Behavior Change

Countermeasure	Effectiveness	Cost	Use	Time
Employer Programs	★★	Varies	Unknown	Short
School Start Times	★★	Varies	Low	Long

NDOT STRATEGIC HIGHWAY SAFETY PLAN (SHSP)

The Nebraska Department of Transportation (NDOT) publishes its Strategic Highway Safety Plan every five years with the most recent publication extending from 2022-2026. In this Plan the NDOT outlines strategies, action, and policies that are proven and recommended by the NDOT for localities to implement in an effort to prevent all KSI crashes from occurring within the street networks they service. As referenced in the plan, “Zero is the only acceptable number of fatalities on Nebraska streets. Every strategy, every goal, and every statistic in this plan is focused on Nebraska’s goal toward zero deaths. Safety is a shared responsibility among street users and street stewards. The Critical Emphasis Areas outlined in the Nebraska Strategic Highway Safety Plan are opportunities to take individual and agency action towards our shared goal of zero deaths on Nebraska streets. We can achieve this goal together,” (NDOT SHSP 2022).

The following critical emphasis areas were selected for the SHSP 2026 because of their greatest opportunity to successfully reduce the number of traffic fatalities and serious injuries. Each of these emphasis areas contribute to the overall safety of the NDOT’s street and roadway networks and particularly focus on protecting vulnerable road users within those networks.

- 1.** Increasing Seat Belt Usage
- 2.** Reducing Roadway/Lane Departure Crashes
- 3.** Reducing Impaired Driving Crashes
- 4.** Reducing Intersection Crashes
- 5.** Reducing Young Driver Crashes
- 6.** Reducing Older Driver Crashes
- 7.** Reducing Non-Motorist Crashes

This page intentionally left blank.



CHAPTER 6

RECOMMENDATIONS

RECOMMENDATIONS

This chapter provides recommendations for location-specific projects developed for the City's HIN by segment and intersections. Each of these HIN locations were identified and prioritized in Chapter 4 – Needs Assessment. This chapter also identifies systemic countermeasures for deployment throughout the transportation network, policy changes and proposed new policies to create a safer future transportation network, and demonstration projects that could be used to determine the benefits of emerging technologies and strategies in the City of Waverly.

LOCATION-SPECIFIC RECOMMENDATIONS

Waverly's High Injury Network segments and intersections were each scored and prioritized to identify the locations in Waverly that have the greatest need for safety improvements. Location scoring factored in the crash data, multimodal impact to pedestrians and bicyclists, and public comments. Based on the location rankings, further evaluation and discussions, projects were developed to address those priority segments and intersections. The recommended projects presented in this chapter will ultimately improve safety conditions and help to eliminate KSI crashes within the city.

While individual projects were developed and recommended for spot locations, overall "groups" of projects were also identified and highlighted based on a corridor wide approach. These overall project groups would include individual projects (segments and intersections) within these primary corridors, and could be bundled in an overall strategy to address multiple improvements in a comprehensive manner. Those overall projects are further summarized in pages that follow. In addition, to evaluate overall size and scope of projects, high-level (planning level) costs of projects were also provided for perspectives on funding and implementation.




Figure 18: Prioritized HIN Intersection Locations

Table 14: Priority Locations - Top HIN Intersections

Location	Overall Priority Scoring	Location	Overall Priority Scoring
① US-6 and N 141st Street	High	⑬ US-6 and N 130th Street	Lower
② Amberly Road and Canongate Road	High	⑭ Folkstone Street and 151st Street	Lower
③ US-6 and N 148th Street	High	⑮ Amberly Road and N 134th Street	Lower
④ US-6 and Amberly Road	High	⑯ N 142nd Street and Folkstone Street	Lower
⑤ US-6 and Guildford Street	High	⑰ Amberly Road and N 145th Street	Lower
⑥ N 141st Street and Kenilworth Street	Moderate	⑱ N 148th Street and Waverly Road	Lower
⑦ Amberly Road and N 143rd Street	Moderate	⑲ N 141st Street and Oldfield Street	Lower
⑧ Amberly Road and N 140th Street	Moderate	⑳ N 148th Street and Folkstone Street	Lower
⑨ Amberly Road and N 148th Street	Moderate	㉑ Folkstone Street	Lower
⑩ Canongate Road and Jamestown Street	Moderate	㉒ N 138th Street and Guildford Street	Lower
⑪ N 148th Street and Castlewood Street	Moderate	㉓ US-6 and N 120th Street	Lower
⑫ Heywood Street/Bluff Road and N 148th Street	Moderate	㉔ US-6 and Deep Park Road	Lower
		Jamestown Street and N 137th Street	Lower

Table 15: Priority Locations - Top HIN Segments

Location	Overall Priority Scoring
① US-6; 130th Street to Canongate	High
② US-6; Canongate Road to N 141st Street	High
③ Canongate Road; US-6 to Jamestown Street	High
④ N 141st Street; US-6 to Mansfield Street	High
⑤ US-6; N 141st Street to N 148th Street	High
⑥ Amberly Road; N 140th Street to N 148th Street	Moderate
⑦ Oldfield Street; Canongate Road to N 141st Street	Moderate
⑧ US-6; I-80 Ramp to N 130th Street	Moderate
⑨ Amberly Road; US-6 to N 140th Street	Moderate

Location	Overall Priority Scoring
⑩ N 148th Street; I-80 to Heywood Street/Bluff Road	Moderate
⑪ N 141st Street; Mansfield Street to Waverly Road	Lower
⑫ Canongate Road; Amberly Road to US-6	Lower
⑬ Canongate Road; Jamestown Street to N 134th Street	Lower
⑭ Heywood Street; N 141st Street to N 148th Street	Lower
⑮ N 148th Street; Heywood Street/Bluff Road to US-6	Lower
⑯ N 148th Street; US-6 to Waverly Road	Lower
⑰ N 134th Street; Canongate Road to Waverly Road	Lower



Figure 19: Prioritized HIN Segment Locations

WAVERLY CSAP TOP PRIORITY PROJECTS

Top recommended projects for the Waverly Comprehensive Safety Action Plan focus primarily on the U.S. Highway 6 Corridor, Amberly Road, and other streets that carry heavy traffic through town on a daily basis, therefore providing critical infrastructure for truck traffic, commuters, and local transportation. The priority projects involve street upgrades, traffic control improvements, and pedestrian and bicycle safety.

The following provides a deeper analysis of each of the prioritized projects for both HIN segments and intersections. This analysis includes estimated costs, safety improvement potential, and a phased approach for implementation.

1. High Priority Project Group #1

- » US-6 Corridor
130th Street to 148th Street

2. High Priority Project Group #2

- » 141st Street
Amberly Road to Waverly Road

3. High Priority Project Group #3

- » 148th Street
I-80 bridge to US-6

4. High Priority Project Group #4

- » Canongate
Amberly Road to Oldfield Street

A summary of these project locations is included in the following project group detail sheets.


High Priority Project Group #1

US-6 Corridor (130th Street to 148th Street)

This project would include converting the current rural cross-section to an urban cross-section, including:

- a.** Curb and gutter.
- b.** Add multi-use trail/sidewalk on the south side of the street.
- c.** Provide ADA improvements.
- d.** Additional lighting where needed.
- e.** Addition of raised medians in key locations for access and speed management.
- f.** Lengthen left/right turn lane storage/ deceleration lengths.
- g.** Upgrade the existing signal at US-6 and 141st Street.
- h.** Monitor traffic signal warrants at 148th and US-6 and construct a signal if thresholds are satisfied.

This project would address the number 1, 2, and 5 ranked segments and intersections 1, 3, 4, and 5.



If funding is not available for the complete project, the following phased approach could be considered:

- 1.** Phase 1 would include a warrant study at the 148th Street intersection. If warranted, a traffic signal could be constructed. Regardless of the warrant study results, improved turn lanes, and the rural-to-urban section conversion could be extended from 141st Street to just east of 148th Street.
- 2.** Phase 2 could start at Amberly Road and extend to 141st Street. This Phase would still look at converting the rural section to urban and updating the signal infrastructure at 141st Street.
- 3.** Phase 3 would be a lower priority of rural to urban section conversion of US-6 from the interchange to 130th Street.


High Priority Project Group #2

141st Street (US-6 to Waverly Road)

This project would introduce traffic calming features such as edge/parking striping to define lane widths better and provide curb extensions at intersections, especially adjacent to Jaycee and Lawson Parks, where greater foot traffic demands are present. These could include, but are not limited to, Mansfield Street, Lancashire Street, and Kenilworth Street. The existing median on the southbound approach to US-6 should be extended north of Jamestown Street, restricting this intersection right-in/right-out on both the east and west legs of this intersection, reducing the chances for vehicle queues to encroach into the at-grade railroad crossing. RRFB traffic control would be added at 141st and Mansfield Street.

A future phase could include the conversion of 141st Street from its current rural type of section to an urban section from Mansfield Street to Waverly Road. Again, urban sections would consist of the addition of curb, gutter, and sidewalk. With these improvements, curb extension could also be located with RRFB traffic control at the Oldfield Street and St. Ronan Street intersections. Additionally, the intersection of 141st Street & Waverly Road could be converted from two-way stop control into a roundabout. This would create a way to decrease vehicle speeds entering the north side of the City of Waverly from the 141st Street and Waverly Road corridors, and it would likely require a combined effort with Lancaster County. Short-term improvements at the intersection could also include rumble bars as well as lighted or reflective striping on stop signs and warning signs in each direction along Waverly Road approaching the intersection.

This project addresses the number 4- and 11-ranked segment and the number 6 and 19 ranked intersections.



If funding for the whole project is not available at once, this project could be subdivided into the following sub-phases:

- a. RRFB and curb extensions at Mansfield.
- b. Restriping of 141st Street from US-6 to Mansfield.
- c. Extension of the median to the north of Jamestown Street.
- d. Construction of the urbanized section from Mansfield Street to Waverly Road with curb extensions at Kenilworth Street and Lancashire Street. This could be conducted in two phases, the first from Mansfield Street to Oldfield Street and the second from Oldfield Street to Waverly Road.

- e. Curb extensions and RRFB at the south leg of the Oldfield Street intersection.
- f. RRFB and curb extensions at the southern crossing of the St. Ronan Street intersection.
- g. The stop-controlled intersection of 141st Street & Waverly Road could be converted to a roundabout before the rural-to-urban street conversion in the future.

High Priority Project Group #3

148th Street (I-80 bridge to US-6)

Improve safety and operations of 148th Street and implement turn lanes at intersections and options for enhanced ped crossings, refuge islands, streetscape and lighting. Project would include the following:

- a. Widen the two-lane section to a three-lane section with one through lane in each direction and a center turn lane.
- b. Convert rural section to urban section to include lighting, curb, gutter, and sidewalk/multi-use trails.

This project addresses the number 10-ranked segment and the number 3, 9, 11, 12, and 20th ranked intersections.

Due to scale of the project, it could be phased from I-80 bridge to Folkestone, and then from Folkestone to US-6.




High Priority Project Group #4

Canongate (Amberly Road to Oldfield Street)

This project would include the following:

- a. Rehab/reconstruct of Canongate Rd to urban street standards (off bridge).
- b. Implement pedestrian overpass/trail provisions (either on bridge, parallel to bridge, or at new central crossing location).
- c. Conversion of the two-way stop control intersection at Amberly Road to a single lane roundabout.
- d. Install an RRFB at the Jamestown Street intersection.
- e. Conversion of the current rural section to an urban section, including the following:
 - » Convert from a two-lane section to a three-lane section to the north for turn lanes at key intersections.
 - » Curb and gutter.
 - » Pedestrian trail/connection provisions.
 - » Provide ADA improvements.
 - » Additional lighting where needed.

This project would address the number 3-ranked segment and the number 2 and 10-ranked intersections. This project would also provide a much-needed safe pedestrian/bicycle connection between the north and south side of Waverly, avoiding greater risk at grade crossings of US-6 and railroad facilities.



Again, if needed, this project could also be subdivided into phases. Phases could include the following:

- a. Pedestrian overpass provisions (via final concept & location study)
- b. The stop-controlled intersection at Amberly could be converted to a roundabout before the rural-to-urban street conversion.
- c. Rural to Urban cross-section conversion could be split into two sub-phases:
- d. Amberly Rd to the bridge.
- e. Bridge to Oldfield Street.

OPINION OF PROBABLE CONSTRUCTION COSTS FOR OVERALL PROJECT GROUPS

High Priority Project Group #1

US-6 Corridor (130th Street to 148th Street)

Project	Improvement Type	Unit Cost	Unit	Project Length	Proposed Cost Range
US-6 (Canongate to 141st)	5 Lane Urban Section	\$2,717,000	0.25 mile	0.95 mile	\$12M to \$15M
Traffic Signal at 148th	Traffic Signal	\$500,000	Each	NA	\$0.5M to \$1M
US-6 (130th to Canongate)	5 Lane Urban Section	\$2,717,000	0.25 mile	0.74 mile	\$10M to \$15M
Concrete Multi-Use Trail	-	\$1,000,000	1 mile	0.95 mile	\$1M to \$1.5M

High Priority Project Group #2

141st Street (US-6 to Oldfield Street)

Project	Improvement Type	Unit Cost	Unit	Project Length	Proposed Cost Range
Mansfield Street to Waverly Road	3 Lane Urban Section	\$2,085,000	0.25 mile	0.66 mile	\$5.5M to \$6.0M
US-6 to Mansfield Street	Resurface & Restripe	\$750,000	1 mile	0.66 mile	\$0.5M to \$1.0M
Mansfield, Lancashire, and Kenilworth	RRFB & Curb Extensions, Median Work	\$500,000	1 LS	NA	\$0.5M to \$1M
Oldfield and St. Ronan	RRFB & Curb Extensions	\$120,000	1 LS	NA	\$0.1M to \$0.2M
141st & Waverly RAB	RAB	\$2,000,000	1 Single Lane RAB	NA	\$2M to \$3M

High Priority Project Group #3

148th Street (I-80 bridge to US-6)

Project	Improvement Type	Unit Cost	Unit	Project Length	Proposed Cost Range
I-80 Bridge to US-6	3 Lane Urban Section	\$2,500,000	0.25 mile	1 mile	\$10M to \$15M
Concrete Multi-Use Trail	-	\$1,000,000	1 mile	1 mile	\$2M to \$4M

High Priority Project Group #4

Canongate (Amberly Road to Oldfield Street)

Project	Improvement Type	Unit Cost	Unit	Project Length	Proposed Cost Range
Amberly to Bridge	3 Lane Urban Section	\$2,085,000	0.25 mile	0.34 mile	\$3M to \$5M
Bridge to Oldfield	3 Lane Urban Section	\$2,085,000	0.25 mile	0.59 mile	\$6M to \$8M
Pedestrian Trail/Overpass	Alts, grade separation	\$7M to \$12M	1 LS	TBD - based alts	\$7M to \$12M
Amberly & Canongate RAB	RAB	\$2,000,000	1 Single Lane RAB	NA	\$2M to \$4M
RRFB at Jamestown Street	Rectangular Rapid Flashing Beacon	\$120,000	1 LS	NA	\$0.1M to \$0.2M
Concrete Multi-Use Trail	-	\$1,000,000	1 mile	0.93 mile	\$1M to \$2M

MEDIUM TO LOWER PRIORITY PROJECTS

Amberly Road (US-6 to 148th Street)

General conversion of the current rural section to an urban-style section:

- a.** Add multi-use trail on north side to connect Canongate Road to the existing trail at 140th Street.
- b.** Curb and gutter.
- c.** Strategic street lighting improvements to fill in existing gaps.
- d.** Curb extensions could be considered with lane reconfiguration at 143rd Street and 145th Street intersections.

Oldfield Street (Canongate Road to 141st Street)

Convert this street from the existing gravel road to a three-lane paved section (One through lane in each direction with a center turn lane). This project should include:

- a.** Curb and gutter.
- b.** Strategic street lighting improvements to fill in existing gaps.
- c.** Multi-use trail on one side of the street connecting Lawson Park to the future trail along Canongate Road.
- d.** Sidewalk on the side opposite the multi-use trail.

148th Street (US-6 to Waverly Road)

- a.** Widen to a three-lane section with one through lane in each direction and a center turn lane.
- b.** Curb and gutter.
- c.** Strategic street lighting improvements to fill in existing gaps.
- d.** Sidewalk/multi-use trails.

This project could be deferred until adjacent development occurs, and an opportunity for cost participation from a given development could be feasible.

Heywood Street (141st Street to 148th Street)

This project would include:

- a.** Restripe street to include a three-lane section (one through lane in each direction and a center turn lane) and parking on one side of the street. A second option would be to stripe parking on both sides and stripe for two-lanes (one through lane in each direction).
- b.** Strategic street lighting improvements to fill in existing gaps.
- c.** Add curb extensions at 141st Street, 143rd Street, and 146th Street.

Longer Term Projects

Project	Improvement Type	Unit Cost	Unit	Project Length	Proposed Cost Range
Amberly Road (US56 to 148th Street)	3 Lane Urban Section	\$2,085,000	0.25 mile	1.15 mile	\$10M to \$15M
Oldfield Street (Canongate Road to 141st Street)	3 Lane Urban Section	\$2,085,000	0.25 mile	0.42 mile	\$3.5M to \$5.0M
148th Street (US-6 to Waverly Road)	3 Lane Urban Section	\$2,717,000	0.25 mile	0.48 mile	\$6M to \$9M
Heywood Street (141st Street to 148th Street)	Restripe and Resurface	\$433,000	1 mile	0.53 mile	\$0.35M to \$0.5M

OTHER CITYWIDE EFFORTS

1. Replace the school zone signing for consistency and to comply with the latest Manual on Uniform Traffic Control Devices (MUTCD).
2. Restripe crosswalks and update signs within Wayne Park to improve consistency, visibility, and bring signing and striping up to the current standard.
3. Work with Rail Bureau to enhance at-grade railroad crossings.
4. Sidewalk improvement program.
5. Traffic signal optimization.
6. Safe Routes to School Review.
7. Roundabout feasibility studies for traffic calming as vehicles enter city limits at the following locations:
 - » Canongate Road/Oldfield Street
 - » 148th Street and Waverly Road
8. Commercial vehicle noise and routing enforcement.
9. Citywide trail enhancements such as lighting, benches etc.
10. Distracted driving and impaired driving prevention and education programs.
11. Municipal Golf Cart Code Refinement and Enforcement Program.
12. Neighborhood traffic calming process review.
13. Complete Streets Policy (especially for new developments to include sidewalk and trail infrastructure as part of their off-site responsibilities).

This page intentionally left blank.



CHAPTER 7

IMPLEMENTATION

IMPLEMENTATION

The Waverly CSAP was developed with input from community members, key stakeholders, and elected officials and the commitment of the City of Waverly to achieving its goals. However, accomplishing the plan's goals will require a strong implementation plan. The following outlines the City's commitment to achieving zero fatal and serious injury crashes within the community through progress reporting, strategic actions, and policy implementation at the local and state level.

COMMITMENT TO SAFETY

The completion of this Safety Action Plan is the City's commitment to its citizens and users of its transportation system that no injuries or deaths are acceptable in the community of Waverly. This plan also allows the City to pursue additional funding to support the recommendations of this plan and their implementation through the USDOT's SS4A Program. This funding is very important toward achieving the City's safety goal. Going forward, as the City continues to grow and seek new funding opportunities, it will need to prioritize safety when selecting future projects and infrastructure improvements. Policies that can create a greater focus on safety, both in the current operations of the transportation system and in future maintenance and construction activities, will need to be established by staff and local policy makers. Safety will also need to remain at the forefront of conversations within the community as a means to continue building a culture of safety in Waverly. Serious commitment from all elected leaders towards the goals of this plan will help to decrease fatal and serious injury crashes in the community presently and in years to come.

PROGRESS REPORTING

Regular reporting and communication of progress towards the goals of this plan is necessary as the City strives to ultimately reach zero fatal and serious injury crashes.

As part of the WCSAP, the City will continue to track fatal and serious injury crashes as they occur in the community. This data analysis will include a focus on the City's HIN. By tracking this crash data, the City will be in a better position to identify prioritized locations for safety improvement projects within its street, trail, and sidewalk network. Additionally, the City should also track past trends of fatal and serious injury occurrences in its network to support progress tracking for year-to-year comparisons.

The HIN should also be analyzed with each update of the WCSAP to ensure safety priorities are aligned with the most current crash data. Vulnerable road users remain to be a safety priority for the City and will continue to be a focus of safety measures going forward based on available crash data. The City will also continue to collaborate with NDOT and the State Highway Safety Office on analyzing and reporting progress of safety metrics as well as the implementation of safety improvement projects.

TAKING ACTION

The implementation of this plan will require a continued focus and commitment by the City towards safety every single day. Through the engagement process of this plan, the community has clearly stated that deaths and serious injuries on streets and roads in Waverly are not acceptable. The City's completion of this plan shows its commitment to accomplishing the goal of zero deaths or serious injuries, while still knowing it is an ambitious goal. But, with the strategic policies and safety improvement projects recommended in this plan, achieving this goal can become a reality for the City of Waverly.



CITY OF WAVERLY

COMPREHENSIVE SAFETY ACTION PLAN

CITY COUNCIL
MAY 25, 2026



PERSPECTIVE


Crashes impact everyone...



- 40,000 fatalities
 - 4 planes/week
- Serious injuries
 - 40 planes/week
- Over 100 lives lost every day
- A couple more during this talk
- Economic costs and societal harm
 - \$2 trillion

WHAT IS SS4A?

- Federal Grant Program
- Goal: Zero fatalities and serious injuries
- Core Principles
 - **Traffic Deaths are Unacceptable**
- Focus on designing safer systems



WHY THIS MATTERS

- No one should be seriously injured or lose their life traveling in our community
- Serious crashes and fatalities still occur
- Each crash represents a real person—a **neighbor, friend, or family member**
- Even one serious injury or loss of life is too many if it can be prevented

We can design a transportation system that is
safer
for everyone

HOW WE GOT HERE



STEP 1

Data Collection
& Analysis



STEP 2

Community
Engagement



STEP 3

Recommendations &
Strategies


WE ARE
HERE



STEP 4

Plan Adoption



STEP 5

Grant
Application &
Implementation



STEP 6

Ongoing Support
& Monitoring

THE NEED

In a 10-year period from 2014–2023...

Waverly....

- 281 reported crashes
- 93 fatal or any injury
- 10 killed or serious injury




Figure 1: City of Waverly Crashes (2014-2023)

FREQUENTLY USED ACRONYMS & TERMS

*VRU = **Vulnerable Road** user with little protection on the road, like pedestrians, bicyclists, and motorcyclists.


*KSI = **Killed & Serious Injury Crash**, this includes all fatalities and ONLY serious injury resulting in a crash.

*FI = **Fatal & Injury Crash**, this includes all fatalities and ANY injury resulting in a crash.

***Serious Injury Crash** is a traffic crash resulting in physical harm requiring hospitalization and/or causing long-term impairment.

10-YEAR CRASH DATA (2014-2023)

- 281 Reported Crashes
 - 7 – Serious Injury
 - 3 – Fatalities
- Vulnerable Road User (VRU) Crashes
- 6 – FI Crashes
- 1 – Fatality




*More information available in Chapter 2 in the Waverly's Comprehensive Safety Action Plan.

KEY TAKEAWAYS

- Most **FI crashes** occur on **weekdays**
- **Angle crashes** account for about **45%** of crash types, **Single Vehicle crashes** account for **33%**
- Most **FI crashes** occur at **signalized intersections**

FI CRASHES BY SEATBELT USAGE



SAFER STREETS

- **100%** of vulnerable road user crashes resulted in FI outcomes
- **FI crashes** occur most often on **major arterial corridors**
- Most injury crashes occur on dry pavement where **speed** often plays a role

TERMINOLOGY

***FI** = **Fatal & Injury Crash**, this includes all fatalities and ANY injury resulting in a crash.

***KSI** = **Killed & Serious Injury Crash**, this includes all fatalities and ONLY serious injury resulting in a crash.

***Serious Injury Crash** = injury resulting in severe physical harm requiring hospitalization or causing long-term impairment.

*More information available in Chapter 2 in the Waverly's Comprehensive Safety Action Plan.

WHAT WE HEARD

229

responses
collected
in person &
online



FREQUENTLY MENTIONED LOCATIONS

- Amberly & Cannongate
- U.S. Highway 6 & 141st St
- 148th St



KEY CONCERNS

- Speed and distracted driving
- Truck traffic and jake braking
- Stronger enforcement
- Poor connectivity and lack of pedestrian bicycle facilities
- Pedestrian and bicycle safety and education



PRIORITIZED HIGH INJURY NETWORK (HIN)


Variable	Safety Index	Total Weighting
Total Ped/Bike Crashes		15%
All Fatal/Injury Crashes (HIN)		45%
Public Input		25%
Multimodal		15%
Total		100%

Criteria scoring was developed based on priorities and feedback from the City

Multimodal

Multimodal received a score of:

- **3** - For proximity to Downtown/ School/Park type land uses
- **2** - For proximity to commercial/ Church/Senior & Assisted Living Centers land use
- **1** - For proximity to neighborhood land use
- **0** - For segments lacking proximity to walkable land uses such as industrial or agricultural



SAFETY COUNTERMEASURES



Crosswalk Visibility Enhancements



Medians and Pedestrian Refuge Islands



Rectangular Rapid Flashing Beacons (RRFBs)



Signal Improvements

SAFETY STRATEGIES

+ Focus On Corridor Improvements

- U.S. Highway 6
- 141st Street
- 148th Street
- Cannongate Road

+ System-Wide Strategies

- Traffic Control Optimization
- Sidewalk Improvement Program
- Safe Routes to School review
- Traffic Safety Education programs
- Complete Streets and Access Management Policies

+ Focus On Safety

- Reducing crash severity and risk factors
- Encourage lower speeds

SAFETY STRATEGIES

Prioritized Project Group #1

US-6 Corridor Project (130th Street to 148th Street)


This project aims to upgrade the current rural street to an urban street standard by adding curbs, gutters, ADA-compliant sidewalks/multi-use trails, raised medians, improved lighting, longer turn lanes, and upgraded traffic signals. It targets high-priority segments and intersections, with a phased approach if full funding isn't available - including study and design projects at 148th Street, and segments and intersections traveling west through 141st, Amberly Rd, and 130th Street.



Prioritized Project Group #2

141st Street Project (US-6 to Waverly Road)

This project focuses on improving traffic flow and safety with features like edge/parking striping, curb extensions at key intersections, and RRFB traffic control at 141st and Mansfield Street. The project also plans to extend the median north of Jamestown Street to reduce vehicle queues near the railroad crossing and potentially convert the street to an urban section from Mansfield Street to Waverly Road, including curbs, gutters, and sidewalks. If funding is limited, the project can be phased, starting with improvements at Mansfield Street, followed by restriping, median extension, and urbanization work. A roundabout should also be planned for construction at the 141st Street & Waverly Road intersection.




SAFETY STRATEGIES

High Priority Project #3

148th Street (I-80 bridge to US-6)


This project includes the widening of the two-lane section to a three-lane section, with one through lane in each direction and a center turn lane. It also includes converting the rural section to an urban street section with curb and gutter, storm sewer, sidewalk/trails and ADA accessible ramps, pedestrian crossings with RRFBs and potential refuge islands, lighting and streetscape. This project addresses both segment and intersection crash locations along the corridor, and supports improved multimodal infrastructure with continued development occurring.



Prioritized Project Group #4

Canongate Project (Amberly Road to Oldfield Street)

This project aims to improve safety and accessibility by phasing Canongate as an urban street with two vehicle lanes, pedestrian overpass/trail provisions (either on the bridge, parallel to the bridge, or at a new central crossing location), improving the Amberly Road intersection to a roundabout, and implementing a rectangular rapid flashing beacon (RRFB) at the Jamestown Street intersection. Urban street standards with new curb and gutter, ADA improvements, safe pedestrian and bicycle facility connections, and street lighting are additional enhancements that can all be included in phasing of this project group.



NEXT STEPS

- ✓ Adopt Safety Action Plan
- ✓ Implementation
 - Low-cost solutions
 - Systematic Improvements
 - Programming and Education
 - Longer term projects
- ✓ Identify funding opportunities
 - Supplementary Planning Grant Application
- ✓ Ongoing Support
 - Vision Zero Goal



THANK YOU!

*With your support, together we can
move forward towards safer streets
for all.*